Automatic Changeover Regulators M2523HP Series

Application

M2523HP series automatic changeover regulators are designed especially for use in systems where a reserve cylinder is used to provide a continuous, uninterrupted supply of gas. These regulators are suitable for use with carbon dioxide, hydrogen, oxygen, industrial air, nitrous oxide, nitrogen, helium and argon.

Features

- Automatically withdraws from the reserve cylinder after exhausting the "service" cylinder
- Cylinder pressure gauges let you know at a glance the contents of each cylinder is in use. There is no need to shutdown the system to replace empty cylinders
- · Nickel plated
- · 100% Factory Tested
- · Cleaned per CGA G-4.1 for oxygen service
- Porous bronze filters are installed in each inlet to minimize the entry of foreign particles
- Back pressure check valves are installed in each inlet to help assure positive shut-off in case of reverse flow
- Each unit comes complete with mounting bracket and a special delivery pressure adjustment wrench
- Factory set at 50 psig (3.44 barg) on service side. CO₂ and N₂O regulators are factory set at 100 psig (6.89 barg) on service side

Conversion Table


Source	Multiply				
Carlana Diavida	04				
Carbon Dioxide	.81				
Nitrogen	1.02				
Nitrous Oxide	.81				
Argon	.85				
Oxygen	.95				
Helium	2.69				
Hydrogen	3.79				






M2523HP Series

Materials Brass Bonnet Brass Bonnet Brass Seat Disc (all gases except CO2) Viton Seat Disc (CO2 Only) Butyl Rubber Diaphragm (all gases except CO2) Neoprene Diaphragm (CO2 Only) Buna N Handle Aluminum Bonnet Spring Steel Backcap Spring Stainless Steel





Ordering Information

		CGA Inlet Outlet Connection		Width A		Height B		Maximum Inlet	Delivery	Accessory		
Part Number	Gas Service	Connection	Inches	mm	Inches	mm	Inches	mm	Pressure	Pressure Range	Regulators	
M2523HP320	Carbon Dioxide	320	1¼" F.NPT		73/4"	196	51/8"	130	1800 psig		BR-1784E, 1784E	
M2523HP326	Nitrous Oxide	326							(124.2 barg)		C-1682 M Series	
M2523HP350	Hydrogen	350										
M2523HP540	Oxygen	540		F.NPT	0	6 73/4"	196	378	130	3000 psig	(2.1-8.9 barg)	1784 Series 1682 M Series
M2523HP580	Nitrogen, Argon, Helium	580							(202 barg)		BR 1784 Series	
M2523HP590	Industrial Air	590										

