



345 Carlingview Drive
Toronto, Ontario
CANADA M9W 6N9
Tel.: 416.734.3300
Fax.: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

June 26, 2018

CHAD THOMAS
ENGINEERED CONTROLS INTERNATIONAL LLC
100 REGO DR
ELON NC 27244
US

Service Request Type.: BPV-National BC
Service Request No.: 2305808
Your Reference No.:
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from BC, registered under the CRN No.: 0C20335.51.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Joanna Karpinski

Tel: 416-734-3377
Fax: 416-231-6183
Email: jkarpinski@tssa.org

TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ON M9W 6N9

Date: May 28, 2018
Account #: 35231
Journal #: 70828

Attn: TANYA FRANCIS

Re: Application for Design Registration

The design, as detailed in your, TSSA SR# 2305808, for a Fitting is accepted for registration as follows:

Registered To: ENGINEERED CONTROLS
INTERNATIONAL LLC **CRN:** 0C20335.51

Drawing #: BK9453FAB

Drawing Revision: G

Conditions Of Registration:

Registration of Valve 3/8" c/w 0.625" tube ends as per attached scope of registration sheet.

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Reviewer's Notes:

As required by CSA B51 4.2.1, this registration expires on May 08, 2028. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

SHARON PETERS

boiler.designregistration@technicalsaftybc.ca
Design Administration

cc:



345 Carlingview Drive
Toronto, Ontario
CANADA M9W 6N9
Tel.: 416.734.3300
Fax.: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

July 20, 2018

CHAD THOMAS
ENGINEERED CONTROLS INTERNATIONAL LLC
100 REGO DR
ELON NC 27244
US

Service Request Type.: BPV-National AB
Service Request No.: 2305804
Your Reference No.:
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from AB, registered under the CRN No.: 0C20335.52.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel. : 416-734-3423
Fax : 416-231-6183
Email : tfrancis@tssa.org

June 27, 2018

Attention: Tanya Francis
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO, ON M9W 6N9

Email: tfrancis@tssa.org

The design submission, tracking number 2018-03201, originally received on May 17, 2018 was surveyed and accepted for registration as follows:

CRN : 0C20335.52

Accepted on: June 27, 2018

Reg Type: NEW DESIGN

Expiry Date: May 08, 2028

Drawing No. : BK9453FAB Rev G As Noted

Fitting type: ASSEMBLY

Design registered in the name of : ENGINEERED CONTROLS INTERNATIONAL LLC

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction is ASME B31.3.

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.

This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.

Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

Brazing shall be in compliance with code of construction.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 or fax (780) 437-7787 or e-mail liu@absa.ca.

Sincerely,



LIU, XING, P. Eng.
DOP Cert. No. D00008861

**STATUTORY DECLARATION
Registration of Fittings**

I, Chad Thomas, V.P of Engineering
(name of applicant) (position title) (must be in a position of authority)
of Engineered Controls International, LLC.
(name of manufacturer)
located at 100 Rego Drive, Elon - 27244, NC, USA
(plant address)

In this space, show facsimile of
manufacturer's logo or trademark
as it will appear on the fitting.

REGO®

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act
(check one)

- ☒ comply with the requirements of ASME B31.3 which specifies the dimensions,
(title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- ☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured
to comply with _____ as supported by the attached
(title of code of construction or other applicable document)
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis
for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been
verified by the following authority, ISO 9001 / UL INC as being suitable for the manufacture of these
fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are
Category 'H'

(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

See attached list - BK9453FA13

DECLARED before me at Elon in the State of North Carolina
(city) (province or state)

this 20th day of April, 2018
(Month) (Year)

(print) Jennifer Versage Watson
(a Commissioner of Oaths or Notary Public)

(sign) Jennifer Versage Watson
(a Commissioner of Oaths or Notary Public)

Jennifer Versage Watson
Notary Public
Rockingham County
North Carolina
My Commission Expires 03/05/2023

(signature of applicant)

For ABSA Office Use Only:

NOTES: _____

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA
Standard B51, Clause 4.2, and is accepted for registration in Category _____

Registration Number: 0020335.52

Date Registered: 2018-06-29

Expiry Date: 2028-05-08

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the
Pressure Equipment Discipline.



To:	TSSA	From:	Janet Townsend
Company:	Engineered Controls International LLC	Phone:	416-747-4291
Pages:	8	Location:	Toronto
Our File:	ANR-4979	Date:	June 21, 2018

Your File: 2305810

Subject: Request for Design Registration

Dear Ms. Francis,

CSA has reviewed the documentation submitted by TSSA on behalf of Engineered Controls International LLC

These fittings have been registered by CSA for the Province of Québec. In accordance with an agreement between CSA, the Provinces of Québec and Saskatchewan; this registration is recognized by Quebec and Saskatchewan. These fittings are acceptable for use in these Provinces.

The letters CSA will be applied as a prefix to the CRN indicate which fittings have been registered in this manner. A copy of the stamped Statutory Declaration is attached.

The CRN is CSA-0C20335.56.

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly

A handwritten signature in blue ink that reads 'Janet Townsend'.

Janet Townsend
Program Manager
CSA Group

178 Rexdale Blvd.
Toronto, ON, M9W 1R3
Canada
www.csagroup.org

Statutory Declaration Registration of Fittings

(a) Design Qualification

I, Chad Thomas, V.P of Engineering

(Position eg. president, plant manager, chief eng.)

Of Engineered Controls International, LLC
(name of company)

Located at 100 Rego Drive, Elon, NC -27244 USA
(plant address)

REGISTERED

CRN: CSA-DC20335.56

Registration Process administered by
CSA Group per CSA B51

do solemnly declare that the fittings listed hereunder, which are subject to the Boilers & Pressure Vessels Act:

☒ comply with all the requirements of the ANSI/ASME codes as to their dimensions, material, identification & service for which are required:

Or
☐ are not covered by the provisions of the ANSI/ASME codes, and are therefore constructed to comply with _____
_____ code and standard, and are designed to the best current engineering practice, as shown by the supporting test data.

(b) Quality control of Manufacture

I further declare the manufacture of these fittings is controlled by a quality control program which complies with the requirements of ASME B31.3, and has been verified by the following authority or authorized agency UL 9001

The fittings² covered by this declaration, for which I seek registration, are Category H

In support of the application, the following information, calculations and/or test data are attached:

See attached list- BK9453FAB

Declared before me at Alamance County
In the of State of North Carolina

The 20 Day of April AD 192018

Jennifer Versage Watson

Notary Public

Rockingham County
North Carolina

My Commission Expires 03/05/2023

A (commissioner for oaths)

Signature of Declarer

For Official Use Only

The application is accepted for registration in Category C in accordance with the Boilers and Pressure Vessels Act and CSA Standard B51.

This registration must be revalidated after ten (10) years from the date of acceptance

MAY-08-2028

Registered Number CRN CSA-DC20335.56

For the Chief Inspector A. BANWATT

Date June 13 2018

- 1 Three completed copied of Statutory Declaration form together with three copies of Catalogs, drawings of Bulletins illustrating above fittings shall be submitted.
- 2 All fittings are required to be registered in the name of the Manufacturer.
- 3 This form shall be completed and signed by the president of highest official in the manufacturing plan where the fitting is produced.

Statutory Declaration (Registration of Fittings)

TSK-1008

I. Declaration Information

I, Chad Thomas, V.P of Engineering

(company title, e.g. vice president, plant manager, chief engineer)
(must be in a position of authority in the manufacturing plant where the fitting is produced)

of: Engineered Controls International, LLC

(name of manufacturer)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

REGO®

located at: 100 Rego Drive

(Plant Address - Apt/Street)

Elon, NC

(City, Prov)

27244

(Postal Code)

do solemnly declare that the fittings listed hereinunder, which are subject to the **Saskatchewan Boiler and Pressure Vessel Safety Act** (check one)

☒ Comply with the requirements of ASME B31.3 which specifies the dimensions,
(title of recognized North American Standard)
Materials of construction, pressure / temperature ratings and identification marking of the fittings, or

☐ Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, UL 9001 as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Category A

In support of this application, the following information, calculations and / or test data are attached:

See attached list BK9453FAB.

II. Declaration

DECLARED before me at Adamance County In the State of North Carolina
this 20 day of April, 2018

Jennifer Versage Watson
(print name)

[Signature]
(Signature of Commissioner of Oaths)

[Signature]
(Signature)

Jennifer Versage Watson
Notary Public
Rockingham County
North Carolina

My Commission Expires 03/05/2023

III. Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the **Boiler and Pressure Vessel Safety Act** and CSA B51, Clause 4.2, and is accepted for registration in Category C

REGISTERED (Number)




June 13, 2018
(Date Registered - MM/DD/YYYY)
(For the Administrator / Chief Inspector)

MAY.08.2028
(Expiry Date - MM DD YYYY)

CRN:

CSA-DC-20335.56



A. BANWATT

Registration Process administered by
CSA Group per CSA B51

*Note: See the attachment for the scope of the registration.



TSK-1008
Rev 10/2012
Group of 1



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: 416 734 3300
Fax: 416 231 1626
Toll Free: 1 877 682 8772

www.tssa.org

May 08, 2018

CHAD THOMAS
ENGINEERED CONTROLS INTERNATIONAL LLC
100 REGO DR
ELON NC 27244
US

Service Request Type: BPV-Fitting Registration

Service Request No.: 2044316

Your Reference No.:

Registered to: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0C20335.5

Main Design No.: Dwg. No. BK9453FAB Rev. G, Valve 3/8" c/w 0.625" tube ends


Expiry Date: 08-May-2028

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Mark Valcic P. Eng.
Engineer Specialist BPV
Tel.: 416-734-3494
Fax: 416-231-1626
Email: mvalcic@tssa.org





March 2017

CRN – Canadian Registration Numbers - Saskatchewan

The Province of Saskatchewan participates with Quebec and the Canadian Standards Association (CSA Group) for the registrations of “Fittings”.

Per an agreement with CSA Group in April 1998, Saskatchewan recognizes registrations done by CSA Group and accepts such fittings for use in Saskatchewan.

The letters “CSA” are applied as a prefix to the CRN to indicate which “Fittings” have been registered in this manner. You should inform your clients of this additional marking requirement and that “Fittings” registered by CSA Group are accepted for use in Saskatchewan Canada.



345 Carlingview Drive
Toronto, Ontario
CANADA M9W 6N9
Tel.: 416.734.3300
Fax.: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

September 12, 2018

CHAD THOMAS
ENGINEERED CONTROLS INTERNATIONAL LLC
100 REGO DR
ELON NC 27244
US

Service Request Type.: BPV-National MB
Service Request No.: 2305814
Your Reference No.:
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from MB, registered under the CRN No.: 0C20335.54.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel. : 416-734-3423
Fax : 416-231-6183
Email : tfrancis@tssa.org



Inspection and Technical Services Manitoba
500 - 401 York Avenue
Winnipeg Manitoba R3C 0P8
T (204) 945-3373
F (204) 948-2309
www.firecomm.gov.mb.ca/codes_steam_pressure.html

August 28, 2018

TSSA
345 Carlingview Drive
Toronto, ON
M9W 6N9

Attn: Tanya Francis

REGISTRATION OF VALVES AND FITTINGS

Manufacturer: Engineered Controls Intl LLC

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

DRAWING / CATALOGUE	CRN	FILE
BK9453FAB REV. G	0C20335.54	38960

An invoice covering survey and registration fees is enclosed.

NOTE:

- *CRN registered under reciprocal agreement & is conditional based on compliance with the notes set by the original issuing Jurisdiction: TSSA*
- *See attached stamped "this is part of CRN" for scope of registration.*
- *This registration expires **May 8, 2028**.*

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Yours truly,

A handwritten signature in blue ink that reads "Rabie Harb".

Rabie Harb, E.I.T.
Design Surveyor
Office of the Fire Commissioner
Inspection and Technical Services Manitoba
508 - 401 York Avenue
Winnipeg, Manitoba, R3C 0P8
Phone: 204-945-3373
Email: rabie.harb@gov.mb.ca



Technical Standards and Safety Authority
345 Carlingview Drive
Toronto, Ontario M9W 6N9
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

REGO®

STATUTORY DECLARATION Registration of Fittings

I, CHAD THOMAS, VP GLOBAL ENGINEERING

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of ENGINEERED CONTROLS INTERNATIONAL. LLC

(Name of Manufacturer)

Located at 100 REGO DRIVE, ELON, NC - 27244

(Plant Address)

336-449-7707

(Telephone No.)

(Fax No.)



do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME B31.3

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;



or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with, as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001

which has been verified by the following authority, UNDERWRITERS LABORATORY INC

The items covered by this declaration, for which I seek registration, are category H type fittings. In support of this application, the following information and/or test data are attached as follows:

SEE ATTACHED LIST - BK9453FAB

(drawings, calculations, test reports, etc.)

Declared before me at Alamance County in the State

the 20th day of April AD 2018

Jennifer Versage
Notary Public
Rockingham County
North Carolina
My Commission Expires 03/05/2023

Commissioner for Oaths:

Jennifer Versage Watson

(Printed name)

(Signature)

Chad Thomas
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category "C"

CRN: PC20335.54

Registered by: Rabie Harb

Dated: 2018/08/28

NOTE: This registration expires on: May 8, 2028





345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

May 08, 2018

CHAD THOMAS
ENGINEERED CONTROLS INTERNATIONAL LLC
100 REGO DR
ELON NC 27244
US

Service Request Type: BPV-Fitting Registration

Service Request No.: 2044316

Your Reference No.:

Registered to: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0C20335.5

Main Design No.:

Dwg. No. BK9453FAB Rev. G, Valve 3/8" c/w 0.625" tube ends

Expiry Date:

08-May-2028

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Mark Valcic P. Eng.
Engineer Specialist BPV
Tel.: 416-734-3494
Fax: 416-231-1626
Email: mvalcic@tssa.org



Technical Standards and Safety Authority
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Customer Service: 1.877.682.8772
Fax: 416.231.6183
www.tssa.org



REASSIGNED
TO MARK
MAY 3/18
2044316

National Design Registration
Application for a CRN
Technical Standards and Safety Act
Boilers and Pressure Vessels Regulation

Date of Application (mm/dd/yyyy): 3/30/2018	Expedited Service (Ontario Only) <input type="checkbox"/> Yes (form attached) <input checked="" type="checkbox"/> No	Service Request Number: (For office use only) 2044316
--	--	--

Please indicate the type of design for National Service:

☐ Pressure Vessel ☐ Boiler ☒ Fitting

Existing CRN: _____
(if applicable)

Section A: Submitter (Legal Company Name)	Section B: Invoicee Same as: <input checked="" type="checkbox"/> A <input type="checkbox"/> C <input type="checkbox"/> D																
Company Name: ENGINEERED CONTROLS INTERNATIONAL, LLC.	Company Name:																
Address: 100 REGO DRIVE	Address:																
City/Town: ELON Province/State: NC	City/Town: Province/State:																
Postal/Zip Code: 27244 Country: USA	Postal/Zip Code: Country:																
Telephone: 336-446-7707	Telephone:																
Contact Name: CHAD THOMAS	Contact Name:																
E-mail: cthomas@regoproducts.com	E-mail:																
Job No./Reference:	Purchase Order No.:																
Drawing/Catalog No.:																	
Account/Customer Number:	Account/Customer Number																
Section C: Owner of Design/ CRN Same as: <input checked="" type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> D	Section D: Manufacturer Same as: <input checked="" type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C																
Company Name:	Company Name:																
Address:	Address:																
City/Town: Province/State:	City/Town: Province/State:																
Postal/Zip Code: Country:	Postal/Zip Code: Country:																
Telephone:	Telephone:																
Contact Name:	Contact Name:																
E-mail:	E-mail:																
Acct/Cust No.:	Acct/Cust No.:																
Kindly select the province registration is required: For renewals or additions to registrations where registration was obtained outside of Ontario first, in order to keep that registration number, please apply to the original registering province first, then proceed to apply with national registration with TSSA. If you proceed with national registration at TSSA first, we will need to issue a new registration number. <table border="0"><tr><td><input checked="" type="checkbox"/> Ontario</td><td><input checked="" type="checkbox"/> Saskatchewan</td><td><input checked="" type="checkbox"/> New Brunswick</td><td><input checked="" type="checkbox"/> Newfoundland and Labrador</td></tr><tr><td><input checked="" type="checkbox"/> British Columbia</td><td><input checked="" type="checkbox"/> Manitoba</td><td><input checked="" type="checkbox"/> Nova Scotia</td><td><input checked="" type="checkbox"/> Yukon</td></tr><tr><td><input checked="" type="checkbox"/> Alberta</td><td><input checked="" type="checkbox"/> Quebec</td><td><input checked="" type="checkbox"/> Prince Edward Island</td><td><input checked="" type="checkbox"/> Northwest Territories</td></tr><tr><td></td><td></td><td></td><td><input checked="" type="checkbox"/> Nunavut</td></tr></table>		<input checked="" type="checkbox"/> Ontario	<input checked="" type="checkbox"/> Saskatchewan	<input checked="" type="checkbox"/> New Brunswick	<input checked="" type="checkbox"/> Newfoundland and Labrador	<input checked="" type="checkbox"/> British Columbia	<input checked="" type="checkbox"/> Manitoba	<input checked="" type="checkbox"/> Nova Scotia	<input checked="" type="checkbox"/> Yukon	<input checked="" type="checkbox"/> Alberta	<input checked="" type="checkbox"/> Quebec	<input checked="" type="checkbox"/> Prince Edward Island	<input checked="" type="checkbox"/> Northwest Territories				<input checked="" type="checkbox"/> Nunavut
<input checked="" type="checkbox"/> Ontario	<input checked="" type="checkbox"/> Saskatchewan	<input checked="" type="checkbox"/> New Brunswick	<input checked="" type="checkbox"/> Newfoundland and Labrador														
<input checked="" type="checkbox"/> British Columbia	<input checked="" type="checkbox"/> Manitoba	<input checked="" type="checkbox"/> Nova Scotia	<input checked="" type="checkbox"/> Yukon														
<input checked="" type="checkbox"/> Alberta	<input checked="" type="checkbox"/> Quebec	<input checked="" type="checkbox"/> Prince Edward Island	<input checked="" type="checkbox"/> Northwest Territories														
			<input checked="" type="checkbox"/> Nunavut														

Return Mail to: ☐ A ☐ B ☐ C ☐ D ☐ Call for Pick up at Head Office

Optional Courier Collect:

(Completed ON Reg. Only)

☐ DHL ☐ FEDEX ☐ PUROLATOR ☐ UPS

Acct No.: _____

REGISTRATION NUMBER: (For Office Use Only)

0C20335.5



Technical Standards and Safety Authority
345 Carlingview Drive
Toronto, Ontario M9W 6N9
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

REGO®

STATUTORY DECLARATION Registration of Fittings

I, CHAD THOMAS, VP GLOBAL ENGINEERING

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of ENGINEERED CONTROLS INTERNATIONAL, LLC

(Name of Manufacturer)

Located at 100 REGO DRIVE, ELON, NC - 27244

(Plant Address)

336-449-7707

(Telephone No.)

(Fax No.)



do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME B31.3

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;



or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001 which has been verified by the following authority, UNDERWRITERS LABORATORY INC

The items covered by this declaration, for which I seek registration, are category H type fittings. In support of this application, the following information and/or test data are attached as follows:

SEE ATTACHED LIST - BK9453FAB

(drawings, calculations, test reports, etc.)

Declared before me at Alamance County in the State of North Carolina
the 20th day of April AD 2018
Notary Public
Rockingham County
North Carolina
My Commission Expires 03/05/2023

Commissioner for Oaths:

Jennifer Versage Watson

(Printed name)

(Signature)

Chad Thomas
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category 'C'

CRN:

0C20335.5

Registered by:

MARK VALCIC, P.ENG

Dated:

MAY 8, 2018

NOTE: This registration expires on:

MAY 8, 2028

Technical
Standards
and Safety
Authority

Boilers and
Pressure Vessels
Safety Program

REGISTERED

C.R.N.

Signed:

Date:

0C20335.5

Mark Valcic

MAY 8, 2018



345 Carlingview Drive
Toronto, Ontario
CANADA M9W 6N9
Tel.: 416.734.3300
Fax.: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

July 09, 2018

CHAD THOMAS
ENGINEERED CONTROLS INTERNATIONAL LLC
100 REGO DR
ELON NC 27244
US

Service Request Type.: BPV-National ACI Central
Service Request No.: 2305806
Your Reference No.:
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU registered under the CRN No.: 0C20335.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,


Joanna Karpinski

Tel: 416-734-3377
Fax: 416-231-6183
Email: jkarpinski@tssa.org

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International - LLC</u>	
MANUFACTURERS ADDRESS: <u>100, Rego Drive, Glen NC - 27244</u>	
PLANT LOCATIONS: <u>Glen</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31-3</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<u>BK9453FAB</u>	

DECLARATION:

I, Chad Thomas (see note 3) employed by GCI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer:

Declared before me at Marshall CountyThis 20 day of April AD 2018Commissioner of Oaths
or Notary Public: (sign)

 (Affix Official seal to the right)
USE THIS SPACE FOR THE
OFFICIAL SEAL
 Jennifer Versage Watson
 Notary Public
 Rockingham County
 North Carolina

This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of last renewal. My Commission Expires 03/05/2023	
CRN: <u>0C20335.5</u>	ACCEPTED
FID#: <u>1704</u>	PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT
Notes:	CRN: <u>0C20335.59</u>
1. All fittings shall be registered in the name of the Manufacturer.	DATE: <u>May 25 2018</u>
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.	<u>Jennifer Versage Watson</u>
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.	INSPECTION SERVICES SECTION
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	BOILER/PRESSURE VESSEL BRANCH

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNSNEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International - LLC</u>	
MANUFACTURERS ADDRESS: <u>100, Rego Drive, Glen, NC - 27244</u>	
PLANT LOCATIONS: <u>Glen</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <p style="text-align: center;">ASME B31-3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: <p style="text-align: center;">BK9453FAB</p>	

DECLARATION:

I, Chad Thomas (true name) employed by GCI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by _____ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: _____

Declared before me at Rockingham CountyThis 20 day of April AD 2018Commissioner of Oaths
or Notary Public: (sign) _____

(Affix Official seal to the right)

USE THIS SPACE FOR THE
OFFICIAL SEAL
 Jennifer Versage Watson
 Notary Public
 Rockingham County
 North Carolina

My Commission Expires 03/05/2023

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OC20335.5</u>	
FID#: <u>1704</u>	
Notes:	
1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	
Date <u>May 25/18</u> C.R.N. <u>OC 20335.58</u> Dwg. <u>as described</u> Signed <u>Yvonne Perry</u> <p style="text-align: center;">1 of 1 Part</p>	

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International - LLC</u>	
MANUFACTURERS ADDRESS: <u>100, Rego Drive, Glen, NC - 27244</u>	
PLANT LOCATIONS: <u>Glen</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <div style="text-align: center; font-size: 1.2em;">ASME B31.3</div>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT <div style="text-align: center; font-size: 1.5em; font-weight: bold;">REGO®</div>	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: <div style="text-align: center; font-size: 1.2em;">BK9453FAB</div>	

DECLARATION:
 I Chad Thomas (see note 3) employed by GCI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by _____ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at Marquette County

This 20 day of April AD 2018

Commissioner of Oaths
or Notary Public: (sign) _____

(Affix Official seal to the right)

USE THIS SPACE FOR THE
OFFICIAL SEAL

Jennifer Versage Watson
Notary Public
Rockingham County
North Carolina

My Commission Expires 03/05/2023

<p style="text-align: center;">This space for Regulatory Authority use</p> <p style="text-align: center;">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C20335.5</u></p> <p>FID#: <u>1704</u></p> <p>Notes:</p> <ol style="list-style-type: none"> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	<div style="text-align: center;"> New Brunswick DEPT OF PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT </div> <div style="text-align: center; margin-top: 20px;"> REGISTRATION ONLY CRN <u>0C20335.57</u> EXAMINER <u>[Signature]</u> or CHIEF INSPECTOR </div> <div style="text-align: center; margin-top: 10px;"> DATE <u>5/25/2018</u> </div> <div style="text-align: center; margin-top: 10px;"> <input type="checkbox"/> BLRs <input type="checkbox"/> PVs <input checked="" type="checkbox"/> FITTINGS <input type="checkbox"/> COMPONENTS </div>
--	--


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International - LLC</u>	
MANUFACTURERS ADDRESS: <u>100, Rego Drive, Glen, NC - 27244</u>	
PLANT LOCATIONS: <u>Glen</u>	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center"><u>ASME B31.3</u></p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p align="center"></p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p align="center"><u>BK9453FAB</u></p>	

DECLARATION:

I Chad Thomas (this person is) employed by GCI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by _____ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: _____

Declared before me at Rockingham County

This 20 day of April AD 2018

Commissioner of Oaths
or Notary Public: (sign) _____

(Affix Official seal to the right)

USE THIS SPACE FOR THE
OFFICIAL SEAL

Jennifer Versage Watson
Notary Public
Rockingham County
North Carolina

My Commission Expires 03/05/2023

<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of registration.</p> <p>CRN: <u>0C20335.5</u></p> <p>FID#: <u>1704</u></p> <p>Notes:</p> <ol style="list-style-type: none"> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	<p align="center">Newfoundland Labrador Service NL</p> <p>Registered <u>0C20335.50</u></p> <p>Date <u>28 MAY 2018</u></p> <p>Engineering and Inspection Services</p> <p>Registered by <u>S. Hagan</u></p> <p align="center">UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p>
---	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International - LLC</u>	
MANUFACTURERS ADDRESS: <u>100, Rego Drive, Glen, NC - 27244</u>	
PLANT LOCATIONS: <u>Glen</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting AECB or ASME requirements)	
TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31.3</u>	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: <u>BK9453FAB</u>	

DECLARATION:

I, Chad Thomas (see note 3) employed by GCI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Rockingham County
This 20 day of April AD 2018

Commissioner of Oaths
or Notary Public: (sign) 

(Affix Official seal to the right)

USE THIS SPACE FOR THE
OFFICIAL SEAL

Jennifer Versage Watson
Notary Public
Rockingham County
North Carolina

My Commission Expires 03/05/2023

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C20335.5

FID#: 1704

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.




UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International - LLC</u>	
MANUFACTURERS ADDRESS: <u>100, Rego Drive, Glen, NC - 27244</u>	
PLANT LOCATIONS: <u>Glen</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AEGB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p><u>ASME B31.3</u></p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
<p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p><u>BK9453FAB</u></p>	

DECLARATION:

I, Chad Thomas (see note 3) employed by GCI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad Thomas

Declared before me at Marion County

This 20 day of April AD 2018

Commissioner of Oaths
or Notary Public; (sign)

Jennifer Versage Watson
(Affix Official seal to the right)


USE THIS SPACE FOR THE
OFFICIAL SEAL

Jennifer Versage Watson
Notary Public
Rockingham County

North Carolina

My Commission Expires 03/05/2023

This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of registration	
CRN: <u>0C20335.5</u>	
FID#: <u>1704</u>	
<p>Notes:</p> <p>1. All fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	



892.00


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International - LLC</u>	
MANUFACTURERS ADDRESS: <u>100, Rego Drive, Glen, NC - 27244</u>	
PLANT LOCATIONS: <u>Glen</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p><u>ASME B31.3</u></p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
<p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p><u>BK9453FAB</u></p>	

DECLARATION:
I, Chad Thomas (see note 3) employed by GCI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at


Rockingham County

This 20 day of

April

AD 2018

Commissioner of Oaths
or Notary Public: (sign)



(Affix Official seal to the right)

USE THIS SPACE FOR THE
OFFICIAL SEAL

Jennifer Versage Watson
Notary Public
Rockingham County,
North Carolina

NUNAVUT Expires 03/05/2023

CRN: 0C20335.5

FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


Nunavut

Boilers and
Pressure Vessels Act

REGISTERED

CRN 0C 20335.5N

Date May 25, 2018

Signed 

Chief Inspector

Territorial Registration Fee