



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

July 08, 2020

CHAD THOMAS
ENGINEERED CONTROLS INTERNATIONAL LLC
100 REGO DR
ELON NC 27244
US

Service Request Type: BPV-Fitting Registration
Service Request No.: 2757738
Your Reference No.: CHANGE IN SCOPE OF REGISTRATION CRN 0C21323.5ADD1
Registered to: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0C21323.5ADD2

Main Design No.: REGO Globe & Needle valves registration - Scope of registration Rev.5

Expiry Date: 23-Apr-2029

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Liliana Constantinescu, P Eng
Tel. : 416-734-3425
lconstantinescu@tssa.org

0C21323.5ADD2 Scope Rev 5

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
C	SK9402BW	Globe Valve	S-9402BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9404-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9402SW	Globe Valve	S-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9404-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9404SW	Globe Valve	S-9404SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9404-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9404BW	Globe Valve	S-9404BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9404-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9406BW	Globe Valve	S-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9402-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9406SW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9402-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9408BW	Globe Valve	S-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9402-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9408SW		S-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

THIS IS PART OF CRN

0C21323.5ADD2

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety
Program

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9402-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9416BW	Globe Valve	S-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9416-16SS	ASTM A511, MT304L Stainless Steel			
			S-9416-2	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			S-9416-6	303 Stainless Steel UNS S30300			
C	SK9416SW	Globe Valve	S-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9416-16SS	ASTM A511, MT304L Stainless Steel			
			S-9416-2	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			S-9416-6	303 Stainless Steel UNS S30300			
C	SKA9408LSW	Globe Valve	SA-9408LSW	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	TP304L Stainless Steel, ASTM A249			
			SM-9408-8	303 Stainless Steel UNS S30300			
C	SKA9408MSW	Globe Valve	SA-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel UNS S30300			
			SM-94086FM	TP304L Stainless Steel, ASTM A249			
C	SKA9412LSW	Globe Valve	SA-9411SW-1A	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	TP304L Stainless Steel, ASTM A249			
			SM-9412-8	303 Stainless Steel UNS S30300			
C	SKA9412MSW	Globe Valve	SA-9411SW-1A	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	TP304L Stainless Steel, ASTM A249			
			SM-9412-8	303 Stainless Steel UNS S30300			
C	SKB9402BW	Globe Valve	S-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9402SW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9404BW	Globe Valve	S-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9404SW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9406BW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9408-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			9402-10	TP304L Stainless Steel, ASTM A249			
C	SKB9406SW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
			4584511-22	TP304L Stainless Steel, ASTM A249			
C	SKB9408BW	Globe Valve	S-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			BB-9408-2	Forged Brass, ASTM B283, UNS C37700			
			452538-12	TP304L Stainless Steel, ASTM A249			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408BWS	Globe Valve	BB-9408-2	Forged Brass, ASTM B283, UNS C37700	-325	150	720
			452538-12	TP304L Stainless Steel, ASTM A249			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			

THIS IS PART OF CRN

0C21323.5ADD2

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety Program

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408SW	Globe Valve	SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9408-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-10	TP304L Stainless Steel, ASTM A249			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408SWS	Globe Valve	SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			BBS9408-2	Forged Brass, ASTM B283, UNS C37700			
			452538-12	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9412LBW	Globe Valve	SM-9411BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			BB-9409-20	Forged Brass, ASTM B283, UNS C37700			
			458432-22	TP304L Stainless Steel, ASTM A249			
			B9410-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9412LSW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			BB-9409-20	Forged Brass, ASTM B283, UNS C37700			
			458432-22	TP304L Stainless Steel, ASTM A249			
			B9410-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKL9402BW	Globe Valve	SM-9402BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9402SW	Globe Valve	SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9404BW	Globe Valve	SM-9404BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9404SW	Globe Valve	SM-9404SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9406BW		SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

THIS IS PART OF CRN
0C21323.5ADD2
 Technical Standards and Safety Authority
 Boilers and Pressure Vessels Safety
 Program

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9406SW	Globe Valve	SM-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9408BW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9408SW	Globe Valve	SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9412BW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKL9412BWJ	Globe Valve	SM-9411BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKL9412SW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKL9416BW	Globe Valve	SM-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
C	SKL9416SW	Globe Valve	SM-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
C	SKM9402BW	Globe Valve	SM-9402BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9402SW		SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

THIS IS PART OF CRN
0C21323.5ADD2
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9404BW	Globe Valve	SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9404SW	Globe Valve	SM-9404SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9406BW	Globe Valve	SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9406SW	Globe Valve	SM-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9408BW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9408SW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9412BW	Globe Valve	SM-9411BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKM9412SW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKM9416BW	Globe Valve	SM-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
C	SKM9416SW		SM-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

THIS IS PART OF CRN
0C21323.5ADD2
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
C	SKS9402BW	Globe Valve	SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SM-9404-6CC	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9402SW	Globe Valve	SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SM-9404-6CC	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9404BW	Globe Valve	SM-9404BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9404-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9404SW	Globe Valve	SM-9404sW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9404-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9406BW	Globe Valve	SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9406SW	Globe Valve	SM-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9408BW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9408SW		SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9412SW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9412-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM9412-8	303 Stainless Steel, ASTM A582			
C	SKS9412BW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9412-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM9412-8	303 Stainless Steel, ASTM A582			
C	FFG2000SST	Needle Valve	FC000409A	316 Stainless Steel Rod, UNS 31600, ASTM A276	-40	200	5000
			FC000414A	316 Stainless Steel Rod, UNS 31600, ASTM A276			
			FC000754	303 Stainless Steel, ASTM A581, 582			
			FC000756	303 Stainless Steel, ASTM A581, 582			
			FC000799	303 Stainless Steel, ASTM A581, 582			
			FC000808	303 Stainless Steel, ASTM A581, 582			
			FC000808AH	303 Stainless Steel, ASTM A581, 582			

Scope 0C21323.5ADD2 Revision Tracking

Rev 1 – Add FFG2000SST

Rev 2 – Change max temp of FFG2000SST

Rev 3 – Add A3211D

Rev 4 – Change min temp of A3211D

Rev 5 – removed A3211d

THIS IS PART OF CRN
0C21323.5ADD2
 Technical Standards and Safety Authority
 Boilers and Pressure Vessels Safety
 Program

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Engineered Controls International LLC

Manufacturers Address: 100 Rego Drive, Elon, NC - 27377, USA

Plant Locations:

Category of Fittings to be registered. Circle one Category only

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☒ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.1
BPVC VIII.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
 Cast ☒ Other ☐
 Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I Zachary Rubear (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Rubear

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths Jennifer Versage Watson

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public
Rockingham County
North Carolina
Use this space for the Official Seal
My Commission Expires 03/05/2023

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: **0C21323.5ADD2**

FID#: **Registered by: Liliana Constantinescu**

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016

Technical
Standards
and Safety
Authority

Boilers and
Pressure Vessels
Safety Program

REGISTERED

C.R.N.: 0C21323.5ADD2

Signed: LL

Date: July 8, 2020.

Expiry date: April 23, 2029

For scope of registration
see the attached stamped
scope of registration
(rev.5)

Sect 1.0 - Fittings Rev.2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Shanghai Rego Flow Technology Co., Ltd. (EC11 China)</u>	
Manufacturers Address: <u>6999 Chuansha Rd., B11, Chuansha Industry Park, Shanghai</u>	
Plant Locations: <u>China</u>	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction <u>ASME B31.1</u> <u>BPVC VIII.1</u>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product <div style="font-size: 2em; font-family: cursive;">REGO®</div>	Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:
List of supporting documentation and identification of the actual items to be registered: <div style="font-size: 1.5em; font-family: cursive;">See attached</div>	

Declaration:

I Zachary Ruben (see note 3) employed by EC11 China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben
 Declared before me at 3:57 PM
 This 14th day of April AD 2020
 Commissioner of Oaths
 Or Notary Public: (sign) Jennifer Versage Watson
 (Affix Official seal to the right)

Jennifer Versage Watson
 Notary Public
 Rockingham County
 North Carolina
 Use this space for the Official Seal
 My Commission Expires 03/05/2023

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.		
CRN: <u>0C21323.5ADD2</u>	<div style="border: 2px solid red; padding: 10px;"> Technical Standards and Safety Authority Boilers and Pressure Vessels Safety Program <div style="font-size: 1.5em; font-weight: bold; color: red;">REGISTERED</div> C.R.N.: 0C21323.5ADD2 Signed: <u>ll</u> Date: <u>July 8, 2020.</u> </div>	Expiry date: <u>April 23, 2029</u> for scope of registration see attached stamped document (rev.5)
FID#: <u>Registered by : Liliana Constantinescu</u>		
Notes: <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. 		
11/2016 Sect 1.0 - Fittings Rev.2		

TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ON M9W 6N9

Date: January 11, 2021
Account #: 35231
Journal #: 77103

Attn: TSSA

Re: Application for Design Registration

The design, as detailed in your, 0C21323.5ADD2, for a Fitting is accepted for registration as follows:

Registered To: ENGINEERED CONTROLS **CRN:** 0C21323.51
INTERNATIONAL LLC

Drawing #: Scope of Registration

Drawing Revision: 5

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Reviewer's Notes:

Scope of Registration: REGO Globe & Needle valves registration - Scope of registration Rev.5

As required by CSA B51 4.2.1, this registration expires on 23-Apr-2029. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void. Any additional conditions of registration stated in TSSA CRN# 0C21323.5ADD2 registration shall apply to BC registration.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Emilia Tam

emilia.tam@technicalsaftybc.ca
Design Administration

cc:

REGISTRATION OF A PRESSURE FITTING DESIGN

08-Jan-21

TSSA
345 Carlingview Drive
Toronto, Ontario
M9W 6N9**Attention: Tanya Francis****File Number: 11846 [0 F]****Re: Manufacturer: Engineered Controls International LLC**
Item: REGO Globe & Needle Valves
Catalog or Drawing: Per Scope of Registration (Rev. 5)

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

OC21323.53 Expiry Date: April 23, 2029

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,

Athan Syrgiannis, P.Eng.
Codes and Standards Compliance**Remarks:**

A valid quality control program must be maintained at the production facility for the fitting registration to remain valid until the expiry date.

Addition to existing design, per Scope of Registration Rev. 5.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Shanghai Rego Flow Technology Co., Ltd. (EC11 China)

Manufacturers Address: 6999 Chuansha Rd., B11, Chuansha Industry Park, Shanghai

Plant Locations:

Category of Fittings to be registered. Circle one Category only

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☒ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.1
BPVC VIII.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
 Cast ☒ Other ☐
 Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I Zachary Ruben (see note 3) employed by EC11 China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths
 Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
 Notary Public
 Rockingham County
 North Carolina
 Use this space for the Official Seal
 My Commission Expires 03/05/2023

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: _____

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016



Technical
 Safety Authority
 of Saskatchewan

Registration No. OC21323.53

File No. 11846

Registered

Date: January 8, 2021

Expiry Date: April 23, 2029

Codes & Standards Compliance Office

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Engineered Controls International LLC

Manufacturers Address: 100 Rego Drive, Elon, NC - 27377, USA

Plant Locations:

Category of Fittings to be registered. Circle one Category only

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☒ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.1
BPVC VIII.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
 Cast ☒ Other ☐
 Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I Zachary Rubear (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Rubear

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths Jennifer Versage Watson

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
 Notary Public
 Rockingham County
 North Carolina
 Use this space for the Official Seal
 My Commission Expires 03/05/2023

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: _____

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016

Technical Safety Authority of Saskatchewan

Registration No. OC21323.53

File No. 11846

Registered

Date: January 8, 2021

Expiry Date: April 23, 2029

Codes & Standards Compliance Office


Technical Safety Authority
 of Saskatchewan

Registration No. OC21323.53
 File No. 11846
 Registered
 Date: January 8, 2021
 Expiry Date: April 23, 2029
Codes & Standards Compliance Office

OC21323.5ADD2 Scope Rev 5

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
C	SK9402BW	Globe Valve	S-9402BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9404-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9402SW	Globe Valve	S-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9404-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9404SW	Globe Valve	S-9404SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9404-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9404BW	Globe Valve	S-9404BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9404-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9406BW	Globe Valve	S-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9402-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9406SW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9402-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9408BW	Globe Valve	S-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9402-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9408SW		S-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9402-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9416BW	Globe Valve	S-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9416-16SS	ASTM A511, MT304L Stainless Steel			
			S-9416-2	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			S-9416-6	303 Stainless Steel UNS S30300			
C	SK9416SW	Globe Valve	S-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9416-16SS	ASTM A511, MT304L Stainless Steel			
			S-9416-2	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			S-9416-6	303 Stainless Steel UNS S30300			
C	SKA9408LSW	Globe Valve	SA-9408LSW	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	TP304L Stainless Steel, ASTM A249			
			SM-9408-8	303 Stainless Steel UNS S30300			
C	SKA9408MSW	Globe Valve	SA-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel UNS S30300			
			SM-94086FM	TP304L Stainless Steel, ASTM A249			
C	SKA9412LSW	Globe Valve	SA-9411SW-1A	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	TP304L Stainless Steel, ASTM A249			
			SM-9412-8	303 Stainless Steel UNS S30300			
C	SKA9412MSW	Globe Valve	SA-9411SW-1A	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	TP304L Stainless Steel, ASTM A249			
			SM-9412-8	303 Stainless Steel UNS S30300			
C	SKB9402BW	Globe Valve	S-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9402SW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9404BW	Globe Valve	S-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9404SW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9406BW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9408-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			9402-10	TP304L Stainless Steel, ASTM A249			
C	SKB9406SW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
			4584511-22	TP304L Stainless Steel, ASTM A249			
C	SKB9408BW	Globe Valve	S-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			BB-9408-2	Forged Brass, ASTM B283, UNS C37700			
			452538-12	TP304L Stainless Steel, ASTM A249			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408BWS	Globe Valve	BB-9408-2	Forged Brass, ASTM B283, UNS C37700	-325	150	720
			452538-12	TP304L Stainless Steel, ASTM A249			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408SW	Globe Valve	SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9408-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-10	TP304L Stainless Steel, ASTM A249			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408SWS	Globe Valve	SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			BBS9408-2	Forged Brass, ASTM B283, UNS C37700			
			452538-12	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9412LBW	Globe Valve	SM-9411BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			BB-9409-20	Forged Brass, ASTM B283, UNS C37700			
			458432-22	TP304L Stainless Steel, ASTM A249			
			B9410-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9412LSW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			BB-9409-20	Forged Brass, ASTM B283, UNS C37700			
			458432-22	TP304L Stainless Steel, ASTM A249			
			B9410-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKL9402BW	Globe Valve	SM-9402BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9402SW	Globe Valve	SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9404BW	Globe Valve	SM-9404BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9404SW	Globe Valve	SM-9404SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9406BW		SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9406SW	Globe Valve	SM-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9408BW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9408SW	Globe Valve	SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9412BW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKL9412BWJ	Globe Valve	SM-9411BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKL9412SW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKL9416BW	Globe Valve	SM-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
C	SKL9416SW	Globe Valve	SM-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
C	SKM9402BW	Globe Valve	SM-9402BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9402SW		SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9404BW	Globe Valve	SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9404SW	Globe Valve	SM-9404SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9406BW	Globe Valve	SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9406SW	Globe Valve	SM-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9408BW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9408SW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9412BW	Globe Valve	SM-9411BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKM9412SW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKM9416BW	Globe Valve	SM-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
C	SKM9416SW		SM-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
C	SKS9402BW	Globe Valve	SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SM-9404-6CC	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9402SW	Globe Valve	SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SM-9404-6CC	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9404BW	Globe Valve	SM-9404BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9404-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9404SW	Globe Valve	SM-9404sW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9404-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9406BW	Globe Valve	SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9406SW	Globe Valve	SM-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9408BW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9408SW		SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9412SW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9412-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM9412-8	303 Stainless Steel, ASTM A582			
C	SKS9412BW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9412-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM9412-8	303 Stainless Steel, ASTM A582			
C	FFG2000SST	Needle Valve	FC000409A	316 Stainless Steel Rod, UNS 31600, ASTM A276	-40	200	5000
			FC000414A	316 Stainless Steel Rod, UNS 31600, ASTM A276			
			FC000754	303 Stainless Steel, ASTM A581, 582			
			FC000756	303 Stainless Steel, ASTM A581, 582			
			FC000799	303 Stainless Steel, ASTM A581, 582			
			FC000808	303 Stainless Steel, ASTM A581, 582			
			FC000808AH	303 Stainless Steel, ASTM A581, 582			

Scope OC21323.5ADD2 Revision Tracking

Rev 1 – Add FFG2000SST

Rev 2 – Change max temp of FFG2000SST

Rev 3 – Add A3211D

Rev 4 – Change min temp of A3211D

Rev 5 – removed A3211d

 Technical Safety Authority of Saskatchewan	
Registration No.	OC21323.53
File No.	11846
<div>Registered</div>	
Date:	January 8, 2021
Expiry Date:	April 23, 2029
Codes & Standards Compliance Office	



12/14/2020

TSSA
345 Carlingview Drive
TORONTO, ON M9W 6N9
CA

Dear Cecylia Garbacz

Re: Reciprocal CRN Registration in Manitoba

Your application indicates that a CRN has been received in another Canadian Jurisdiction, and therefore your CRN has been registered in Manitoba as follows:

File Number: 74-R1157
CRN: 0C21323.54
Scope: REGO Globe & Needle valves registration - Scope of registration Rev.5
Manufacturer: ENGINEERED CONTROLS INTERNATIONAL LLC
Expiry Date: 23/Apr/29

Please find attached invoice for registration.

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, a CRN issued in any Canadian Jurisdiction will be accepted for use in Manitoba.

In accordance with Steam and Pressure Plants Regulation and CSA B51, it is the manufacturer's responsibility to file a Manufacturers Data Report, including partial data reports, with our office, prior to shipping pressure equipment to Manitoba.

Please contact me directly via email at Cheryl.Lashek@gov.mb.ca for any questions or concerns.

Cheryl Lashek, P.Eng
Director, ITSM
Inspection and Technical Services
Office of the Fire Commissioner
508 - 401 York Avenue, Winnipeg Manitoba R3C 0P8
T (204) 945-3507 | F (204) 948-2309

Montréal, 21 décembre 2020.

MADAME TANYA FRANCIS
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ONTARIO
CANADA M9W 6N9

Fabricant : ENGINEERED CONTROLS INTERNATIONAL INC.
100 REGO DRIVE
ELON NORTH CAROLINA
U.S.A. 27244

Numéro de dossier : 950196

Numéro(s) de dessin(s) : REGO Globe & Needle valves registration
- Scope of registration Rev.5

Objet : Enregistrement des plans et devis – Confirmation de l'enregistrement

Bonjour,

Nous vous informons que votre demande d'enregistrement de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) suivant : **0C21323.56.**

Nous portons votre attention sur certaines exigences réglementaires concernant les installations sous pression, ainsi que des codes et normes qui y sont associés :

- Le fabricant doit maintenir un programme de contrôle de la qualité valide pour fabriquer un équipement selon ce NEC;
- Ce numéro d'enregistrement demeure valide tant et aussi longtemps que les paramètres de conception demeurent inchangés. Dans le cas d'accessoires, l'enregistrement est valide pour une durée de 10 ans à partir de la date de conception doivent alors être resoumis pour validation;
- Le fabricant doit nous transmettre une copie de l' *Déclaration de conformité du constructeur (Manufacturer's Data Report)* pour chaque appareil ou chaudière fabriqué selon ce NEC dans les 30 jours suivant la signature de cette déclaration;
- Le numéro de dessin enregistré et le numéro de révision doivent être indiqués sur la déclaration de conformité pour les équipements fabriqués selon ce NEC.

Le présent avis d'approbation ne dégage pas le fabricant de ses responsabilités quant à la conception ou à la construction des équipements ou d'accessoires fabriqués selon un NEC.

Bureau d'expertise et d'homologation en équipements sous pression

Montréal

545, boul. Crémazie Est, 7ième étage

Montréal (Québec) H2M 2V2

Téléphone : 514 873-6459

Sans frais : 1 866 262-2084

www.rbq.gouv.qc.ca

Montréal, le 21 décembre 2020.

MRS. TANYA FRANCIS
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ONTARIO
CANADA M9W 6N9

Manufacturer : ENGINEERED CONTROLS INTERNATIONAL INC.
100 REGO DRIVE
ELON NORTH CAROLINA
U.S.A. 27244

OUR REFERENCE : 950196
Design number : REGO Globe & Needle valves registration
- Scope of registration Rev.5

Subject: Design registration confirmation

Hi,

We wish to inform you that your design registration application has been evaluated and that it was registered under the following Canadian Registration Number (CRN): **0C21323.56.**

The following is a reminder of your obligations regarding certain requirements of the regulation respecting pressure vessels, and the referenced codes and standards:

- The manufacturer must maintain a valid quality control program to manufacture equipment according to the CRN.
- The CRN remains valid as long as there are no changes to the design calculations that might affect the pressure boundary. The design registration of fittings expires 10 years after acceptance. It must, therefore, be resubmitted for validation.
- The manufacturer shall submit a copy of the *Manufacturer's Data Report* to us for each equipment manufactured according to this CRN within 30 days following the signing of this report.
- The drawing number and the revision number registered under this CRN must be indicated on the *Manufacturer's Data Report* for equipment manufactured according to the CRN.

This notice of approval does not relieve the manufacturer of their responsibilities with respect to the design or fabrication of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

Montréal

545, boul. Crémazie Est, 7ième étage
Montréal (Québec) H2M 2V2
Téléphone : 514 873-6459
Sans frais : 1 866 262-2084
www.rbq.gouv.qc.ca

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Engineered Controls International LLC</u>	
Manufacturers Address: <u>100 Rego Drive, Elon, NC - 27377, USA</u>	
Plant Locations:	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>ASME B31.1</p> <p>BVC VIII.1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div style="text-align: center; font-size: 2em; font-family: cursive;">REGO®</div>	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <div style="text-align: center; font-size: 1.5em; font-family: cursive;">See attached</div>	

Declaration:

I Zachary Rubear (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Rubear


Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths Jennifer Versage Watson

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)



This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: _____

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016

Sect 1.0 - Fittings Rev.2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Shanghai Rego Flow Technology Co., Ltd. (EC11 China)

Manufacturers Address: 6999 Chuansha Rd., B11, Chuansha Industry Park, Shanghai

Plant Locations:

Category of Fittings to be registered. Circle one Category only

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☒ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.1
BPVC VIII.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
 Cast ☒ Other ☐
 Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I Zachary Ruben (see note 3) employed by EC11 China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
 Notary Public
 Rockingham County
 North Carolina
 Use this space for the Official Seal
 My Commission Expires 03/05/2023

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: _____

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016



0C21323.5ADD2 Scope Rev 5

Category	System Number	Description	Drawing Number	Body Material		Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
C	SK9402BW	Globe Valve	S-9402BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351		-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351				
			S-9404-10	ASTM A511, MT304L Stainless Steel				
			S-9402-8	303 Stainless Steel UNS S30300				
C	SK9402SW	Globe Valve	S-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351		-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351				
			S-9404-10	ASTM A511, MT304L Stainless Steel				
			S-9402-8	303 Stainless Steel UNS S30300				
C	SK9404SW	Globe Valve	S-9404SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351		-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351				
			S-9404-10	ASTM A511, MT304L Stainless Steel				
			S-9402-8	303 Stainless Steel UNS S30300				
C	SK9404BW	Globe Valve	S-9404BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351		-325	150	720
			S-9404-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351				
			S-9404-10	ASTM A511, MT304L Stainless Steel				
			S-9402-8	303 Stainless Steel UNS S30300				
C	SK9406BW	Globe Valve	S-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351		-325	150	720
			S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351				
			S-9402-10	ASTM A511, MT304L Stainless Steel				
			S-9402-8	303 Stainless Steel UNS S30300				
C	SK9406SW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351		-325	150	720
			S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351				
			S-9402-10	ASTM A511, MT304L Stainless Steel				
			S-9402-8	303 Stainless Steel UNS S30300				
C	SK9408BW	Globe Valve	S-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351		-325	150	720
			S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351				
			S-9402-10	ASTM A511, MT304L Stainless Steel				
			S-9402-8	303 Stainless Steel UNS S30300				
C	SK9408SW		S-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351		-325	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
		Globe Valve	S-9408-11	CF-8 Stainless Steel Casting Alloy, ASTM aA351			
			S-9402-10	ASTM A511, MT304L Stainless Steel			
			S-9402-8	303 Stainless Steel UNS S30300			
C	SK9416BW	Globe Valve	S-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9416-16SS	ASTM A511, MT304L Stainless Steel			
			S-9416-2	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SK9416SW	Globe Valve	S-9416-6	303 Stainless Steel UNS S30300	-325	150	720
			S-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			S-9416-16SS	ASTM A511, MT304L Stainless Steel			
C	SKA9408LSW	Globe Valve	S-9416-2	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			S-9416-6	303 Stainless Steel UNS S30300			
			SA-9408LSW	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKA9408MSW	Globe Valve	SM-9408-6FM	TP304L Stainless Steel, ASTM A249	-325	150	720
			SM-9408-8	303 Stainless Steel UNS S30300			
			SM-94086FM	TP304L Stainless Steel, ASTM A249			
C	SKA9412LSW	Globe Valve	SA-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel UNS S30300			
			SM-94086FM	TP304L Stainless Steel, ASTM A249			
C	SKA9412MSW	Globe Valve	SA-9411SW-1A	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	TP304L Stainless Steel, ASTM A249			
			SM-9412-8	303 Stainless Steel UNS S30300			
C	SKB9402BW	Globe Valve	SA-9411SW-1A	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-6FM	TP304L Stainless Steel, ASTM A249			
			SM-9412-8	303 Stainless Steel UNS S30300			
C	SKB9402SW	Globe Valve	S-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			458450-22	TP304L Stainless Steel, ASTM A249			
C	SKB9402SW	Globe Valve	BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000	-325	150	720
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
			S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKB9402SW	Globe Valve	B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000	-325	150	720
			S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
C	SKB9404BW	Globe Valve	458450-22	TP304L Stainless Steel, ASTM A249	-325	150	720
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
			S-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKB9404SW	Globe Valve	B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000	-325	150	720
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9406BW	Globe Valve	S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			458450-22	TP304L Stainless Steel, ASTM A249			
			BB-9404-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9406SW	Globe Valve	B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000	-325	150	720
			S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			B-9408-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-8	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408BW	Globe Valve	B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000	-325	150	720
			9402-10	TP304L Stainless Steel, ASTM A249			
			S-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408BWS	Globe Valve	B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000	-325	150	720
			4584511-22	TP304L Stainless Steel, ASTM A249			
			S-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			BB-9408-2	Forged Brass, ASTM B283, UNS C37700			
C	SKB9408BWS	Globe Valve	452538-12	TP304L Stainless Steel, ASTM A249	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
			BB-9408-2	Forged Brass, ASTM B283, UNS C37700			
C	SKB9408BWS	Globe Valve	452538-12	TP304L Stainless Steel, ASTM A249	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
			BB-9408-2	Forged Brass, ASTM B283, UNS C37700			
C	SKB9408BWS	Globe Valve	452538-12	TP304L Stainless Steel, ASTM A249	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
			BB-9408-2	Forged Brass, ASTM B283, UNS C37700			

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408SW	Globe Valve	SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			B-9408-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9402-10	TP304L Stainless Steel, ASTM A249	-325	150	720
			B-9402-11	Free Cutting Brass, ASTM B16, UNS C36000			
			B-9408-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9408SWS	Globe Valve	SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			BBS9408-2	Forged Brass, ASTM B283, UNS C37700	-325	150	720
			452538-12	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9412LBW	Globe Valve	SM-9411BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			BB-9409-20	Forged Brass, ASTM B283, UNS C37700	-325	150	720
			458432-22	TP304L Stainless Steel, ASTM A249			
			B9410-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKB9412LSW	Globe Valve	SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			BB-9409-20	Forged Brass, ASTM B283, UNS C37700	-325	150	720
			458432-22	TP304L Stainless Steel, ASTM A249			
			B9410-2	Free Cutting Brass, ASTM B16, UNS C36000			
C	SKL9402BW	Globe Valve	SM-9402BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9402SW	Globe Valve	SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9404BW	Globe Valve	SM-9404BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9404SW	Globe Valve	SM-9404SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9406BW		SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
C	SKL9406SW	Globe Valve	SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKL9408BW	Globe Valve	SM-9408-8	303 Stainless Steel, ASTM A582	-325	150	720
			SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKL9408SW	Globe Valve	SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKL9412BW	Globe Valve	SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-8	303 Stainless Steel, ASTM A582			
			SM-9411BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKL9412SW	Globe Valve	SM-9412-8	303 Stainless Steel, ASTM A582	-325	150	720
			SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKL9416BW	Globe Valve	SM-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
			SM-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKL9416SW	Globe Valve	SM-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-8	303 Stainless Steel, ASTM A582			
			SM-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKM9402BW	Globe Valve	SM-9402BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
C	SKM9404BW	Globe Valve	SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
C	SKM9404SW	Globe Valve	SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9404SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9404-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9406BW	Globe Valve	SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKM9406SW	Globe Valve	SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
C	SKM9408BW	Globe Valve	SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKM9408SW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9411BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKM9412BW	Globe Valve	SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-8	303 Stainless Steel, ASTM A582			
			SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
C	SKM9412SW	Globe Valve	SM-9412-8	303 Stainless Steel, ASTM A582			
			SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9412-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9412-8	303 Stainless Steel, ASTM A582			
C	SKM9416BW	Globe Valve	SM-9416BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720
			SM-9416-8	303 Stainless Steel, ASTM A582			
			SM-9416SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-325	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
C	SKS9402BW	Globe Valve	SM-9416-6FM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SM-9416-8	303 Stainless Steel, ASTM A582			
			SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9404-6CC	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKS9402SW	Globe Valve	SM-9408-8	303 Stainless Steel, ASTM A582	-76	150	720
			SM-9402SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9404-6CC	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9404BW	Globe Valve	SM-9404BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9404-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9404sW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKS9404SW	Globe Valve	SS-9404-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel	-76	150	720
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9406BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
C	SKS9406BW	Globe Valve	SM-9408-8	303 Stainless Steel, ASTM A582	-76	150	720
			SM-9406SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
C	SKS9408BW	Globe Valve	SM-9408BW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
C	SKS9408SW		SM-9408SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720

Category	System Number	Description	Drawing Number	Body Material	Min Temp (F)	Max Temp (F)	Design Pressure (PSI)
C	SKS9412SW	Globe Valve	SS-9408-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351/ 304 Stainless Steel			
			SM-9408-8	303 Stainless Steel, ASTM A582			
			SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SS-9412-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
C	SKS9412BW	Globe Valve	SM9412-8	303 Stainless Steel, ASTM A582			
			SM-9411SW-1	CF-8 Stainless Steel Casting Alloy, ASTM A351			
			SS-9412-6CM	CF-8 Stainless Steel Casting Alloy, ASTM A351	-76	150	720
			SM9412-8	303 Stainless Steel, ASTM A582			
C	FFG2000SST	Needle Valve	FC000409A	316 Stainless Steel Rod, UNS 31600, ASTM A276			
			FC000414A	316 Stainless Steel Rod, UNS 31600, ASTM A276			
			FC000754	303 Stainless Steel, ASTM A581, 582			
			FC000756	303 Stainless Steel, ASTM A581, 582			
			FC000799	303 Stainless Steel, ASTM A581, 582	-40	200	5000
			FC000808	303 Stainless Steel, ASTM A581, 582			
			FC000808AH	303 Stainless Steel, ASTM A581, 582			

Scope 0C21323.5ADD2 Revision Tracking

Rev 1 – Add FFG2000SST

Rev 2 – Change max temp of FFG2000SST

Rev 3 – Add A3211D

Rev 4 – Change min temp of A3211D

Rev 5 – removed A3211d

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Shanghai Rego Flow Technology Co., Ltd. (EC11 China)</u>	
Manufacturers Address: <u>6999 Chuansha Rd., B11, Chuansha Industry Park, Shanghai, China</u>	
Plant Locations:	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>ASME B31.1</p> <p>BPVC VIII.1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center">REGO®</p>	
<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>	
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p align="center">See attached</p>	

Declaration:

I Zachary Ruben (see note 3) employed by EC11 China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public
Rockingham County
North Carolina
Use this space for the Official Seal
My Commission Expires 03/05/2023

<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
<p>CRN: <u>0C21323.5 Add2</u></p> <p>FID#: <u>1704</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only. <p>CRN expires April 23rd, 2029 - DG</p>	<p align="center">ACCEPTED</p> <p align="center">PROVINCE OF PRINCE EDWARD ISLAND</p> <p align="center">COMMUNITIES, LAND & ENVIRONMENT</p> <p>C.R.N. <u>0C21323.59 Add2</u></p> <p>DATE: <u>Dec 18/20</u></p> <p align="center">INSPECTION SERVICES SECTION</p> <p align="center">BOILER/PRESSURE VESSEL BRANCH</p> <p align="right">Sect 110 Fittings Rev.2</p>


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Engineered Controls International LLC</u>	
Manufacturers Address: <u>100 Rego Drive, Elon, NC - 27877, USA</u>	
Plant Locations:	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>ASME B31.1</p> <p>BVC VIII.1</p>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
List of supporting documentation and identification of the actual items to be registered:	
<p align="center">See attached</p>	

Declaration:
I, Zachary Rubear (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Rubear
 Declared before me at 3:57 PM
 This 14th day of April AD 2020
 Commissioner of Oaths: Jennifer Versage Watson
 Or Notary Public: (sign) Jennifer Versage Watson
 (Affix Official seal to the right)

Jennifer Versage Watson
 Notary Public
 Rockingham County
 North Carolina
 Use this space for the Official Seal
 My Commission Expires 03/05/2023

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C21323.5 Add2

FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND
 COMMUNITIES, LAND & ENVIRONMENT

C.R.N. 0C21323.59 Add2

DATE: Dec 18/20

WJ

INSPECTION SERVICES SECTION
 BOILER/PRESSURE VESSEL BRANCH

Rev. 2


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Engineered Controls International LLC</u>	
Manufacturers Address: <u>100 Rego Drive, Elon, NC - 27377, USA</u>	
Plant Locations:	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>ASME B31.1</p> <p>BPC VIII.1</p>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p align="center">See attached</p>	

Declaration:

I Zachary Ruben (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben


Declared before me at 3:57 PM


This 14th day of April AD 2020

Commissioner of Oaths Jennifer Versage Watson

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)



<p>CRN: <u>0C21323.5 Add2</u></p> <p>FID#: <u>1704</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.</p> <p>CRN expires April 23rd, 2029 - DG</p>	<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <div align="center">  </div> <p align="right">Sect 1.0 - Fittings Rev.2</p>
---	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Shanghai Rego Flow Technology Co., Ltd. (ECII China)
Manufacturers Address: 6999 Chuansha Rd., B11, Chuansha Industry Park, Shanghai, China
Plant Locations:

- Category of Fittings to be registered. Circle one Category only**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - ☒ C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all types
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.1
BPVC VIII.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Type of Construction
Forged ☐ Welded ☐ Wrought ☐
Cast ☒ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I Zachary Ruben (see note 3) employed by ECII China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public
Rockingham County
Use this space for the Official Seal
My Commission Expires 03/05/2023

CRN: 0C21323.5 Add2


FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.



Section 1.0 - Fittings Rev 2


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Engineered Controls International LLC</u>	
Manufacturers Address: <u>100 Rego Drive, Elon, NC - 27377, USA</u>	
Plant Locations:	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction <u>ASME B31.1</u> <u>BPV VIII.1</u>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:
List of supporting documentation and identification of the actual items to be registered: <u>See attached</u>	

Declaration:

I Zachary Ruben (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben
 Declared before me at 3:57 PM
 This 14th day of April AD 2020
 Commissioner of Oaths Jennifer Versage Watson
 Or Notary Public: (sign) Jennifer Versage Watson
 (Affix Official seal to the right)

Jennifer Versage Watson
 Notary Public
 Rockingham County
 North Carolina
 My Commission Expires 03/05/2023

Brunswick

DEPT OF JUSTICE PUBLIC SAFETY
 BOILER & PRESSURE VESSEL ACT

CRN: 0C21323.5 Add2

FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
 - Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 - Quality Control programs shall be resubmitted for validation.
- The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.
 CRN expires April 23rd, 2029 - DG

REGISTRATION ONLY

CRN 0C21323.57 Add2

Sam Adams
 CHIEF BOILER INSPECTOR

DATE 12/18/20

Sect 1.0 - Fittings Rev.2

☐ BLRs

☐ PVs

☒ FITTINGS

☐ NUCLEAR COMPONENTS


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: <u>Shanghai Rego Flow Technology Co., Ltd. (EC11 China)</u>	
Manufacturers Address: <u>6999 Chuansha Rd, B11, Chuansha Industry Park, Shanghai, China</u>	
Plant Locations:	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction <u>ASME B31.1</u> <u>BPVC VIII.1</u>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:
List of supporting documentation and identification of the actual items to be registered: <u>See attached</u>	

Declaration:

I Zachary Ruben (see note 3) employed by EC11 China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben
 Declared before me at 3:57 PM
 This 14th day of April AD 2020
 Commissioner of Oaths Jennifer Versage Watson
 Or Notary Public: (sign) Jennifer Versage Watson
 (Affix Official seal to the right)

Jennifer Versage Watson Notary Public Rockingham County North Carolina My Commission Expires <u>03/05/2023</u>
Use this space for the Official Seal 
DEPT OF JUSTICE PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT REGISTRATION ONLY CRN <u>OC21323.57Add2</u> <u>Ran Ainsworth</u> CHIEF BOILER INSPECTOR DATE <u>12/18/20</u>
Sect 1.0 - Fittings Rev.2 <input type="checkbox"/> BLRs <input type="checkbox"/> PVs <input type="checkbox"/> FITTINGS <input type="checkbox"/> NUCLEAR COMPONENTS

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC21323.5 Add2

FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Engineered Controls International LLC

Manufacturers Address: 108 Rego Drive, Elon, NC - 27877, USA

Plant Locations:

Category of Fittings to be registered. Circle one Category only

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- ☒ C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Show Manufacturers Name, Trademark, or Logo as it will appear on the product:

REGO®

Title of the Standard of Construction

ASME B31.1

BPVC VIII.1

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ☒ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I Zachary Ruben (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths

Or Notary Public: (sign)

(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public

Rockingham County

See this space for Official Seal

My Commission Expires 03/05/2023

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C21323.5 Add2

FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG

Newfoundland
Labrador
Service NL

Registered 0C21323.50 Add2

Date 22/12/15

Engineering and Inspection Services

Registered by [Signature]

UNDER THE AUTHORITY OF THE
PUBLIC SAFETY ACT AND
THE BOILER, PRESSURE VESSELS AND
COMPRESSED GAS REGULATIONS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Shanghai Rego Flow Technology Co., Ltd. (ECU China)
Manufacturers Address: 6999 Chuansha Rd, B11, Chuansha Industry Park, Shanghai, China
Plant Locations:

- Category of Fittings to be registered. Circle one Category only**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - ☒ C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all types
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.1
BPVC VIII.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ☒ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I Zachary Rubear (see note 3) employed by ECU China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Rubear
Declared before me at 3:57 PM
This 14th day of April AD 2020
Commissioner of Oaths
Or Notary Public: (sign) Jennifer Versage Watson
(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public
Rockingham County
North Carolina
Use this space for the Official Seal
My Commission Expires 03/05/2023

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C21323.5 Add2

FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG

Newfoundland
Labrador
Service NL

Registered 0C21323.5 Add2
Date 20/12/18
Engineering and Inspection Services
Registered by [Signature]
UNDER THE AUTHORITY OF THE
PUBLIC SAFETY ACT AND
THE BOILER, PRESSURE VESSEL AND
COMPRESSED GAS REGULATIONS
Sect 1.0 - Fittings Rev 2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Engineered Controls International LLC</u> Manufacturers Address: <u>100 Rego Drive, Elon, NC - 27377, USA</u> Plant Locations:	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction <u>ASME B31.1</u> <u>BVC VIII.1</u>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product <div align="center" style="font-size: 2em; font-weight: bold;">REGO®</div>	
List of supporting documentation and identification of the actual items to be registered: <div align="center" style="font-size: 1.5em;">See attached</div>	
Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:	

Declaration:

I Zachary Ruben (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben
 Declared before me at 3:57 PM
 This 14th day of April AD 2020
 Commissioner of Oaths Jennifer Versage Watson
 Or Notary Public: (sign) Jennifer Versage Watson
 (Affix Official seal to the right)

Jennifer Versage Watson
 Notary Public
 Rockingham County
 North Carolina
Use this space for the Official Seal
 My Commission Expires 03/05/2023


This space for Regulatory Authority use.
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C21323.5 Add2
 FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

The scope of this application is a change in DT from 500 to 200F for FFG2000SST model only.
 CRN expires April 23rd, 2029 - DG



GOVERNMENT OF YUKON
 BY [Signature]
 CRN 0C21323.5Y ADD2
 DATE 12/23/2019
 Sect 1.0 - Fittings Rev.2
 BOILERS BRANCH

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Shanghai Rego Flow Technology Co., Ltd. (ECU China)</u>	
Manufacturers Address: <u>6999 Chuansha Rd, B11, Chuansha Industry Park, Shanghai, China</u>	
Plant Locations:	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction <u>ASME B31.1</u> <u>BPVC VIII.1</u>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product <div style="text-align: center; font-size: 2em; font-weight: bold;">REGO®</div>	
Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:	
List of supporting documentation and identification of the actual items to be registered: <div style="text-align: center; font-size: 1.5em;">See attached</div>	

Declaration:

I Zachary Ruben (see note 3) employed by ECU China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths Jennifer Versage Watson

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public
Rockingham County
Use this space for the Official Seal
My Commission Expires 03/05/2023


CRN: 0C21323.5 Add2

FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG



Sec 1.0 - Fittings Rev.2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Engineered Controls International LLC
Manufacturers Address: 100 Rego Drive, Elon, NC - 27377, USA

Plant Locations:

- Category of Fittings to be registered. Circle one Category only**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - ☒ C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all types
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - H Pressure retaining components that do not fall into one of the above categories
 - N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.1
BPC VIII.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Type of Construction

Forged ☒ Welded ☐ Wrought ☐
Cast ☐ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I, Zachary Ruben (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public
Rockingham County
North Carolina
My Commission Expires 03/05/2023

This space for Regulatory Authority use.
This registration must be revalidated after ten (10) years from the date of issuance.

CRN: 0C21323.5 Add2


FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG



16300

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Shanghai Rego Flow Technology Co., Ltd. (ECII China)
Manufacturers Address: 6999 Chuansha Rd, B11, Chuansha Industry Park, Shanghai, China
Plant Locations:

- Category of Fittings to be registered. Circle one Category only**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.1
BVC VIII-1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ☒ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I Zachary Ruben (see note 3) employed by ECII China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public
Rockingham County
Use this space for the Official Seal
My Commission Expires 03/05/2023

This space for Regulatory Authority use.

CRN: 0C21323.5 Add2

FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG

REGISTERED
UNDER THE AUTHORITY OF
THE BOILER AND PRESSURE
VESSEL ACT.

C.R.N. 0C21323.5T Add2

SIGNED [Signature]
DATE Dec 18 2020

Form 1.0 - Fittings Rev.2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Shanghai Rego Flow Technology Co., Ltd. (ECU China)
 Manufacturers Address: 6999 Chuansha Rd, B11, Chuansha Industry Park, Shanghai, China
 Plant Locations: _____

Category of Fittings to be registered. Circle one Category only

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Title of the Standard of Construction

ASME B31.1
BPVC VIII.1

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
 Cast ☒ Other ☐
 Describe other: _____

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I Zachary Ruben (see note 3) employed by ECU China and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public
Rockingham County
Use this space for the Official Seal
My Commission Expires 03/05/2023

This space for Regulatory Authority use.

CRN: 0C21323.5 Add2

FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG

NUNAVUT

Boilers and Pressure Vessels Act

REGISTERED

CRN 0C21323.5NAdd2

Date December 18, 2020

Signed _____

Chief Inspector Michael Leduc
Director Safety Services

Territorial Registration Fee

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Engineered Controls International LLC
Manufacturers Address: 106 Rego Drive, Elon, NC - 27877, USA
Plant Locations:

- Category of Fittings to be registered. Circle one Category only**
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - ☒ C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all types
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

ASME B31.1
BVC VIII.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

REGO®

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ☒ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

See attached

Declaration:

I, Zachary Ruben (see note 3) employed by ECI and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ECI Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Zachary Ruben

Declared before me at 3:57 PM

This 14th day of April AD 2020

Commissioner of Oaths

Or Notary Public: (sign) Jennifer Versage Watson

(Affix Official seal to the right)

Jennifer Versage Watson
Notary Public
Rockingham County
Use this space for the Official Seal
My Commission Expires 03/05/2023

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C21323.5 Add2

FID#: 1704

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

The scope of this application is a change in DT from 500F to 200F for FFG2000SST model only.

CRN expires April 23rd, 2029 - DG

NUNAVUT
Boilers and Pressure Vessels Act

REGISTERED

CRN 0C21323.5NAdd2

Date December 18, 2020

Signed [Signature]

Chief Inspector Michael Cedue - Fittings Rev 2
Director Safety Service

Territorial Registration Fee