



345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

January 13, 2017

CHAD THOMAS  
ENGINEERED CONTROLS INTERNATIONAL LLC  
100 REGO DR  
ELON NC 27244  
US

**Service Request Type:** BPV-Fitting Registration

**Service Request No.:** 2000516

**Your Reference No.:**

**Registered to:** ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

**CRN No.:** 0H19082.5

Main Design No.: Dwg. No. MVE10C Rev. G, Vent Assembly.

Expiry Date: 13-Jan-2027

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Mark Valcic P. Eng.  
Engineer BPV  
Tel.: 416-734-3494  
Fax: 416-231-1626  
Email: [mvalcic@tssa.org](mailto:mvalcic@tssa.org)



Technical Standards and Safety Authority  
345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Fax: 416.231.6183  
Customer Service: 1.877.682.8772  
www.tssa.org

**National Design Registration  
Application for a CRN**  
Technical Standards and Safety Act  
Boilers and Pressure Vessels Regulation

**INTAKE GROUP**

Date: 2000 5/6 - ONT  
SR #: 2000 522 - NAT  
Agent: 2000 522 - NAT

Date of Application (mm/dd/yyyy):

12/16/2016

☐ Expedited Service (please attached request form)

Please indicate the type of design: ☐ Boiler ☐ Pressure Vessel ☒ Fitting

Existing CRN: \_\_\_\_\_ (if applicable)

<b>Section A: Submitter</b>		<b>Section B: Invoicee</b>	
Company Name: <u>ENGINEERED CONTROLS INTERNATIONAL, LLC.</u>		Company Name: _____	
Address: <u>100 REGO DRIVE</u>		Address: _____	
City/Town: <u>ELON</u>	Province/State: <u>NC</u>	City/Town: _____	Province/State: _____
Postal/Zip Code: <u>27244</u>	Country: <u>USA</u>	Postal/Zip Code: _____	Country: _____
Telephone: <u>336-449-7707</u>	Fax: _____	Telephone: _____	Fax: _____
Contact Name: <u>CHAD THOMAS</u>		Contact Name: _____	
E-mail: <u>cthomas@regoproducts.com</u>		E-mail: _____	
Job No./Reference: _____		Purchase Order No.: _____	
Drawing/Catalog No.: <u>MVE 10C</u>		_____	
Acct/Cust No.: <u>A-400283 0913915</u>		Acct/Cust No.: _____	
<b>Section C: Owner of Design/CRN</b> Same as: <input checked="" type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> D		<b>Section D: Manufacturer</b> Same as: <input checked="" type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C	
(If more then one please attach list)			
Company Name: _____		Company Name: _____	
Address: _____		Address: _____	
City/Town: _____	Province/State: _____	City/Town: _____	Province/State: _____
Postal/Zip Code: _____	Country: _____	Postal/Zip Code: _____	Country: _____
Telephone: _____	Fax: _____	Telephone: _____	Fax: _____
Contact Name: _____		Contact Name: _____	
E-mail: _____		E-mail: _____	
Acct/Cust No.: _____		Acct/Cust No.: _____	
<b>Registration required in the following jurisdictions:</b>			
<input checked="" type="checkbox"/> Ontario	<input checked="" type="checkbox"/> Saskatchewan	<input checked="" type="checkbox"/> New Brunswick	<input checked="" type="checkbox"/> Newfoundland and Labrador
<input checked="" type="checkbox"/> British Columbia	<input checked="" type="checkbox"/> Manitoba	<input checked="" type="checkbox"/> Nova Scotia	<input checked="" type="checkbox"/> Yukon
<input checked="" type="checkbox"/> Alberta	<input checked="" type="checkbox"/> Quebec	<input checked="" type="checkbox"/> Prince Edward Island	<input checked="" type="checkbox"/> Northwest Territories
<input checked="" type="checkbox"/> Nunavut			
<b>Deposit included:</b> <input type="checkbox"/> CDN \$600.00 - Ontario and up to 2 additional provinces <input checked="" type="checkbox"/> CDN \$1,200.00 - Ontario and 3 or more additional provinces			
Cheque No. _____		Amount \$ _____	
(Deposit to be applied to the incurred fees when all jurisdictions are complete - any charges over and above deposit amount will be invoiced at that time.)			
Return mail address: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C		Optional: Courier Collect Courier name: _____	
Account No.: _____		Date (mm/dd/yyyy): <u>12/16/2016</u>	
Signed: <u>Chad M. Thomas</u>		Date (mm/dd/yyyy): <u>12/16/2016</u>	
Date: <u>JAN 13, 2017</u>	Reviewing Engineer: <u>Mark Valcic</u>	CRN Issued: <u>0H19082.5</u>	





Technical Standards and Safety Authority  
345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



## STATUTORY DECLARATION Registration of Fittings

I, **CHAD THOMAS, VP GLOBAL ENGINEERING**

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of **ENGINEERED CONTROLS INTERNATIONAL, LLC**

(Name of Manufacturer)

Located at **100 REGO DRIVE, ELON, NC - 27244**

(Plant Address)

**336-449-7707**

(Telephone No.)

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of **ASME B31.1**

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of **ISO90001**

which has been verified by the following authority, **UNDERWRITERS LABORATORY INC**

The items covered by this declaration, for which I seek registration, are category **"H"** type fittings. In support of this application, the following information and/or test data are attached as follows:

**SEE ATTACHED LIST**

(Drawings, calculations, test reports, etc.)

Declared before me at **Engineered Controls Int'l LLC** in the **County** of **Alamance, NC**

the **16<sup>th</sup>** day of **December** AD 20 **16**

Commissioner for Oaths:

**Marisa E. Elliott**

(Printed name)

**Marisa E. Elliott**

(Signature)

*Marisa E. Elliott*

(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category **H1**

CRN:

**OH19082.5**

Registered by:

**MARK VALCIC, P.ENG.**

Dated:

**JAN 13, 2017**

NOTE: This registration expires on:

**JAN 13, 2027**

PV REGISTRATION

**NOTE: DWG No. MVELOC REV G VENT ASSEMBLY**

**JAN 13/17**

**MARISA E. ELLIOTT  
NOTARY PUBLIC  
ALAMANCE COUNTY  
NORTH CAROLINA**

my commission expires 8/31/2021

Boilers and Pressure Vessels Safety Program  
Technical Standards and Safety Authority

REGISTERED

**OH19082.5**

C.R.N.:

**OH19082.5**

Signed:

Date:

**JAN 13, 2017**

Category	System Number	Description	Drawing Number	Body Number	Body Material	Service Pressure
H	MVE10C	Vent Assembly	B-9407-1C	B-9408PT-3	Bronze Cast Alloy, UNS C92200, ASTM B61	600
			1337A-22 SER	1337A-22B	Stainless Steel Pipe, ASTM A312, TP304L	600



*Utkal Jan 13/17*



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
**[www.tssa.org](http://www.tssa.org)**

March 16, 2017

CHAD THOMAS  
ENGINEERED CONTROLS INTERNATIONAL LLC  
100 REGO DR  
ELON NC 27244  
US

Service Request Type.: BPV-National BC  
Service Request No.: 2019238  
Your Reference No.:  
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from BC, registered under the CRN No.: 0H19082.51.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Joanna Karpinski

Tel: 416-734-3377  
Fax: 416-231-6183  
Email: [jkarpinski@tssa.org](mailto:jkarpinski@tssa.org)



505 - 6th Street, Suite 200  
New Westminster, BC V3L 0E1

Toll Free: 1-866-566-SAFE  
Fax: (778) 396 - 2064  
www.safetyauthority.ca

TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO ON M9W 6N9

**Date:** February 7, 2017  
**Account #:** 35231  
**Journal #:** 67273  
**Our File #:** 5611228

**Attn:** TANYA FRANCIS

**Re:** Application for Design Registration

The design, as detailed in your, TSSA SR# 2019238, for a Fitting is accepted for registration as follows:

**Registered To:** ENGINEERED CONTROLS INTERNATIONAL LLC  
**CRN:** 0H19082.51

**MAWP:** 600 psig

**Drawing #:** MVE10C

**Drawing Revision:** G

**Conditions Of Registration:**

Registration of a Vent Assembly per scope & dwg sheets (att'd 2 pgs).

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

**Reviewer's Notes:**

As required by CSA B51 4.2.1, this registration expires on January 13, 2027. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

SHARON PETERS


boiler.designregistration@safetyauthority.ca  
Design Administration

**cc:**

Category	System Number	Description	Drawing Number	Body Number	Body Material	Service Pressure
H	MVE10C	Vent Assembly	B-9407-1C 1337A-22 SER	B-9408PT-3 1337A-22B	Bronze Cast Alloy, UNS C92200, ASTM B61 Stainless Steel Pipe, ASTM A312, TP304L	600 600

THIS IS PART OF  
**CRN 049082.5**  
 Technical Standards & Safety Authority  
 Boilers & Pressure Vessels  
 Safety Program

*Weld Jan 13/17*







To:	TSSA	From:	Janet Townsend
Company:	Engineered Controls International, LLC	Phone:	416-747-4291
Pages:	10	Location:	Toronto
Our File:	ANR-4430	Date:	April 20, 2017

Your File: 2019242

**Subject: Request for Design Registration**

Dear Ms. Francis,

CSA has reviewed the documentation submitted by TSSA on behalf of Engineered Controls International, LLC.

These fittings have been registered by CSA for the Province of Québec. In accordance with an agreement between CSA, the Provinces of Québec and Saskatchewan; this registration is recognized by Quebec and Saskatchewan. These fittings are acceptable for use in these Provinces.

The letters CSA will be applied as a prefix to the CRN indicate which fittings have been registered in this manner. A copy of the stamped Statutory Declaration is attached.

The CRN is CSA-0H19082.56.

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly

A handwritten signature in cursive script that reads 'Janet Townsend'.

**Janet Townsend**  
Program Manager  
CSA Group





Technical Standards and Safety Authority  
345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
www.tssa.org

Show inside of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

**REGO®**

# STATUTORY DECLARATION Registration of Fittings

I, **CHAD THOMAS, VP GLOBAL ENGINEERING**

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of **ENGINEERED CONTROLS INTERNATIONAL LLC**

(Name of Manufacturer)

Located at **100 REGO DRIVE, ELON, NC - 27244**

(Plant Address)

**336-449-7707**

(Telephone No.)

(Fax No.)

☒ I do solemnly declare that the fittings listed hereunder, which are subject to the Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, comply with all of the requirements of **ASME B31.1**

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of **ISO90001**

which has been verified by the following authority, **UNDERWRITERS LABORATORY INC**

The items covered by this declaration, for which I seek registration, are category **"H"** type fittings. In support of this application, the following information and/or test data are attached as follows:  
**SEE ATTACHED LIST**

(Drawings, calculations, test reports, etc.)

Declared before me at **Engineered Controls Int'l/Elon** in the **county** of **Alamance, NC**

the **19th** day of **December** AD **2016**

Commissioner for Oaths:

**Marisa E. Elliott**

(Printed name)

**Marisa E. Elliott**

(Signature)

(Signature of Declarer)

## FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category **H**

CRN: **CSA - OH19082.56**

Registered by: **R. BARNES**

Dated: **APRIL 15, 2017**

NOTE: This registration expires on: **JAN 13, 2027**

PV 08563 (06/16)

**REGISTERED**

CRN: **CSA - OH19082.56**

Registration Process administered by  
**CSA Group per CSA B51**

**MARISA E. ELLIOTT**  
**NOTARY PUBLIC**  
**ALAMANCE COUNTY**  
**NORTH CAROLINA**

my commission expires **8/31/2021**


**CERTIFIED TRUE COPY**


Date: **Jan 11, 2017**

Signature: **[Signature]**

**Colleen Anne Ratcliff,**  
a Commissioner, etc., City of Toronto, for the  
Technical Standards & Safety Authority  
Expires July 24, 2019


Note: See attachment as the scope of registration. -- Attachment **A** and **B**.

REGISTERED   
CRN: CSA-0449082.56  
Registration Process administered by  
CSA Group per CSA B51

Technical Review performed per CSA B51  
Performed by: ANRIC Enterprises Inc.  
Signed:   
Date: April 15, 2017

# ATTACHMENT A

Category	System Number	Description	Drawing Number	Body Number	Body Material	Service Pressure
H	MVE10C	Vent Assembly	B-9407-1C 1337A-22 SER	B-9408PT-3 1337A-22B	Bronze Cast Alloy, UNS C92200, ASTM B61 Stainless Steel Pipe, ASTM A312, TP304L	600 600


**ATTACHMENT TO**  
**CRN: 0149082.5**  
**Signed: [Signature]**  
 178 Rexdale Boulevard, Toronto, ON Canada M9W 1R3

**THIS IS PART OF**  
**CRN 0149082.5**  
 Technical Standards & Safety Authority  
 Boilers & Pressure Vessels  
 Safety Program

*Calder Jan 13/17*

178 Rexdale Blvd.  
Toronto, Ontario  
Canada M9W 1R3  
Tel: (416) 747-4000  
[www.csagroup.org](http://www.csagroup.org)



March 2017

### **CRN – Canadian Registration Numbers - Saskatchewan**

The Province of Saskatchewan participates with Quebec and the Canadian Standards Association (CSA Group) for the registrations of “Fittings”.

Per an agreement with CSA Group in April 1998, Saskatchewan recognizes registrations done by CSA Group and accepts such fittings for use in Saskatchewan.

The letters “CSA” are applied as a prefix to the CRN to indicate which “Fittings” have been registered in this manner. You should inform your clients of this additional marking requirement and that “Fittings” registered by CSA Group are accepted for use in Saskatchewan Canada.





345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

May 03, 2017

CHAD THOMAS  
ENGINEERED CONTROLS INTERNATIONAL LLC  
100 REGO DR  
ELON NC 27244  
US

Service Request Type.: BPV-National MB  
Service Request No.: 2019250  
Your Reference No.:  
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from MB, registered under the CRN No.: 0H19082.54.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Joanna Karpinski

Tel: 416-734-3377  
Fax: 416-231-6183  
Email: [jkarpinski@tssa.org](mailto:jkarpinski@tssa.org)



**Inspection and Technical Services Manitoba**

508 - 401 York Avenue

Winnipeg Manitoba R3C 0P8

T (204) 945-3373

F (204) 948-2309

[www.firecomm.gov.mb.ca/codes\\_steam\\_pressure.html](http://www.firecomm.gov.mb.ca/codes_steam_pressure.html)

April 12, 2017

TSSA

345 Carlingview Drive

Toronto, ON

M9W 6N9

Attn: Tanya Francis

**REGISTRATION OF VALVES AND FITTINGS**

**Manufacturer:** ENGINEERED CONTROLS INTERNATIONAL LLC

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

DRAWING / CATALOGUE	CRN	FILE
MVE10C REV.G VENT ASSEMBLY	0H19082.54	37530

**An invoice covering survey and registration fees is enclosed.**

**NOTE:** CRN registered under reciprocal agreement & is conditional based on compliance with the notes set by the original issuing Jurisdiction: **TSSA**. This registration expires **January 13, 2027**.

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Regards,

  
**Ryan Orlesky, C.E.T.**

*Design Surveyor*

Office of the Fire Commissioner

Inspection and Technical Services Manitoba

508 - 401 York Avenue

Winnipeg, Manitoba, R3C 0P8

Phone: 204-945-3373

Email: [ryan.orlesky@gov.mb.ca](mailto:ryan.orlesky@gov.mb.ca)



Technical Standards and Safety Authority  
345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

REGO®

## STATUTORY DECLARATION Registration of Fittings

I, **CHAD THOMAS, VP GLOBAL ENGINEERING**

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of **ENGINEERED CONTROLS INTERNATIONAL, LLC**

(Name of Manufacturer)

Located at **100 REGO DRIVE, ELON, NC - 27244**

(Plant Address)

**336-449-7707**

(Telephone No.)

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation**, comply with all of the requirements of **ASME B31.1**

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of **ISO90001**

which has been verified by the following authority, **UNDERWRITERS LABORATORY INC**

The items covered by this declaration, for which I seek registration, are category **TH** type fittings. In support of this application, the following information and/or test data are attached as follows:  
**SEE ATTACHED LIST**

(drawings, calculations, test reports, etc.)

Declared before me at **Engineered Controls Int'l/Elon** the **Country** of **Alamance, NC**  
the **19th** day of **December** AD 20**16**

Commissioner for Oaths:

**MARISA E. ELLIOTT**

(Printed name)

**MARISA E. ELLIOTT**

(Signature)

**Chad Thomas**

(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation**, and CSA Standard B51 and is accepted for registration in Category **H**

CRN:

**0419082.54**

Registered by:

**RYAN DEESKY**

Dated:

**April 12, 2017**

NOTE: This registration expires on:

**Jan 13, 2017**



MARISA E. ELLIOTT  
NOTARY PUBLIC  
ALAMANCE COUNTY  
NORTH CAROLINA

my commission expires 8/31/2014



Colleen Anne Ratcliff,  
Commissioner, etc., City of Toronto, for the  
Technical Standards & Safety Authority.  
Expires July 24, 2019.



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
**[www.tssa.org](http://www.tssa.org)**

April 11, 2017

CHAD THOMAS  
ENGINEERED CONTROLS INTERNATIONAL LLC  
100 REGO DR  
ELON NC 27244  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2019236  
Your Reference No.:  
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU registered under the CRN No.: 0H19082.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,


Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)



# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUTNOVA SCOTIA  
YUKONPRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International LLC</u>	
MANUFACTURERS ADDRESS: <u>100 Rego Drive, Elan, NC-27264</u>	
PLANT LOCATIONS: <u>Same as above</u>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies; all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b>  <u>ASME B31.1</u>
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
	<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>  <u>See attached list</u>	

## DECLARATION:

I, Chad Thomas (see note 3) employed by E.C.I. LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001/UL 1250 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad Thomas  
 Declared before me at Engineered Controls, Int'l/Elan  
 This 16th day of December AD 2016  
 Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott  
 (Affix Official seal to the right)



my commission expires 8/31/2021

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OH19082.5</u> FID#: <u>1704</u>	<b>ACCEPTED</b> PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT C.R.N. <u>OH 19082.59</u> DATE: <u>Feb 2/17</u> INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH
<b>Notes:</b> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International LLC</u>	
MANUFACTURERS ADDRESS: <u>100 Rego Drive, Eden, NC-27244</u>	
PLANT LOCATIONS: <u>Same as above</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p><u>ASME B31.1</u></p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p><u>See attached list</u></p>	

## DECLARATION:

I, Chad Thomas (see note 3) employed by ECI, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001/UL 125C as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad Thomas

Declared before me at Engineered Controls, Int'l/Eden


This 16th day of December AD 2016

Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott

(Affix Official seal to the right)

MARISA E. ELLIOTT  
NOTARY PUBLIC  
ALAMANCE COUNTY  
NORTH CAROLINA

my commission expires 8/31/2021

This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OH19082.5</u>	 <p>NOVA SCOTIA Date <u>Feb. 21/17</u> C.R.N. <u>OH19082.58</u> Dwg. <u>as described</u> Signed <u>Yvonne Perry</u> <u>1 of 1</u> Part ACT &amp; REGULATIONS</p>
FIG#: <u>1704</u>	
Notes:	
<p>1. All fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	

# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls International LLC  
MANUFACTURERS ADDRESS: 100 Rego Drive, Elen, NC-27264  
PLANT LOCATIONS: Same as above

## CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
☐ B Flanges: all flanges  
☐ C Valves: all line valves  
☐ D Expansion joints, flexible connections, and hose assemblies: all types  
☐ E Strainers, filters, separators, and steam traps  
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
☒ H Pressure retaining components that do not fall into one of the above categories  
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

## TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.1

## SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



## TYPE OF CONSTRUCTION

FORGED ☐ WELDED ☐ WROUGHT ☐  
CAST ☐ OTHER ☐  
DESCRIBE OTHER:

## LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

See attached list

## DECLARATION:

I Chad Thomas (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001/UL 1704 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad Thomas

Declared before me at Engineered Controls, Int'l/Elen

This 16th day of December AD 2016

Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott

(Affix Official seal to the right)

MARISA E. ELLIOTT

NOTARY PUBLIC

ALAMANCE COUNTY

NORTH CAROLINA

my commission expires 8/31/2021

This space for Regulatory Authority use  
This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OH19082.5

FID#: 1704

## Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

## REGISTRATION ONLY

CRN OH19082.57

EXAMINER: Ken Cross

for  
CHIEF BOILER INSPECTOR

DATE: Feb. 17, 2017

☐ BLRs ☐ FVs  
☒ FITTINGS ☐ COMPONENTS


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International LLC</u>	
MANUFACTURERS ADDRESS: <u>100 Rego Drive, Elen, NC-27264</u>	
PLANT LOCATIONS: <u>Same as above</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p><u>ASME B31.1</u></p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p><u>See attached list</u></p>	

## DECLARATION:

I Chad Thomas (see note 3) employed by E.C.I. LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001/UL/NSC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Chad Thomas

Declared before me at

Engineered Controls, Int'l/Elen

This 16th day of

December AD 2016

Commissioner of Oaths

or Notary Public: (sign)

Marisa E. Elliott

(Affix Official seal to the right)

MARISA E. ELLIOTT  
NOTARY PUBLIC  
ALAMANCE COUNTY  
NORTH CAROLINA

my commission expires 8/31/2021

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH19082.5

FID#: 1704

## Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Newfoundland  
Labrador  
Service NL  
Registered OH19082.50  
Date 12/02/2016  
Engineering and Inspection Services  
Registered by [Signature]  
UNDER THE AUTHORITY OF THE  
PUBLIC SAFETY ACT AND  
THE BOILER, PRESSURE VESSEL AND  
COMPRESSED GAS REGULATION




# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International LLC</u>	
MANUFACTURERS ADDRESS: <u>100 Rego Drive, Elon, NC-27244</u>	
PLANT LOCATIONS: <u>Same as above</u>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b>  <u>ASME B31.1</u>
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
	
<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>  <u>See attached list</u>	

## DECLARATION:

I Chad Thomas (see note 3) employed by ECI, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001/UL 100 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad Thomas


Declared before me at Engineered Controls, Int'l / Elon

This 16th day of December AD 2016

Commissioner of Oaths

or Notary Public: (sign) Marisa E. Elliott

(Affix Official seal to the right)



my commission expires 8/31/2021

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH19082.5

FID#: 1704

## Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.




# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International LLC</u>	
MANUFACTURERS ADDRESS: <u>100 Regu Drive, Elan, NC-27244</u>	
PLANT LOCATIONS: <u>Same as above</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TYPE OF THE STANDARD OF CONSTRUCTION</p> <p><u>ASME B31.1</u></p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
<p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p><u>See attached list</u></p>	

## DECLARATION:

I Chad Thomas (see note 3) employed by E.C.I. LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001/UL 100 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad Thomas

Declared before me at Engineered Controls, Int'l/Elan


This 16th day of December AD 2016

Commissioner of Oaths  
or Notary Public: Marisa E. Elliott

(Affix Official seal to the right)

**MARISA E. ELLIOTT**  
**NOTARY PUBLIC**  
**ALAMANCE COUNTY**  
**NORTH CAROLINA**

my commission expires 8/31/2021

This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance	
CRN: <u>OH19082.5</u>	 <p>Northwest Territories</p> <p><b>REGISTERED</b></p> <p><b>UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.</b></p> <p>C.R.N. <u>OH19082.5T</u></p> <p>SIGNED <u>[Signature]</u></p> <p>DATE <u>Feb 22 2017</u></p>
FIG#: <u>1704</u>	
Notes:	
<p>1. All fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	

82.00


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls International LLC</u>	
MANUFACTURERS ADDRESS: <u>100 Rego Drive, Elon, NC-27249</u>	
PLANT LOCATIONS: <u>Same as above</u>	
<p><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p><u>ASME B31.1</u></p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p></p>	<p><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p><u>See attached list</u></p>	

## DECLARATION:

I, Chad Thomas (see note 3) employed by E.C.I. LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001/UL/NSC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Chad M. Thomas

Declared before me at Engineered Controls, Int'l/Elon

This 16th day of December AD 2016

Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott

(Affix Official seal to the right)



my commission expires 8/31/2021

<p>This space for Regulatory Authority</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>OH19082.5</u></p> <p>FID#: <u>1704</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>1. All fittings shall be registered in the name of the Manufacturer.</li> <li>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</li> </ol>	<p><b>NUNAVUT</b></p> <p>Boilers and Pressure Vessels Act</p> <p><b>REGISTERED</b></p> <p>CRN <u>OH19082.5 N</u></p> <p>Date <u>Feb 17, 2017</u></p> <p>Signed <u>[Signature]</u> Chief Inspector</p> <p><b>Territorial Registration Fee</b></p>
---	--