

345 Carlingview Drive Toronto, Ontario CANADA M9W 6N9 Tel.: 416.734.3300 Fax.: 416.231.1626

Toll Free: 1.877.682.8772 www.tssa.org

March 31, 2017

CHAD THOMAS ENGINEERED CONTROLS INTERNATIONAL LLC 100 REGO DR ELON NC 27244 US

Service Request Type.: BPV-National ACI Central

Service Request No.: 2014250

Your Reference No.:

Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU registered under the CRN No.: 0H19070.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly.

Joanna Karpinski

Tel: 416-734-3377 Fax: 416-231-6183

Email: jkarpinski@tssa.org

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS			
NUNAVUT YUKON NORTH	E EDWARD ISLAND NEWFOUNDLAND AND LABRADOR WEST TERRITORIES		
MANUFACTURERS NAME: Englineered Comb	sols Intermetional LLC		
MANUFACTURERS ADDRESS: 100 P			
FUNITOGATIONS: Same as above	7 7		
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ON	NE CATEGORY ONLY ITTLE OF THE STANDARD OF CONSTRUCTION		
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unlone, pipe of B Fianges: all flanges Valves: all flane valves D Expansion loints, flaxible connections, and horse assembles; all the	ASME B31.1		
Strainers, filters, seperators, and steam traps Measuring devices, including pressure gauges, level gauges, sight glass pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary or boilers, pressure vessels, plans and faither and capacity.	ses, levels, or		
H Pressure retaining components that do not fall into one of the shows and	lands.		
N Nuclear components: Class 1 🗆 Class 2 🗆 Class 3 🕽, (Meeting AEC	CB or ASME requirements) :		
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL			
<i>REGO®</i>	FORGED D. WELDED D. WROUGHT D. DESCRIBE OTHER:		
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF T			
	HE ACTUAL ITEMS TO BE REGISTERED:		
See attached list.	,		
	.e.		
,,,			
	• **		
DECLARATION:			
I CHAD THOMAS 1000 most s) employed by ECT responsibility for the quality of the end product do solemnly declare up my knowledge represents the product for which registration is equal to the product for the product	and being the person having full authority and		
My knowledge represents the amount for the bearing	and to the best of		
temperature ratings, and identification markings are in accordance we menufacture of these fittings is regulated by a Quality Control Process	th the herein named standards. I further declare that the		
or in part and has been verified by 150 970000 / 111	im which extends to each plant where fabrication occurs in whole		
declaration conscientiously believing it to be true, and knowing that it	as being suitable for that purpose and I make this solemn		
Signature of Declarer: (M.)hours	The state of the s		
	MARISA E. ELLIOTT		
ETHING CONTOS DIT 173	USETHNOTARK DIBRIEDOR THE		
day of Decampor Ab Dold	AEAMANCE COUNTY		
Commissioner of Oaths Mansu E. Ellusto or Notary Public: (sign) Mansu E. Ellusto	NORTH CAROLINA		
(Affix Official seal to the right)	My commission expires 8/31/2021		
This space for Requistory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.			
CRN: 0H19070.5			
FID#:1704	ACCEPTED		
FIGH.	PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT		
Notes;			
All fittings shall be registered in the name of the Manufacturer.	CRN. OH19070.59		
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.			
3. The declaration shall be made by the person having full authority and			
responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation	Jemys Mcalow		
at a maximum interval of five (5) years:	INCRECTION SERVICES SECTION		

INCRECTION SERVICES SECTION
ROLLER/PRESSURE VESSEY SANCE

NEW	BRU	NSM	nck
NIIN			

NOVA SCOTIA

PRINCE EDWARD ISLAND

1016401	UNON NORTH	WEST TERRITORIES	
MANUFACTURERS NAME: E	rginecred Cont	cols Interno	Amal, LLC
MANUFACTURERS ADDRESS:	100 Rego Drive, 6		244
PLANT LOCATIONS: Source	as above		-44
CATEGORY OF FITTING	S TO BE REGISTERED. CIRCLE OF	NE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
B Flanges: all flanges	tees, elbows, Ys, plugs, unions, pipe	caps, or reducers	
Valves: all line valves	g. 97		ASME B311
E Strainers, filters, separators, and	tions, and hose assemblies: all types steam traps		Mark Ball
.F Measuring devices, including pre-	ssure gauges, level gauges, sight glas	ses, levels, or	1 '
G Certified capacity-rated pressure	rellef devices acceptable as primary of	over pressure amiection on	
poliers, pressure vessels, piping	and fusible plugs hat do not fall into one of the above ca	56 SECTION SEC	
N Nuclear components: Class 1 🗆	Class 2 Class 3 C, (Meeting AE	CB or ASMF moultements)	
SHOW MANUFACTURERS NAME,	TRADEMARK, OR LOGO AS IT WIL	L APPEAR ON THE PRODUCT	· TYPE OF CONSTRUCTION
	M.		FORGED CI WELDED CI WROUGHT CI
)].		DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMEN	TATION AND IDENTIFICATION OF	THE ACTUAL ITEMS TO BE DO	COLETERED
		THE ROTORE HEMS TO BE RE	GISTERED:
See attached	list.	4	
			·
	V _a	•	
		W.	
		*	
DECLARATION:			
CHAD THOMAS		· LLC and be	ing the person having full authority and
my knowledge represents the pro-	duct for which registration is source	that the information contained	d in this form is true and to the best of
terriberature ratinus, and tennince	liion markinga ara in occomonea i	with the herele named stand	
or in part and has been verified by	150 98000: 11 UZ 1AIA	am which extends to each pi	ant where fabrication occurs in whole
declaration conscientiously believ	ing it to be true, and knowing that	it is of the same force and e	fect as if made under oath.
Signature of Declarer:	M. Thom	~ ·	
	INVERCE CONTROLS INT'1/-	Mattillia	ISA E. ELLIOTT
	ember at 2016	PEIWI I	TARY PUBLICE THE
	TO COLL	AEAN	IANCE COUNTY
Commissioner of Oaths or Notary Public: (sign)	184 E. Elluto	The second secon	TH CAROLINA
(Affi	x Official seal to the right)	My comin	1135701 expires 8/31/2021
	This space for Regi	ulatory Authority use	
i nis regi	stration must be revalidated after	len (10) years from the date	of acceptance.
CRN: 0H19070.5		DDEC	611
FID#:1704		ER & PRES	ORE
1 1017		ONER & PRES	DIA /SO
Notes:			9/17 (8)
1. All fittings shall be registered in the	ie name of the Manufacturer.	CRN OHIGO	70.58
Each category shall be supported forms and one copy of supporting do	ocumentation.	Dwg. as desc	ribed
3. The declaration shall be made by	the person having full authority and	Signed James	Perry
responsibility for the quality of the en 4. Quality control programs shall be	resubmitted for validation	1 d	
at a maximum interval of five (5) yea	rs.	7C3 Part	15)
1		1 A	100

NEW BRUNSWICK NUNAVUT

NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

MANUFACTURERS NAME: Fraging 100	11 1	
MANUFACTURE CONVE	ols Internes	
FLANTIONATIONS	lon, NC-275	2440
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE	CATECORYOURY	THE OF THE CONTROL
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe ca B Flanges: all flanges Valves: all line valves		TITLE OF THE STANDARD OF CONSTRUCTION
D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps		ASME B31.1
.F Measuring devices, including pressure gauges, level gauges, sight glasse pressure transmitters		
G Certified capacity-rated pressure relief devices acceptable as primary over boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above cate.		
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting AEC		
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL	APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
<i>REGO®</i>		FORGED WELDED WROUGHT CAST 12*OTHER DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF TH		
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF TH	E ACTUAL ITEMS TO BE REC	SISTERED:
See attached list	8.	
The second second		ω.
	89)	
DEGLADATION		
DECLARATION: I CHAD THOMAS (see note 3) employed by ECI.	LLC and bein	of the names body - full - the time
responsibility for the quality of the end product do solemnly declare the my knowledge represents the product for which registration is sought, temperature ratings, and identification markings are in accordance with manufacture of these fittings is regulated by a Quality Control Program or in part and has been verified by 150 1000 101 1010 declaration conscientiously believing it to be true, and knowing that it	at the information contained The dimensions, materials the herein named standar n which extends to each pla as being suitable for the	in this form is true and to the best of of construction, pressure ds. I further declare that the nt where fabrication occurs in whole
Signature of Declarer: [M.]how		
Declared before me at Engineered Curtrels Int'1/5	CO USETHNOT	SA E. ELLIOTT TARY PUBLICR THE
This 16th day of <u>December</u> AD 2016	E LOVA	ANCE COUNTY
Commissioner of Oaths Manual & Copieto	NORT	TH CAROLINA
or Notary Public: (sign) / / / / / / / / / / / / / / / / / / /		35701 EXDITES 8/31/2021
(Affix Official seal to the right)	tory Auth rib use	[19] [10] [10] [10] [10] [10] [10] [10] [10
This registration must be revalidated after ter	(10) years from the dails of	arcar Grant
CRN: 0H19070.5	Gept of Publi Boiler & Pressur	E VESSEL ACT
FID#: 1704	REGISTRATIC	SH ONLY
3		119070 57
Notes: 1. All fittings shall be registered in the name of the Manufacturer.	CRN	111010.01
2. Each category shall be supported with two Statutory Declaration	Vhe	(0
forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and	EXAMPLER:	- Cur
responsibility for the quality of the end product.	for CHIEF BOILER IN	JOBECTON .
Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	M 1 -	10 2017
(-),	DATE: FED,	10,001
	BILRs	PVs
	XI III III DI	

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS NEW BRUNSWICK PRINCE EDWARD ISLAND NORTHWEST TERRITORIES **NOVA SCOTIA** NEWFOUNDLAND AND LABRADOR NUNAVUT YUKON MANUFACTURERS NAME: Engineere Gontrols Internations MANUFACTURERS ADDRESS: 100 NC-27244 PLANT LOCATIONS: Same above CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION A Pipe fittings, including couplings, teas, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges e Valves: all line valves ASME B31.1 D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps .F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure rallef devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED D WELDED D WROUGHT D
CAST SOTHER D
DESCRIBE OTHER: LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: See attached list. DECLARATION: CHAD THOMAS Jees note 3) employed by ECT · LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by 150 9000 101 101 as being suitable for that purpose and I make this solemn as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: MARISA E. ELLIOTT Declared before me at U E THNOTARY PUBLICR THE lon day of **AEAMANCE COUNTY** Commissioner of Oaths NORTH CAROLINA or Notary Public: (sign). MU commission expires 8/31/2021 (Affix Official seal to the right) This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. Newforker and CRN: 0H19070.5 Labrador 1704 FID#:

1. All fittings shall be registered in the name of the Manufacturer.

2. Each category shall be supported with two Statutory Decigration

forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation

at a maximum interval of five (5) years.

Service NL

Registered OH19070

Engineering and Inspect Registered by

UNDER THE AUTHORITY OF THE PUBLIC SAFETYACT AND

THE BOILER, PRESSYRE VESSEL AND COMPRESSED GAS REGULATIONS

NEW BRUNSWICK NUNAVUT

NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

MANUFACTURERS NAME: Engineered Controls International, LLC		
MANUFACTURERS ADDRESS: 100 D.		
PLANT LOCATIONS: Same as above		
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges Valves: all line valves	- CONSTRUCTION	
D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam trans	ASME B311	
.F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	·	
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories		
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting AECB or ASME requirements)		
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION	
REGO®	FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REC	Norman	
	SISTERED:	
See attached list.		
	193	
	ļ.	
* .		
DECLARATION:		
responsibility for the quality of the end product do solemnly declare that the information contained my knowledge represents the product for which product to solemnly declare that the information contained		
manufacture of these fittings is regulated by a Quality Control Program which extends to each pla or in part and has been verified by 130 4000 // UL INC.	militaria and to the state of	
declaration conscientiously believing it to be true, and knowing that it is of the same force and effect	ect as if made under oath	
Signature of Declarer: M. Shows	SA E. ELLIOTT	
Declared before me at	ARY PUBLICE THE	
	ANCE COUNTY	
Commissioner of Oaths (1/1) C (10)	TH CAROLINA	
Trotal frame (digit)	35701 expires 8/31/2021	
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of		
ASSESSMENT AND THE PROPERTY OF	acceptance,	
CRN: 0H19070.5	*	
FID#: 1704	OF L	
Notes:		
1. All fittings shall be registered in the name of the Manufacturar.		
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.		
3. The designation shall be made by the names had not be started to the started t		
responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	ANOT	
manufacture of fire (o) years.	j i	

NEW BRUNSWICK NUNAVUT		CE EDWARD ISLAND THWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS N	AME: Engineered bon	took Interno	Amal, LLC
MANUFACTURERS A	DORESS: 100 Rego Drive	Clos NC-27	The state of the s
PLANT LOCATIONS:	same as above	51007, N.C &4-	244.
	OF FITTINGS TO BE REGISTERED, CIRCLE	ONE CATEGORY ONLY	TITLE OF THE SYANDARD OF CONSTRUCTION
A Pipe littings, Includin	ng couplings, tees, elbows, Ys, plugs, unions, pl	oe caps, or reducers	
B Flanges: all flanges			1
D Expansion joints, fle	xible connections, and hose assembles: all typ	05	ASME B31.1
E Strainers; filters, sep	santors, and steam traps including pressure gauges, level gauges, sight g	Issaan Isuala as	1
pressure transmitten	•	Supplied to the Company of the Compa	
	ted pressure relief devices acceptable as primar asols, piping and fusible plugs	y over pressure protection on	1
H Pressure retaining o	omponents that do not fall into one of the above		
	: Class 1 D Class 2 D Class 3 D, (Moeling		
SHOW MANUFACTUR	ERS NAME, TRADEMARK, OR LOGO AS IT W	ILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
Maria (Barata			CAST. JOTHER D WROUGHT D
	7(A) (B)		DESCRIBE OTHER:
LIST OF SUPPORTING	O DOCUMENTATION AND IDENTIFICATION C	STATE APPLIAL ITEMS TO GO DO	
LIST OF SOPPORTING	S DOCUMENTATION AND IDENTIFICATION C	F THE ACTUAL HEMS TO BE RE	GISTEREO:
See atta	ched list.		
			· <u> </u>
			ľ
		50	
		,	
DECLARATION:	MAS (see note 3) employed by EC	T. 11.C 450	les the masses bearing full and the
responsibility for the a	uality of the end product do solemnly declar	are that the information contains	ing the person having till authority and
my knowledge represe	ents the product for which registration is so	ught. The dimensions, material	s of construction, pressure
temperature relings, a	nd Identification markings are in accordant	e with the herein named stand	ards. I further declare that the
or in part and has bee	fittings is regulated by a Quality Control Pronuced by 180 9000 // UL INC	as boing suitable for th	at purpose and I make this scieme
declaration conscient	ously belleving it to be true, and knowing the	nat it is of the same force and e	flect as if made under oath.
Signaturé of Declarer:	I his M. Thou	MAD .	ICA E ELLIOTE
) Francisco III	ISA E. ELLIOTT
This IOM day	DOVA . I - Dunie	FIMA	TARY PUBLICE THE
	of December at 2016	- AEAN	IANCE COUNTY
- Commissioner of Oat or Notary Public: (sign	ha Maniser & Copieto	NOR	TH CAROLINA
or Notary Public: (sign	(Affix Official soal to the right)	My comin	135727 EXPINES 8/31/2021
·		egulatory Authority use	33-11-24
	This registration must be revalidated aff		of acceptance
CRN: 0H1907	0 5	y rational Section Sec	1/20
CRN: 011907		para Til	163.0
FID#: 1704		j' i	erritories
	**************************************	/ BEG	STERED
Notes:	CONTROL COMPANY OF THE CONTROL	1	AUTHORITY OF I
	egistored in the name of the Manufacturer, be supported with two Statutory Declaration	UNDER	ANDPRESSURE
forms and one copy of	supporting documentation.	1/3-8	SEL AUI:
3. The declaration sho	ill be made by the person having full authority ar	10 1.	1907051
	rality of the end product. rams shall be resubmitted for validation	(C.M.IV. I	
at a maximum interval		SIGNED	10/30/7/
		DATE	
2		No.	A. S.
			The same of the sa

16\ 33

110878738;

Lentral IDA:0

1 HLOW:

NEW BRUNSWICK
NUNAVIT

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

MANUFACTURERS NAME: Engineer 1 P T	4		
MANUFACTURERS ADDRESS: 100 D. Controls International, LLC			
PLANTLOCATIONS: Same as above			
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGO	DRY ONLY		
A Pipe fittings, including couplings, teas, elbows, Ys, plugs, unions, pipe caps, or redu B Fianges: all flanges Valves: all line valves	DRY ONLY ITLE OF THE STANDARD OF CONSTRUCTION UCCES		
D Expansion loints, flexible connections, and hose assemblings all back	ASME B311		
E Sudiners, fillers, separators, and steam trans			
.F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters			
G Certified capacity-rated pressure relief devices acceptable as primary average.			
boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories			
N Nuclear components: Class 1 🗆 Class 2 🔾 Class 3 🔾. (Meeting AFCR or ASME	Partitements		
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR O	ON THE PRODUCT TYPE OF CONSTRUCTION		
Discontinue de la constante de	FORGED CI WELDED CI WROLIGHT CI		
DEGMR	CAST COTHER CO		
LIST OF SUPPORTING DOCUMENTATION			
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL	LITEMS TO BE REGISTERED:		
See attached list.	· .		
- so toplatined have	,		
DECLARATION:			
responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by 150 4000 100 100 100 100 100 100 100 100 1			
Signature of Declarer: [M.) Norway Positived before the attention of the state o	MARISA E. ELLIOTT		
Declared belore me at			
This 100 day of December AD 2016 Elon	AEAMANCE COUNTY		
Commissioner of Oaths MARCHAU C CAR inter	NORTH CAROLINA		
or Notary Public: (sign) / / / Way E. Ellerto			
(Affix Official seal to the right)	My commission expres 8/31/2021		
This space for Regulatory Author This registration must be revalidated after ten (10) year	NI INAVIIT		
CRN: 0H19070.5	Boilers and		
FID#:1704	Nuñavut Pressure Vessels Act		
	DECICTEDED		
Notes:	REGISTERED		
1. All fittings shall be registered in the name of the Manufacturer	CRN DH 19070.5N		
Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.	Cala in ania		
3. The declaration shall be made by the person having full authority and	Date Deb 10 2017		
responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation	Signed (unities h)		
at a maximum interval of five (5) years.	Ghief Inspector		
	Territorial Registration Fee		