



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

March 31, 2017

CHAD THOMAS  
ENGINEERED CONTROLS INTERNATIONAL LLC  
100 REGO DR  
ELON NC 27244  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2015646  
Your Reference No.:  
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU registered under the CRN No.: 0H19074.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,


Joanna Karpinski

Tel: 416-734-3377  
Fax: 416-231-6183  
Email: [jkarpinski@tssa.org](mailto:jkarpinski@tssa.org)

## UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUTNOVA SCOTIA  
YUKONPRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|  |  |
|--|--|
| MANUFACTURER'S NAME: <u>Engineered Controls International - LLC</u>  |  |
| MANUFACTURER'S ADDRESS: <u>100, Regan Drive, Eden, NC - 27264</u>  |  |
| PLANT LOCATIONS: <u>Same as above</u>  |  |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY  |  |
| A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br>C Valves: all line valves<br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements) | TITLE OF THE STANDARD OF CONSTRUCTION<br><br><u>ASME B31.1</u> |
| SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT  |  |
|   |  |
| TYPE OF CONSTRUCTION   |  |
| FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input type="checkbox"/> OTHER <input type="checkbox"/><br>DESCRIBE OTHER:  |  |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:  |  |
| <u>See attached list</u>   |  |

## DECLARATION:

I, Chad Thomas (see note 3) employed by ECT - LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.1/UL Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad M. Thomas  
 Declared before me at Engineered Controls, Int'l / Ataymwe Co. USE  
 This 11th day of December AD 2016  
 Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott  
 (Affix Official seal to the right)

MARISA E. ELLIOTT  
 HIS NOTARY PUBLIC  
 OF FALCON COUNTY  
 NORTH CAROLINA

My commission expires 8/31/2021

This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH19074.5  
 FID#: 1704

## Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

ACCEPTED  
 PROVINCE OF PRINCE EDWARD ISLAND  
 COMMUNITIES, LAND & ENVIRONMENT


C.R.N. OH19074.59DATE: Feb 9 2017

Marisa E. Elliott  
 INSPECTION SERVICES SECTION  
 BOILER/PRESSURE VESSEL BRANCH

# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS


NEW BRUNSWICK  
NUNAVUTNOVA SCOTIA  
YUKONPRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

|   |   |
|---|---|
| MANUFACTURERS NAME: <u>Engineered Controls International LLC</u>  |   |
| MANUFACTURERS ADDRESS: <u>100 Rego Drive, Eden, NC 27244</u>  |   |
| PLANT LOCATIONS: <u>Same as above</u>   |   |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY   |   |
| A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br>C Valves: all line valves<br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting ASME or ASME requirements) | TITLE OF THE STANDARD OF CONSTRUCTION<br><br><u>ASME B 31.1</u>   |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT  | TYPE OF CONSTRUCTION<br>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input type="checkbox"/> OTHER <input type="checkbox"/><br>DESCRIBE OTHER: |
|    |   |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:<br><br><u>See attached list</u>   |   |

DECLARATION: I, Chad Thomas (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B 31.1 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad M. Thomas  
Declared before me at Engineered Controls, Int'l / Alamance Co.  
This 10<sup>th</sup> day of December AD 2016  
Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott  
(Affix Official seal to the right)

My Commission expires 8/31/2021

|   |  |
|---|--|
| This space for Regulatory Authority use   |  |
| This registration must be revalidated after ten (10) years from the date of acceptance.   |  |
| CRN: <u>OH19074.5</u>   |  |
| FID#: <u>1704</u>   |  |
| Notes:  |  |
| 1. All fittings shall be registered in the name of the Manufacturer.<br>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.<br>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.<br>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. |  |

# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls International LLC  
MANUFACTURERS ADDRESS: 100 Rego Drive, Eden, NC 27244  
PLANT LOCATIONS: Same as above.

## CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
☐ B Flanges: all flanges  
☐ C Valves: all line valves  
☐ D Expansion joints, flexible connections, and hose assemblies: all types  
☐ E Strainers, filters, separators, and steam traps  
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
☒ H Pressure retaining components that do not fall into one of the above categories  
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

## TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.1

## SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

**REGO®**

## TYPE OF CONSTRUCTION

FORGED ☐ WELDED ☐ WROUGHT ☐  
CAST ☐ OTHER ☐  
DESCRIBE OTHER:

## LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

See attached list

## DECLARATION:

I Chad Thomas (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME 20001/UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Chad Thomas

Declared before me at Engineered Controls, Int'l / Alamance Co.

This 16<sup>th</sup> day of December AD 2016

Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott

(Affix Official seal to the right)



USE THIS NOTARY PUBLIC SEAL OF ALAMANCE COUNTY NORTH CAROLINA

Notary Commission expires 8/31/2021

This space for Regulatory Authority Use  
This registration must be revalidated after ten (10) years from the date of acceptance  
**NEW BRUNSWICK**  
**DEPT. OF PUBLIC SAFETY**  
**BOILER & PRESSURE VESSEL ACT**

CRN: OH19074.5

FID#: 1704

## REGISTRATION ONLY

CRN OH19074.57

EXAMINER: Don Crook

for  
CHIEF BOILER INSPECTOR

DATE: Feb. 10, 2017

## Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

☐ FLRS ☐ PVs  
☒ FITTINGS ☐ COMPONENTS


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

|   |  |
|---|--|
| MANUFACTURERS NAME: <u>Engineered Controls International LLC</u>  |  |
| MANUFACTURERS ADDRESS: <u>102 Rego Drive, Eden, NC 27244</u>  |  |
| PLANT LOCATIONS: <u>Same as above.</u>  |  |
| <b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b><br>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br>C Valves: all line valves<br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements) |  |
| <b>TITLE OF THE STANDARD OF CONSTRUCTION</b><br><u>ASME B31.1</u>   |  |
| <b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b><br>  |  |
| <b>TYPE OF CONSTRUCTION</b><br>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input type="checkbox"/> OTHER <input type="checkbox"/><br>DESCRIBE OTHER:  |  |
| <b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b><br><u>See attached list</u>  |  |

## DECLARATION:

I, Chad Thomas (see note 3) employed by ECT LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASB 20001/UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad M. Thomas  
 Declared before me at Engineered Controls, Int'l / Alamance Co.  
 This 10<sup>th</sup> day of December AD 2016  
 Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott



(Affix Official seal to the right)

My Commission expires 8/31/2021

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH19074.5  
 FID#: 1704

## Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Newfoundland  
Labrador  
Service NL  
 Registered OH19074.50  
 Date 12/02/16  
 Engineering and Inspection Services  
 Registered by [Signature]  
 UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS



# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Control International LLC  
MANUFACTURERS ADDRESS: 100 Rego Drive, Eden, NC 27244  
PLANT LOCATIONS: Same as above

## CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  
B Flanges: all flanges  
C Valves: all line valves  
D Expansion joints, flexible connections, and hose assemblies: all types  
E Strainers, filters, separators, and steam traps  
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  
H Pressure retaining components that do not fall into one of the above categories  
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

## TITLE OF THE STANDARD OF CONSTRUCTION

ASME B31.1

## SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

**REGO®**

## TYPE OF CONSTRUCTION

FORGED ☐ WELDED ☐ WROUGHT ☐  
CAST ☐ OTHER ☐  
DESCRIBE OTHER:

## LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

See attached list

## DECLARATION:

I, Chad Thomas (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001/UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad Thomas


Declared before me at Engineered Controls, Int'l / Alamance Co.

This 10<sup>th</sup> day of December AD 2016

Commissioner of Oaths

or Notary Public: (sign) Marisa E. Elliott

(Affix Official seal to the right)



My commission expires 8/31/2021

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH19074.5

FID#: 1704

## Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.




# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|  |  |
|--|--|
| MANUFACTURERS NAME: <u>Engineered Controls International, LLC</u>  |  |
| MANUFACTURERS ADDRESS: <u>100 Rego Drive, Eden, NC 27244</u>   |  |
| PLANT LOCATIONS: <u>Same as above</u>  |  |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY  |  |
| <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p> | <p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p><u>ASME B31.1</u></p>  |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT   |  |
|   | <p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESIGNER OTHER:</p> |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:  |  |
| <p><u>See attached list</u></p>  |  |

## DECLARATION:

I, Chad Thomas (see note 3) employed by ECI, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.1 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Chad Thomas  
Declared before me at Engineered Controls, Int'l / Alamance Co.

This 16<sup>th</sup> day of December AD 2016

Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott

(Affix Official seal to the right)

**MARISA E. ELLIOTT**  
NOTARY PUBLIC  
OF ALAMANCE COUNTY  
NORTH CAROLINA

MY COMMISSION EXPIRES 8/31/2021

|  |  |
|--|--|
| This space for Regulatory Authority use  |  |
| This registration must be revalidated after ten (10) years from the date of acceptance.  |  |
| CRN: <u>0H19074.5</u>  | <p>Northwest Territories<br/>REGISTERED<br/>UNDER THE AUTHORITY OF<br/>THE BOILER AND PRESSURE<br/>VESSEL ACT.<br/>C.R.N. <u>0H19074.5</u><br/>SIGNED <u>[Signature]</u><br/>DATE <u>Feb 16 2017</u></p> |
| FID#: <u>1704</u>  |  |
| Notes:   |  |
| <p>1. All fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p> |  |

82.00


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|  |  |
|--|--|
| MANUFACTURERS NAME: <u>Engineered Controls International LLC</u>   |  |
| MANUFACTURERS ADDRESS: <u>100 Rego Drive, Eden, NC 27244</u>   |  |
| PLANT LOCATIONS: <u>Same as above</u>  |  |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY  |  |
| <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p> | <p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p><u>ASME B 31.1</u></p>   |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT   |  |
|   | <p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p> |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:  |  |
| <p><u>See attached list</u></p>  |  |

## DECLARATION:

I, Chad Thomas (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME 2000/UL Inc as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Chad Thomas

Declared before me at Engineered Controls, Int'l / Alamance Co.

This 10<sup>th</sup> day of December AD 2016

Commissioner of Oaths or Notary Public: (sign) Marisa E. Elliott

(Affix Official seal to the right)



|  |  |
|--|--|
| <p>This space for Regulatory Authority Use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance. Boilers and Pressure Vessels Act</p> <p>CRN: <u>OH19074.5</u></p> <p>FID#: <u>1704</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>1. All fittings shall be registered in the name of the Manufacturer.</li> <li>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</li> </ol> | <p>COMMISSIONER EXPIRES 8/31/2021</p> <p><b>NUNAVUT</b></p> <p>REGISTERED</p> <p>CRN <u>OH19074.5N</u></p> <p>Date <u>Feb 10, 2017</u></p> <p>Signed <u>[Signature]</u></p> <p>Chief Inspector</p> <p>Territorial Registration Fee</p> |
|--|--|