

345 Carlingview Drive Toronto, Ontario CANADA M9W 6N9 Tel.: 416.734.3300 Fax.: 416.231.1626

Toll Free: 1.877.682.8772 www.tssa.org

April 11, 2017

CHAD THOMAS ENGINEERED CONTROLS INTERNATIONAL LLC 100 REGO DR ELON NC 27244 US

Service Request Type.: BPV-National ACI Central

Service Request No.: 2019930

Your Reference No.:

Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.: 0H19088.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis Administrative Assistant_ BPV Engineering

Tel.: 416-734-3423 Fax: 416-231-6183 Email:tfrancis@tssa.org

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD NORTHWEST TEI	RRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	nni- 0 6	2//0		
MANUFACTURERS ADDRESS:	nginerned (Emtrole 9	ntenna	Lional. LLC
PLANT LOCATIONS:	0	,	Elm,	NC 27244
CATEGORY OF FITTIN	GS TO BE REGISTERED.	CIRCLE ONE CATEGO		
A Pipe fittings, including coupling	s, toes, elbows, Ys, plugs, u	nione pine eres see	DRY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
8 Flanges: all flanges : C Valves: all line valves	;	inons, pipe caps, of rec	lucers	
D Expension loints, flexible come	adions, and bose secondition			ASME BBI. 1
i	ICI MIROPA PODRA . "			
.P Measuring devices, including pressure transmitters	ressure gauges, level gauge:	s, aight glasses, lovels,	or	
G Certified capacity-rated pressure	re relief devices acceptable s	as odmary war own	m mentantian	5600
bollers, pressure vessels, pipin	g and fusible plugs	Pilinai y ever pressur	a brotaction on	
M Pressure retaining components	mat do not fall into one of th	e above categories		1
N Nuclear components; Class 1 [TRADEMARKING LOCAL	Meeting AECB or ASM	(ainemenlupen B	
SHOW MANUFACTURERS NAME	TRADEMAKA: OR LOGO	AS IT WILL APPEAR	ON THE PROD	
INCOME.				CAST O OTHER O
	5)			DESCRIBE OTHER:
LIST OF SUPPORTING DOCUME	NTATION AND IDENTIFIE			
THE PARTY OF THE P	NTATION AND IDENTIFICA	TION OF THE ACTUA	LITEMS TO BI	E REGISTERED:
ž.				×
	*			
ř.	,			
DECLARATION				
Chad Tamas.	(see ave 3) Amployed by	ECT		
by knowledge represents the prosent and identifications of these fittings.	and product do solemniy oduct for which registration ation markings are in acc iguiated by a Quelity Con	y declare that the Info n is sought. The din ordance with the her troi Program which a	nensions, male rein named sta extends to each ling suitable for same force and	ngards. I further declare that the
eclared before me at EMAM	Level Controls Int	HITEIM ,		A CONTRACTOR OF THE PROPERTY O
his With day of Dece		11-1		OTARY PUBLICA THE
				FMANCE COUNTY
ommissioner of Oaths Mic r Notary Public: (sign)	may E. Ellio	tt)	L_NC	ORTH CAROLINA
(Affi	x Official seal to the right)		my com	mission expires 8/31/2021
•	This space	o for Regulatory Author	Hv usa	
r the region	stration must be revalidate	ed aner ten (10) yea	rs from the da	te of acceptance.
CRN: 0H19088.5				
1704	·		•	ACCEPTED
FID#: 1704		1	ROVINCE	PURICE PROVIDENCE
¥I		ā	COMMINION	F PRINCE EDWARD ISLAND
Votes:				ES, LAND & ENVIRONMENT
. All fittings shall be registered in the Each calegory shall be supported	With two Statement Dadamil		C.R.N. C	419088,50
orms and one copy of audooding do	cumanistion	300000 (Care Care Care Care Care Care Care Care	ATE:	E 20 21/12
. Ind declaration shall be made by	the person having full outhor	rity and	WIE:	7 50 2117
esponsibility for the quality of the end. Quality control programs shall be	mauhmittad foe validation			4
t a maximum interval of five (5) year	3.	_	INSPECTO	ON GENYROUS
•••		81	BOILED ADDI	ON SERVICES SECTION ESSURE VESSEL BRANCE
				CONTRACTOR M. 1/ E-E-C-PTF TOWN A NAME.

UNIFORM ST	TATUTORY DECLARATION	FORM FOR T	HE REGIS	TRATION	OF FITTING DE	SIGNE
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWA	RD ISLAND		NEWFOUNDLAND A	
MANUFACTURERS NAME		2 1-1	0 1	· ·		
MANUFACTURERS ADDRI	ESS: U 100, Repo	Prive	dotes	polic	mal. LL	
PLANT LOCATIONS:			Elon	a, N	27-244	
CATEGORY OF F	erre as abo	IRCLE ONE CATE	EGORY ON	· ·	I TIME OF THE STATE	
A Pipe fittings, including con B Fignges: all flanges C Valves: all line valves	uplings, tees, elbowa, Ys, plugs, uni	iona, pipa capa, or	reducers	-L		AND OF CONSTRUCTION
D Expansion joints, flexible E Strainers, filters, separate	connections, and hose assemblies:				ASME B	31.]
	fing pressure gauges, level gauges, ressure relief davices acceptable as					
H Pressure retaining compo	, piping and rusinle plugs ments that do not fall into one of the	shove estenados				
N Nuclear components: Cla	188 1 Class 2 Class 3 C. (M	selles AFCB or AS	SME maules	mente)		
SHOW MANUFACTURERS	NAME, TRADEMARK, OR LOGO	SIT WILL APPE	R ON THE	PRODUCT	TYPE OF CO	NATRUCTION
STATISTICS OF STREET			111115	וטטטטן	FORGEOLD WELDED	NSTRUCTION
REGO)®				CAST D OTHER DESCRIBE OTHER:	
LIST OF SUPPORTING DO	CUMENTATION AND IDENTIFICAT	TION OF THE ACT	TUAL ITEMS	TOBERE	ISTEDED:	
				TOPRING	SIGIERED:	
					*	
	**					
					¥°	•
,						
DECLARATION						
1 Charl Thomas	2 (see note 3) employed by_	ECT				2007000 1200
103DOMESION OF THE BUSING	of the and product do polomete	N A A A	Informatio	and bein	g the person havin	g full authority and
my knowledge represents t	he product for which registration	la sought. The	dimension	s. materiale	of construction and	and to the best of
temperature ratings, and id	entification markings are in acco	rdance with the	herein nan	ned standar	ds. I further declar	assure A that the
or in part and has been ver	is is regulated by a Quality Contribited by 150 9 (いか) / ひょ	rol Program which	h extends	to each plan	nt where fabrication	OCCURS In whole
declaration conscientiously	ified by 150 9000 / UL.	Lnc. as	being sulf	able for that	purpose and I ma	ke this solemn
/	16/1911 1	and mar it is of it	ie same to	rce and effe	ect as if made unde	roath.
Signature of Declarer:	July 101 No	us		MARI	SA E. ELLIO	TT
Declared before me at E	namered Controls Int	"I/Elan	USE		ARY PUBLIC	
This Lum day of T	December AD 701	h	- ا			
Commissioner of Oaths	AD COL		- 1		ance coun	
or Notary Public: (sign)	Manoy E. Ellio	W		THE RESIDENCE OF THE PERSON NAMED IN COLUMN 2 IS NOT THE PERSON NA	H CAROLIN	IA
	(Affix Official seal to the right)		my	Commis	sim expires	8/31/2021
	This space	for Regulatory Au	thority use			
Th	is registration must be revalidate	ed after ten (10)	years from	the data of	acceptance	
CRN: 0H19088.5				PR.	ESSUP	
CKN:				LEN	E Ch	
FID#: 1704			6	Le .	5. 21/17/E	
			C.R.A	LOHIC	1088.58	
Notes:	ad in the name of the tar		Dwg.		200.28	
2. Each category shall be aut	red in the name of the Manufacturer. pported with two Statutory Declaration	n	Signed	1 7	cribed	
forms and one copy of suppor	ting documentation.		~3160	- Arek		
The declaration shall be m	ade by the person having full author	tty and	()	1 d	1	
responsibility for the quality of 4. Quality control programs a	the end product. hall be resubmitted for validation		17	1		
at a maximum interval of five	(5) years.			& REGI	LATIONS	

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS **NEW BRUNSWICK NOVA SCOTIA** PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR NUNAVIJT YUKON NORTHWEST TERRITORIES MANUFACTURERS NAME: MANUFACTURERS ADDRESS -.27-244 PLANT LOCATIONS: a 6 CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves ASME B31. 1 D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps .F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1

Class 2

Class 3

(Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED WELDED WROUGHT OTHER DESCRIBE OTHER: LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: DECLARATION: (see note 3) employed by responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of and being the person having full authority and my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by <u>ドカラのの)</u> レレ、エハと・ as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: MARISA E. ELLIOTT Declared before me at UBETHNOTARY PUBLICE TH lom This ALAMANGE COUNTY Commissioner of Oaths NORTH CAROLINA or Notary Public: (sign) ssim expires 8/31/2021 (Affix Official seal to the right) This space for Regulatory Author This registration must be revalidated after ten (10) years DEPT OF PUBLIC SAFETY CRN: 0H19088.5 BOILER & PRESSURE VESSEL ACT FID#: 1704REGISTRATION ONLY CRN Notes: All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. EXAMINER: (3. The declaration shall be made by the person having full authority and for responsibility for the quality of the end product. CHIEF BOILER INSPECTO 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. DATE:

M FITTINGS COMPONENTS

BLRs

CHIPORMISTA	UTURT DECLARATION	FURM FOR THE RE	GISTRATION	OF FITTING DESIGNS	
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISL NORTHWEST TERRIT	AND	NEWFOUNDLAND AND LABRA	NDOR
MANUFACTURERS NAME:	engineened E	2// 0-	, ,		
MANUFACTURERS ADDRESS	. //	motion Fort	conatio	malilla	
PLANT LOCATIONS:	100 Rego	Dorive, 51	m, No	27-244	
CATEGORY OF FITT	INGS TO BE REGISTERED. C	IRCI F ONE CATEGORY	ONLY	TITLE OF THE STANDARD OF CONS	
A Pipe fittings, including coupling	ics, tees, elbows. Ys, plugs, uni	ORE DIDE CORE OF THE	ONLY	THE OF THE STANDARD OF COMS	TRUCTION
n rienges; all lianges	:	ons, pipe caps, or raduce	13).
C Valves: all line valves D Expansion joints, flexible con	nactions and hase assembles.	all hun		ASME B31-1	1
E Strainers, filters, separators,	and steam trans			3	
.F Measuring devices, including pressure transmitters	pressure gauges, level gauges,	aight glasses, levels, or		,	
G Certified capacity-rated press	ure relief davices acceptable as	n arussen nevo vaemino	mlaction on		
Dollers, pressure vessels, pic	and fusible plugs		OISCHOIL OIL		ı
H Pressure retaining component	is that do not fall into one of the	above calegories			
N Nuclear components: Class	I LI CIASS 2 LI CIESS 3 LI, (M.	eeting AECB or ASME re	quirements)		
SHOW MANUFACTURERS NAP		A II WILL APPEAR ON	THE PRODUCT	TYPE OF CONSTRUCTION FORGED WELDED WROUGH	
DERO	6			CAST COTHER C	T D
	עט			DESCRIBE OTHER:	
	NEE CONTRACTOR OF THE PERSON O			l	
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFICAT	TION OF THE ACTION			
	ELITATION AND IDENTIFICA	HON OF THE ACTUAL I	TEMS TO BE REC	GISTERED:	
· · · ·					1
1				£ *	ŀ
1					
					1
DECLARATION:					
1 Shad Thomas	the and amount do solemnly	ECT	and hale		
					onty and
manufacture of these fittings is	recursted by a Cuality Cost	mance with the herein	named standar	ds. I further declare that the	
					n whole
declaration conscientiously be	laving it to be true, and know	ving that it is of the sar	ne force and effe	ect as if made under oath.	nemn
Signature of Declarer:	hol M. The	un 1			7
	1 Chalante	111 100100		SA E. ELLIOTT	
Declared before me at EMA	meka contris Int	"ITEIM U	SETHNOT	ARK BUBLACR T	E
This lum day of De	cember ad 201			ANGE COUNTY	1
Commissioner of Oaths	1 - W @ COA :	1.4		TH CAROLINA	
or Notary Public: (sign)	Janon E. Eller	100 1		والمراجع والم والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراج	<u>.</u>
	Affix Official seal to the right)		my commis	ssim expires 8/311	2021
2	This space	e for Regulatory Authority	U56		
This	egistration must be revalidate	ed after ten (10) years	from the date of	f acceptance.	
CRN: 0H19088.5		• • •		2	
CRN: 01119088.3	<u> </u>			Newfoldialized	
FID#: 1704				Labrador	
, ,=,,	_			Service NL	
Notes:				Registered 0/1/90/8	00
1. All fittings shall be registered	in the name of the Manufacturer			Date	_
2. Each category shall be suppo	ried with two Statutory Declarati	on .		Engineering and Inspection Servi	COG
forms and one copy of supporting. 3. The declaration shall be made	d documentation.			Registered by	
responsibility for the quality of the	s oy wa parson naving full sutho	uny and		UNDER THE AUTHORITY OF	n.HE
4. Quality control programs shall	be resubmitted for validation			PUBLIC SAFETY ACTION	_
at a maximum interval of five (5)	уевгз.			THE BOILER, PRESSURE VESSE	LAND
L				COMPRESSED GAS REGULATE	CHIE

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR		
MANUFACTURERS NAME:	engineened (2// 4/			
MANUFACTURERS ADDRESS	100, Repo	more internal	ional. LLC		
PLANT LOCATIONS:			Oc 27-244		
CATEGORY OF FITT	INGS TO BE REGISTERED.	OV-C CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION		
A Pipe fittings, including coupling			- I I I I I I I I I I I I I I I I I I I		
B Flanges: all flanges C Valves: all line valves	1		00:05 8311		
D Expansion joints, flexible con	nections, and hose assemblies	all types	ASME B31-1		
E Strainers, filters, separators, .F Measuring devices, including	and steam traps · ·	t sight glasges levels es			
pressure transmitters		0 XX XX X	`		
boilers, pressure vessels, pir	ing and fusible plugs	s primary over pressure protection on			
H Pressure retaining componen	its that do not fall into one of th	e above categories			
N Nuclear components: Class	1 🗆 Class 2 🗀 Class 3 🗀, (I	Meeting AECB or ASME requirements)	*		
The state of the s	i	AS IT WILL APPEAR ON THE PRODUC	T TYPE OF CONSTRUCTION FORGED WELDED WROUGHT		
			CAST OTHER DESCRIBE OTHER:		
	(B)	,	DESCRIBE OTHER:		
United State of the Control of the C			İ		
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO BE	REGISTERED:		
	·				
			*		
			ļ		
f.		*			
DECLARATION:					
1 Charl Thomas	(see note 3) employed by	<u>ECT</u> and b	peing the person having full authority and		
responsibility for the quality of my knowledge represents the	the end product do solemn	ly declare that the information contain on is sought. The dimensions, mater	ned in this form is true and to the beat of		
temperature ratings, and ident	ilication markings are in ac	cordance with the herein named stan	darde I further declare that the		
manufacture of these fittings is	s requiated by a Quality Co.	atmi Program which extends to each	plant whose fabrication are to the		
declaration conscientiously be	lieving it to be true, and known	owing that it is of the same force and	that purpose and I make this solemn		
/ '	hal 911 1/1		_		
Signature of Declarer:	1050-100	1111100100	RISA E. ELLIOTT		
Declared before me at EM			STARY PUBLICR THE		
This 16th day of De	cember ad 20	1b AleA	MANGE COUNTY		
Commissioner of Oaths	1 min 8 600:	oft NO	RTH CAROLINA		
or Notary Public: (sign)	TOWNON C. COM	my com	mission expires 8/31/2021		
	(Affix Official seal to the right)				
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.					
CRN: 0H19088.5	-	(10,7,0000 110111110 1101111110 11011111110 110111111	5 01 2555ptd1155.		
CRN: 01119000.3	-	į.	ANNENT OF		
FID#: 1704	_		S By Co		
a a			OH19088.5 YZ		
Notes:	y.	,	DATE 2/27/2017		
All fittings shall be registered Each category shall be support	in the name of the Manufacture	er.			
Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. Others BRANCT					
The declaration shall be mad responsibility for the quality of th	a by the person having full auth e end product.	nority and			
4. Quality control programs shall	I be resubmitted for validation				
at a maximum interval of five (5)	years.		8		

NEW BRUNSWICK .				DESIGNS
1000 CO	NOVA SCOTIA YUKON	N FORM FOR THE REGIS PRINCE EDWARD ISLAND NORTHWEST TERRITORIE	NEWFOUNDLAN	D AND LABRADOR
MANUFACTURERS NAME:	Engineened (Sontrole Inter	A. 1.	
MANUFACTURERS ADDRE	iss: 0 100 Res		2 NC = 2724	
PLANT LOCATIONS:	9	ove	1, N.C = .2 F 24	У
	ITTINGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ON	Y IMP OF THE ST	NOARO OF CONSTRUCTION
A Pipe fittings, including cou	iplings, tees, albows, Ýs, plugs, u	unions, pipe caps, or reducers		
B Flonges: all flonges C Valves: all line valves	1 .		ASME	R2). 1
D Expansion joints, flexible of	connections, and hose assemblis	o: all types	111111	001-1
E Strainers, filters, separator F Measuring devices, includi	ing pressure gauges, level gauge	ss, sight places, levels, or		
prossure transmitters	essure relief devices acceptable i			1
Dollors, prossure vessals.	piping and fusible plugs		on on	
M Prossure retaining comper	nents that do not fell into one of the	he abovo calegories		
SHOW MANUFACTURERS A	35 1 🗆 Class 2 🗆 Class 3 🔾, (NAME, TRADEMARK; OR LOGO	(Meeting AECB or ASME require		
I SA ANTAGE PENERS ALBERTANIS IN	TO STATE OF LOSS	ZAS II WILL APPEAR ON THE	FORGED O WELL	ED D WINDUGHT D
DEE/	റ്റ്		CASY COTHE	R 🗆 ,
KEU(6)	NAME OF THE PARTY		000000000000000000000000000000000000000	
4 She Lamenton ping	ata the line			
LIST OF SUPPORTING DOC	CUMENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEM	TO BE REGISTERED:	
•			(4	3.5
	2			
	340			•
				1
DECLARATION	employed by	F 4 7		
esponsibility for the quality by knowledge represents the	of the end product do solemn	nly declare that the information	and being the person ha	iving full authority and
amporawre ratings, and loc sanufacture of these fittings r in part and has been yer!	entification markings are in ac- s is regulated by a Quality Con- fied by / (n -> (100) / U / holieving it to be true, and known	cordance with the herein name introl Program which extends	a, materials of construction ned standards. I further de- to each plant where fabric able for that burness and t	ne and to the best of , pressure dare that the atten occurs in whole
emporature ratings, and loc sanufacture of these fittings r in part and has been yer!	anuncation markings are in ac a is regulated by a Quality Coi fied by 「ちゃうのひ)/ しし	cordance with the herein name introl Program which extends	a, materials of construction ned standards. I further de- to each plant where fabric able for that burness and t	nue and to the best of pressure dare that the attorned this solemn ander oath.
emporature ratings, and lack nanufacture of these fittings or in part and has been verilecteration conscientiously signature of Declarer:	anuncation markings are in ac a is regulated by a Quality Coi fied by 「ちゃうのひ)/ しし	con is sought. The dimension coordance with the herein nan introl Program which extends as being sull owing that it is of the same for	n, materiels of construction and standards. I further det to each plant where fabricable for that purpose and I ree and effect as if made umans.	nie and to the best of pressure dare that the atten occurs in whole make this solemn nder oath.
riporature ratings, and lack and lack and lack are of these fittings or in part and has been verification conscientiously display the consciention of Declarer.	anuncation markings are in act is to be the service of the service	on 18 sought. The dimension coordance with the herein nan introl Program which extends as being sull owing that it is of the same for t	materiels of construction and standards. I further de to each plant where fabric able for that purpose and I nee and effect as If made ut MARISA E. ELL T HOTARY PUB	nue and to the best of pressure dare that the atton occurs in whole make this solemn nder oath.
riporature ratings, and lace instructure of these fittings or in part and has been verill eclaration conscientiously signature of Declarer. Declared before me at Explain day of Declared day of Declarer.	and the control of th	on is sought. The dimension coordance with the herein nan introl Program which extends to the same for the sa	materiels of construction red standards. I further deta to each plant where fabricable for that purpose and I ree and effect as if made umants. The third that purpose and I read to the third that purpose and I made umants. The third that the thir	nue and to the best of pressure dare that the still occurs in whole make this solemn inder oath.
riporature ratings, and lace instructure of these fittings or in part and has been verill eclaration conscientiously signature of Declarer. Declared before me at Explain day of Declared day of Declarer.	anuncation markings are in ac s is regulated by a Quality Con- fied by 150 5 (DD) / U bolloving it to be true, and know Alimited Contrals In	on is sought. The dimension coordance with the heroin nan mitrol Program which extends to the same for the sa	materiels of construction and standards. I further detailed standards. I further detailed each plant where fabricable for that purpose and I ree and effect as if made umarish ELL THOTARY PUB ALLAMANCE COLLINGTH CAROL	nue and to the best of pressure that the stillin occurs in whole make this solemn nder oath,
riporature ratings, and lace insurfacture of these fittings or in part and has been verified eclaration conscientiously signature of Declarer. Judgmature of Declarer: Judgmature declarer in the lace in the la	Agin cred Controls Inc. Agin cred Controls Inc. Agin cred Controls Inc. Agin cred Controls Inc. (Affix Official soal to the right)	on is sought. The dimension coordance with the herein nan intro Program which extends to the same for the sam	materiels of construction red standards. I further deta to each plant where fabricable for that purpose and I ree and effect as if made umants. The third that purpose and I read to the third that purpose and I made umants. The third that the thir	nue and to the best of pressure that the stillin occurs in whole make this solemn nder oath,
rinparture of these fittings and lace in part and has been verification conscientiously eclaration conscientiously signature of Declarer. Declared before me at Explain day of Declared before me at Commissioner of Oaths r Notary Public; (sign)	Agin cred Controls In April Control of Contr	on is sought. The dimension coordance with the herein nan introl Program which extends to the same for the sa	materiels of construction red standards. I further detained standards. I further detained standards. I further detained able for that purpose and I ree and effect as If made under the construction of the co	nue and to the best of pressure that the stillin occurs in whole make this solemn nder oath,
rinpart and has been verilled in part and before me at the day of Deciared before me at the day of Deciared before of Oaths r Notary Public; (sign)	Agin cred Controls Inc. Agin cred Controls Inc. Agin cred Controls Inc. Agin cred Controls Inc. (Affix Official soal to the right)	on is sought. The dimension coordance with the herein nan introl Program which extends to the same for the sa	materiels of construction red standards. I further detained standards. I further detained standards. I further detained able for that purpose and I ree and effect as If made under the construction of the co	nue and to the best of pressure that the stillin occurs in whole make this solemn nder oath,
rinparture of these fittings and lace in part and has been verification conscientiously eclaration conscientiously signature of Declarer. Declared before me at Explain day of Declared before me at Commissioner of Oaths r Notary Public; (sign)	Agin cred Controls In April Control of Contr	on is sought. The dimension coordance with the herein nan introl Program which extends to the same for the sa	materiels of construction red standards. I further deto each plant where fabricable for that purpose and I ree and effect as if made under the material of the	nue and to the best of pressure that the stare that the make this solemn nder oath. NOTT LICR T E JNTY LINA es 8/31/2021
rinpart and has been verilled in part and has been verilled in par	Agin cred Controls In April Control of Contr	on is sought. The dimension coordance with the herein nan introl Program which extends to the same for the sa	materiels of construction and standards. I further detected beach plant where fabricable for that purpose and ince and effect as if made under the material material materials. MARISA E. ELL T HNOTARY PUB ALAMANCE COUNTY SSIM EXPLY the date of acceptance.	nue and to the best of pressure that the stidion occurs in whole make this solemn nder oath. NOTT LICR T E JINTY LINA es 8/31/2021
rinpart and has been verilled in part and has been verilled in par	Agin cred Controls In April Control of Contr	on is sought. The dimension coordance with the herein nan introl Program which extends to the same for the sa	materiels of construction and standards. I further detected beach plant where fabricable for that purpose and I ree and effect as if made under the material standards. MARISA E. ELL T HNGTARY PUB ALAMANCE COUNTY SSIM EXPLY the date of acceptance. North CAROL Cummissim Exply the date of acceptance.	rue and to the best of pressure that the stiden cocurs in whole make this solemn nder oath. HOTT LICR T E JINTY LINA es 8/31/2021
rinparture of these fittings in a lace in a lace in the second of the se	Agin cred Controls In April Control of Contr	on is sought. The dimension coordance with the herein nan introl Program which extends to the same for the sa	materiels of construction and standards. I further detect to each plant where fabricable for that purpose and I ree and effect as if made under the material of the material o	nue and to the best of pressure that the stare that the stare that the stare occurs in whole make this solemn nder oath. IOTT LICR T FE UNITY INA es 8/31/2021
inportation ratings, and lace instructure of these fittings of the part and has been verifically and the part and has been verification conscientiously signature of Declarer. Declared before me at this	Adjinered Controls Tropically Confied by 150 75000 UL balleving it to be true, and know the first of the firs	on is sought. The dimension coordance with the herein nation program which extends the same for	materiels of construction and standards. I further detect to each plant where fabricable for that purpose and I ree and effect as if made under the material of the material o	nue and to the best of pressure that the stare that the stare that the stellon occurs in whole make this solemn nder oath. IOTT LICR T FE UNITY INA es 8/31/2021 THORITY OF
rinparture ratings, and lace interpretation of these fittings of the part and has been verification conscientiously elignature of Declarer. Declared before me at Expension of Declared before the Declared before the Expension of Declared before the De	Adjuncted Controls are in according to the figure of the Manufacture of the Manufacture operated with two Statutory Declarate with two Statutory Declarate with two Statutory Declarate with two Statutory Declarate with two Statutory Declarates wit	on is sought. The dimension coordance with the herein nation program which extends the same for	materiels of construction red standards. I further deto each plant where fabricable for that purpose and I ree and effect as If made under the material of the	nue and to the best of pressure that the stidio occurs in whole make this solemn nder oath. NOTT LICR T E JINTY LINA es 8/31/2021 THORITY OF DPRESSURE ACT
inportature ratings, and lace instructure of these fittings or in part and has been verifically in part and a	Adjuncted Controls To a point of the Manufacture of	on is sought. The dimension coordance with the heroin nan intro Program which extends to the same for the sam	materiels of construction red standards. I further deto each plant where fabricable for that purpose and I ree and effect as If made under the material of the	nue and to the best of pressure that the stidio occurs in whole make this solemn nder oath. NOTT LICR T E JINTY LINA es 8/31/2021 THORITY OF DPRESSURE ACT
rinparture ratings, and lace and facture of these fittings of the part and has been verification conscientiously eclaration conscientiously elignature of Declarer. Declared before me at Explain day of Declared before the State of Explain day of Declared before the State of Explain day of Declared before the State of Explain day of Expla	Adjinited Controls Troported with two Statutory Declarations and the name of the Manufacture and by the property of the proported with two Statutory Declarating documentation.	on is sought. The dimension coordance with the heroin nan intro Program which extends to the same for the sam	materiels of construction red standards. I further detect to each plant where fabricable for that purpose and I ree and effect as If made under the material standards. The material standards of the ma	nue and to the best of pressure that the stidio occurs in whole make this solemn nder oath. NOTT LICR T E JINTY LINA es 8/31/2021 THORITY OF DPRESSURE ACT
rinparture ratings, and lace and facture of these fittings of the part and has been verification conscientiously eclaration conscientiously elignature of Declarer. Declared before me at Explain day of Declared before the State of Explain day of Declared before the State of Explain day of Declared before the State of Explain day of Expla	Adjuncted markings are in action is as is regulated by a Quality Confield by a Quality Confield by 150 7000 UL halfeving it to be true, and know the confield of the confield seat to the right) Adjuncted Control S In the confield seat to the right) This spans a registration must be revalided as registration must be revalided to the confield seat to the confield s	on is sought. The dimension coordance with the heroin nan intro Program which extends to the same for the sam	materiels of construction and standards. I further detected be each plant where fabricable for that purpose and I ree and effect as if made used and effect	nue and to the best of pressure that the stare that the make this solemn nder oath. NOTT LICR THE JINTY INA es 8/31/2021 THORITY OF DPRESSURE ACT. 3.57
ignature of these fittings in a lact in part and has been verification conscientiously idealeration conscientiously idealeration conscientiously idealeration conscientiously idealeration conscientiously idealeration delegated before me at this day of Discommissioner of Oaths in Notary Public: (sign) This OH19088.5 FID#: 1704 Notes: 1. All fittings shall be registered. All fittings shall be registered. The declaration shall be minosponiability for the quality of 4. Quality control programs of 4. Quality control programs of the same control programs of the sa	Adjuncted markings are in action is as is regulated by a Quality Confield by a Quality Confield by 150 7000 UL halfeving it to be true, and know the confield of the confield seat to the right) Adjuncted Control S In the confield seat to the right) This spans a registration must be revalided as registration must be revalided to the confield seat to the confield s	on is sought. The dimension coordance with the heroin nan intro Program which extends to the same for the sam	materiels of construction red standards. I further detect to each plant where fabricable for that purpose and I ree and effect as If made under the material standards. The material standards of the ma	nue and to the best of pressure that the stare that the make this solemn nder oath. NOTT LICR THE JINTY INA es 8/31/2021 THORITY OF DPRESSURE ACT. 3.57

7110878788;

Ll /E #

8; lentral IDA:oT

:WOJ4: 00:90:/L-ZZ-Z0

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDW. NUNAVUT YUKON NORTHWEST	ARD ISLAND TERRITORIES .	NEWFOUNDLAND AND LABRADOR			
MANUFACTURERS NAME: 32	Q 1 A				
MANUFACTURERS ADDRESS: Unioned ComTIDU International, LLC					
PLANT LOCATIONS:	Elm, No	27.249			
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CA	TEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION			
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, of	or reducers	-			
B Flanges: all flanges C Valves: all line valves		ASME B31-1			
D Expansion joints, flexible connections, and hose assemblies: all types		PB///C GG/			
E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, le	vals, or				
pressure transmitters		1			
G Certified capacity-rated pressure relief devices acceptable as primary over probollers, pressure vessels, piping and fusible plugs					
H Pressure retaining components that do not fall into one of the above categories		1			
N Nuclear components: Class 1 🗆 Class 2 🗀 Class 3 🗀, (Meeting AECB or SHOW MANUFACTURERS NAME, TRADEMARK; OR LOGO AS IT WILL APP					
STOW MANUFACTURERS NAME, FRADEMARK, OR LOGO AS IT WILL APP	EAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED WELDED WROUGHT			
DECOO		CAST OTHER O			
REGUI S					
The Committee of the Control of the					
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE A	CTUAL ITEMS TO BE RE	GISTERED:			
×		3			
e e		.			
DECLARATION:					
I <u>Ehad Thorn as</u> (see note 3) employed by <u>ECT</u> responsibility for the quality of the end product do solemnly declare that t	and be	ing the person having full authority and			
my knowledge represents the product for which registration is sought. The	ne dimensions, material	s of construction, pressure			
temperature ratings, and identification markings are in accordance with ti	he herein named standa	ards. I further declare that the			
manufacture of these fittings is regulated by a Quality Control Program wor in part and has been verified by パラウンの/ しょってい	nich extends to each pi as being suitable for th	ant where fabrication occurs in whole at purpose and I make this solemn			
declaration conscientiously believing it to be true, and knowing that it is o	of the same force and el	fect as if made under oath.			
Signature of Declarer: Chal M. how	MAR	SA E. ELLIOTT			
Declared before me at Enumered Controls Intil Elan		TARY PUBLICR THE			
110th Drawles 2016	time and receipt that the recommend	ANGE COUNTY			
This to day of Decorror AD LOTE		60km () 2개의 전 명조가 (시간 이 : 19개의 : 12개의 : 1			
Commissioner of Oaths or Notary Public: (sign) Mansh E. Elliotto		TH CAROLINA			
(Affix Official seal to the right)	my commi	issim expires 8/31/2021			
This space for Regulatory	Authority use				
This registration must be revalidated after ten (1	0) years the date	of acceptions. NAVUT			
CRN: 0H19088.5		. Boilers and			
	Nunavut	Pressure Vessels Act			
FID#: 1704	Mullavat	. Flessure vessels Act			
	l F	REGISTERED			
Notes: 1. All fittings shall be registered in the name of the Manufacturer.	Lan DH	19088.5N			
Each category shall be supported with two Statutory Declaration					
forms and one copy of supporting documentation, 3. The declaration shall be made by the person having full authority and	Date Fe	6 17, 2017			
responsibility for the quality of the end product.	Signed	Cittin h.			
Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	Signed	Children and a second			
		Chief/Inspector			
		5			
	Territo	rial Registration Fee			