

345 Carlingview Drive Toronto, Ontario CANADA M9W 6N9 Tel.: 416.734.3300

Fax.: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

April 12, 2017

CHAD THOMAS ENGINEERED CONTROLS INTERNATIONAL LLC 100 REGO DR ELON NC 27244 US

Service Request Type.: BPV-National ACI Central

Service Request No.: 2021394

Your Reference No.:

Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear CHAD THOMAS,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.: 0H19102.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis Administrative Assistant_ BPV Engineering

Tel.: 416-734-3423 Fax: 416-231-6183 Email:tfrancis@tssa.org

NEW BRUNSWICK	NOVA SCOTIA	PRINCE EDWARD	DISLAND	NEWFOLING DESIGNS
	YUKON	NORTHWEST TE	RRITORIES	NEWPOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Enginered (indula	901-	13 // 14
MANUFACTURERS ADDRESS	100 Pana	Daine	2-8	ronal LLC
PLANT LOCATIONS:	me as al	2000	Ton, A	20- 29244
SATEGORY OF FITTI	NGS TO BE REGISTERED. C	IRCLE ONE CATE	ORY ONLY	LITE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges	gs, taes, elbows, Ys, plugs, uni	lons, pipe caps, or red	ducers	
C Valves: all line valves				ASME B31-1
D Expansion joints, flexible conn E Strainers, filters, separators, s				,
.P Measuring devices, including pressure transmitters	ressure gauges, level gauges.	sight glasses. Invels	nr	
G Certified capacity-rated pressu	Ira rallef devices secontable			1
bollers, pressure vessele, pipir	ng and fusible plugs	primary over pressur	o protection on	1
H Pressure retaining components N Nuclear components: Class 1 SHOW MANUFACTUREDS NAME	D. Class 3 D. Class 3 D. (the	above categories		1
SHOW MANUFACTURERS NAM	E. TRADEMARK, OR LOGO A	SIT WILL ADDES D	E requirements)	
Thinking A Elitable	yo kina	THE APPEAR	ON THE PRODUCT	TYPE OF CONSTRUCTION
I IDEGM	R			FORGED D. WELDED D WROUGHT D CAST OTHER D DESCRIBE OTHER:
	948			
LIST OF SUPPORTING DOCUME	ENTATION AND INC.			1
	ENTATION AND IDENTIFICAT	ION OF THE ACTUA	LITEMS TO BE RE	GISTERED:
See aft.	hed list			
- arial	hied dist	_		ĺ
				<u> -</u>
				. 1
DECLARATION:				ψ.
Chaol homos	(see nois 3) employed by	ECT 1) / ===================================	ig the person having full authority and
IN KIIOWIEGOR PARPARANIE INA ME	aduat fan i blat	wind this till	CHINESPOTT COUNTRINED	In this form is true and to the hard of
DIDDOTALLING FALLOND and Identific		- anadim tille allt	TOTISTOTIS, MAISTAIR	Of CODEIDICION ACCOUNT
DEDUIECTION OF Those Officers to			OILL LIBITIOU STANDAR	719 Pidhod dooloon 45 - 4 41 -
declaration conscientiously belie	ving it to be true, and knowl	as be	ing suitable for the	it purpose and i make this solemn
Signature of Declarer.	1 ml Van	ing mat it is of me s	iame force and effe	ect as if made under oath.
	0.0 0 5 1 10 0 111	/	MARI	SA E. ELLIOTT
Declared before me at Engine		Elan u	SETHNET	ARY PUBLIC THE
and of harm			Q F FN	STAPP SEAT
commissioner of Oaths r Notary Public (sign)	MAN G. GODIZH			ance county
(Aff	ix Official seal to the right)			TH CAROLINA
			my commi	issim expires 8/31/2021
This regi	istration must be revolidated	or Regulatory Author	Ity use	
CRN: 0H19102.5	COL Personal Visite Polymorphis and Security Action 18 To 2012		A A	CEPTED
				RINCE EDWARD ISLAND
FID#: 1704	•		COMMUNITIES,	LAND & ENVIRONMENT
			CRN OH	19102,59
Notes: 1. All fillings shall be sacistated to the				20. 21/17-
All fittings shall be registered in the category shall be supported and category shall be supported and category.			DATE:	
orms and one copy of supporting do . The declaration shall be made by				
A-LAMPING IN THE CHANGE OF THE BU	IC BOOKING	and	INSPECTION	SERVICES SECTION
. Quality control programs shall be	resubmitted for validation		BOILER/PRES	SURE VESSEL GRANCH

UNIFORM STATUTORY DECLARATION I	FORM FOR THE REGISTRATION OF FITTING DESIGNS
NEW BRUNSWICK NOVA SCOTIA NUNAVUT YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME: ENGINEETED (C	astal, galandi
MANUFACTURERS ADDRESS: (/.	entrols International ILC
PLANT LOCATIONS:	Derive Alon, NC- 292114
CATEGORY OF FITTINGS TO BE REGISTERED, CIT	RCLE ONE CATEGORY ONLY INTERESTANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, eibows, Ys, plugs, unlo B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies:	ons, pipe caps, or reducers ASM E B31-1
Surainers, interes, separators, and steam traps Measuring devices, including pressure gauges, level gauges, a pressure transmitters	sight glasses, levels, or
G Certified capacity-rated pressure relief devices acceptable as a boilers, pressure vessels, piping and fusible plugs. H. Pressure retaining components that do not fail into one of the a	Above categories
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Me	eeling AECB or ASME requirements)
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS	SIT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION
<i>REGO®</i>	FORGED WELDED WROUGHT CAST 42 OTHER CDESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATI	ION OF THE ACTUAL ITEMS TO BE REGISTERED:
See attached list	-
my knowledge represents the product for which registration is temperature ratings, and identification markings are in accom-	and being the person having full authority and declare that the information contained in this form is true and to the best of is sought. The dimensions, materials of construction, pressure redance with the herein named standards. I further declare that the oil Program which extends to each plant where fabrication occurs in whole
declaration conscientiously believing it to be true, and broad	of Program which extends to each plant where fabrication occurs in whole ノム トルス as being sultable for that purpose and I make this solemn ing that it is of the same force and effect as if made under oath.
11 / 11/1 1/	ing that it is of the same force and effect as if made under oath.
Declared before me at Engineerd Controls Intil	MARISA E. ELLIOTT
This 16th day of December AD 2016	O E THNOTARY PUBLIC THE
Commissioner of Oaths Mansu E. Colist	ALAMANCE COUNTY NORTH CAROLINA
(Affix Official seal to the right)	MY CAMMISSILL EVOICES 0/21/2021
	for Regulatory Authority use
This registration must be revalidated	d after ten (10) years from the date of acceptance.
CRN:_ OH19102.5	ER & PRESSURE
FID#: 1704	OLIV MOVA SCOTTA
	Date Feb. 31/17
Notes:	CRN. OH19102.58
All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration	Dwg. as described
toims and one copy of supporting documentation.	Signed Yvonne Panny
3. The declaration shall be made by the person having full authority	ty and 1 of 1
responsibility for the quality of the end product. 4. Quality control programs shell be resubmitted for validation	
at a maximum interval of five (5) years.	Pan Pan ATONS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAM	IF:	7	
MANUFACTURERS ADD	200010000000000000000000000000000000000	antrols Interne	ational LLC
PLANT LOCATIONS:	100 Rega	Daive clon.	NC- 29244
	FITTINGS TO BE REGISTERED. C	DVC	
A Pipe fittings, including of	couplings, tees, elbows, Ys, plugs, unic	ORS DIDE CARE OF INCHES	TITLE OF THE STANDARD OF CONSTRUCTION
B Flanges: all flanges C Valves: all line valves		ons, pipe caps, or reducers	REME B31-1
D Expansion joints, flexible	e connections, and hose assemblies:	all types	72.112 831 7
E Strainers, filters, separa F Measuring devices, incl.			
higgsoig natigitifies			
	pressure relief devices acceptable as is, piping and fusible plugs		
Pressure retaining comp	ponents that do not fall into one of the	above categories	
SHOW MANUFACTURERS	Class 1 Class 2 Class 3 C, (Me	eting AECB or ASME requirements) S IT WILL APPEAR ON THE PRODUC	
	THE PROPERTY OF LOGO A	S IT WILL APPEAR ON THE PRODUC	TYPE OF CONSTRUCTION FORGED WELDED WROUGHT
DEG	n	14	CAST 12 OTHER DESCRIBE OTHER:
LIST OF SUPPORTING D		¥	
LIST OF SUPPORTING DO	OCUMENTATION AND IDENTIFICAT	ION OF THE ACTUAL ITEMS TO BE	REGISTERED:
10	Pached list		
See at	tached dist	-	
DECLARATION:			
I charle have	(see note 3) employed by	ECT 111 and	eing the person having full authority and
responsibility for the quality	y of the end product do solemnly	declare that the information contain	eing the person having full authority and ed in this form is true and to the best of
temperature ratings and in	dentification modelings are in	a sought. The difficusions, materi	als of construction, pressure
manufacture of these fitting	gs is regulated by a Quality Control	Program which extends to each r	lards. I further declare that the plant where fabrication occurs in whole
declaration conscientious	v believing it to be true, and knowing	ng that it is of the same force and e	plant where fabrication occurs in whole hat purpose and I make this solemn
	1-13/1 1/200	ing that it is of the same force and e	effect as if made under oath.
Signature of Declarer:	111 110000	MAI	RISA E. ELLIOTT
		EM USETHNIE	TARY PUBLIC THE
This day or _	December AD 2016	9.5	MG ALAND SOE ALL
Commissioner of Oaths or Notary Public: (sign)	Mausu G. Gooists	NOT	MANCE COUNTY
or Hotary Fublic. (sign)	(Affix Official seal to the right)	ANV CA OF	RTH CAROLINA
		my Com	mission expires 8/31/2021
Th	nis registration must be revalidated	or Regulatory Authority use after ten (10) years from the date	Nouveers
CRN: 0H19102.5		DIUII	SWICK
	 .		UBLIC SAFETY
FID#:1704		BOILER & PRES	SURE VESSEL ACT
		REGISTR	ATION ONLY
Notes: 1. All fittings shall be registed.	red in the name of the Manufacturer.	CON (01H19102.57
2. Each category shall be su	poorted with two Statutory Declaration	CRN	
forms and one copy of suppo 3. The declaration shall be m	hade by the person having full authority	and management	Man (seems)
responsibility tol the draits of	f the end product. shall be resubmitted for validation	وخيل ١٠٠٠ ١٨٠٠ ١٨٠٠	for
at a maximum interval of five	(5) years.		ER INSPECTOR
		DATE: Fel	0, 17, 2017
	Tay.	☐ BLRs	□ PMs
		L DLKS	∐ PVs

TITTINGS COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS **NEW BRUNSWICK** NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR NUNAVUT YUKON NORTHWEST TERRITORIES MANUFACTURERS NAME: MANUFACTURERS ADDRESS PLANT LOCATIONS: CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION Pipe fittings, including couplings, teas, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges; all flanges REME B31-1 C Valves; all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps .F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs H. Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 🖂 Class 2 🖂 Class 3 🕽, (Meeting AEC8 or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED D WELDED D WROUGHT D CAST GOTHE LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: attached list DECLARATION: 1 Chad Monorad (see note 3) employed by ECT LL C and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by 150 900/100 100 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under path. MARISA E. ELLIOTT E THNOTARY PUBLIC THE day of

Signature of Declarer: Declared before me at EMMICHA This Loth Commissioner of Oaths or Notary Public: (sign) (Affix Official seal to the right)

ALAMANCE COUNTY NORTH CAROLINA MY Commission expires 12021

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date-of acceptance.

CRN: 0H19102.5

FID#: 1704

1. All fittings shall be registered in the name of the Manufacturer.

2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation

at a maximum interval of five (5) years.

Newforkulland Labrador

Service NL

Registered OH19102.5

Engineering and inserval Registered by

UNIDER THE AUTHORIT PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND

COMPRESSED C#9 REGULATIONS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME	Essis	(-al-1, 9-1	
MANUFACTURERS ADDE	RESS: GINESTED	Controls unter	national LLC
PLANT LOCATIONS:	100 Regi	Dareve flon	, N2C- 272114
CATEGORY OF	FITTINGS TO BE REGISTERED	CIRCLE ONE CATEGORY ONLY	,
A Pipe fittings, including co	ouplings, tees, elbows, Ys, plugs,	Unions size case designed only	TITLE OF THE STANDARD OF CONSTRUCTION
l D i latigos, all tigitues	sapiniga, toda, bibona, 1 a, piuga,	unions, pipe caps, or reducers	ASME B31-1
C Valves: all line valves	connections, and hose assemble		1150 BULL
= Strainers, filters, separat	ors, and steam trans	5-1-5	
.F Measuring devices, inclu	ding pressure gauges, level gaug	es, sight glasses, levels, or	
higasnia tratistilittela		as primary over pressure protection	
noligia, big22018 A62261	s. Diding and hisiple pline		on
H Pressure retaining comp	onents that do not fall into one of	the above categories	
SHOW MANUFACTURES	ass 1 🗆 Class 2 🗆 Class 3 🗖,	(Meeting AECB or ASME requirement	its)
		AS IT WILL APPEAR ON THE PR	
DE CO			FORGED WELDED WROUGHT CAST OTHER
	*)) (B)		DESCRIBE OTHER:
		•	
LIST OF SUPPOPTING DO	CUMENTATION AND IDENTIFIC		
LIOT OF SOFFORTING DC	CUMENTATION AND IDENTIFIC	CATION OF THE ACTUAL ITEMS TO	D BE REGISTERED:
		,	,
See at	lacked lis	+	
			4
		*	
DECLARATION:			
1 Charles From	O d feet and an applicated b	FATIL	
responsibility for the qualit	y of the end product do solem	ly declare that the information of	and being the person having full authority and ontained in this form is true and to the best of
my knowledge represents	the product for which registrat	on is sought. The dimensions of	ontained in this form is true and to the best of naterials of construction, pressure
manufacture of these fitting	dentification markings are in a	cordance with the herein named	naterials of construction, pressure standards. I further declare that the
or in part and has been ve	gs is regulated by a Quality Co	ntrol Program which extends to	standards. I further declare that the each plant where fabrication occurs in whole e for that purpose and I make this solemn
declaration conscientiously	believing it to be true, and kn	owing that it is of the same force	e for that purpose and I make this solemn and effect as if made under oath.
	1/ 13/1 //		and effect as if made under oath.
Signature of Declarer:	100		MADICA E ELLIOTE
Declared before me at	injurered Controls Int	1/Elan USET	MARISA E. ELLIOTT
This loth day of	December AD 20	110	HNOTARY PUBLIC THE
Commissioner of Oaths	A44 = 0 C44 *	/i	LAMANCE COUNTY
or Notary Public: (sign)	Mansu E. Elli	PM	NORTH CAROLINA
	(Affix Official seal to the right)		commission expires 8/31/2021
		ace for Regulatory Authority use	11111125141 CO1123 8/31/2011
TI	nis registration must be revalid	ated after ten (10) years from the	date of acceptance
		·	date of acceptance.
CRN: 0H19102.5			
FID#: 1704			
	Afficial Property and Control of the		annient Or
Notes:			O De La Carallante
1. All fittings shall be registed	ored in the name of the Manufactur	or.	(S) 0H19102.5 YZ
2. Each category shall be st	ipported with two Statutory Declar	ation	GRN
forms and one copy of suppl	orting documentation. nade by the person having full aut		DATE 2/27/2017
responsibility for the quality	of the end product.	nority and	SONERS BRANCH
4. Quality control programs	shall be resubmitted for validation		3000
at a maximum interval of five	(5) years.		
l			

NEW BRUNSWICK NO	TO DECEMBATIO	N FURM FOR TH	E REGISTRATI	ON OF FITTING DESIGNS
NUNAVUT YUK	/A SCOTIA	PRINCE EDWAR NORTHWEST TO	ID ISLAND	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	2:0	7-1-1-	4.1	1.
MANUPACTURERS ADDRESS:	Jam D	SU TUOR	Johns	etional 2LC
PLANT LOCATIONS:	100 Rega	Darente	e-lon.	120- 292114
_ · · · · · · · · · · · · · · · · · · ·	CORE PECUSTERES	bove.		
CATEGORY OF FITTINGS T A Pipe fittings, including couplings, ted B Flanges: all flanges	O DE REGISTERED.	CIRCLE ONE CATE	BORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
	o, elouws, ta, pluga, u	nions, pips caps, or re	educera	
C Valvos: all line valvos				ASME B31-1
D Expansion joints, flexible connection E Strainers, fliters, separators, and sic				
F Measuring devices, including pressur pressure transmitters	re gauges, lovel gauge	s, sight glasses, levels	a. or	1
G Carlifled capacity-rated pressure rall	of dayless accombable -			
bollors, pressure vossels, piping and	fusible plugs	is buttery over bresst	ne protection on	
H. Pressure retaining components that	to not fall into one of th	a above categories		
N Nuclear components: Class 1 D. Cl	105 2 Class 3 D. (1	Meeting AECB or ASN	(alremonlupor AE	
HOW MANUFACTURERS NAME, TRA	DEMARK, OR LOGO	AS IT WILL APPEAR	ON THE PRODUC	TYPE OF CONSTRUCTION
				PORGEO CI MELDED CI WROUGHT CI
		*	2 .	DESCRIBE OTHER:
		*		
IST OF SUPPORTING DOCUMENTA	DON AND IDENTIFIE			
	TOTAL DENTIFICA	HON OF THE ACTU	ALITEMS TO BE	REGISTERED:
Con le 1	ed list	,		
see anachie	d dist			
		9		
				party -
•				•
	V.			
ECLARATION:				
Chao homos	on note 3) employed by	ECT L	2 C and be	eling the nemon baulag 6.11 a. 11 a.
Knowledge represents the product	product do solemniy	declare that the in	formation contain	eing the person having full authority at ed in this form is true and to tho best
DODGE THE PROPERTY OF THE PROP			manaialia, matalia	III VI CUITSTIUCTION, Praestira
inulacture of those fittings is regular	ed by a Quality Copi	rol Program which	extends to each a	lards. I further declare that the plant where fabrication occurs in whole
claration conscientingly believing	130 700/	PC INC as b	eing suitable for t	plant where fabrication occurs in whole hat purpose and I make this solemn
///	TO DE UNO, AND KNOW	ving that it is of the	same force and e	flect as if made under oath,
nature of Declarer,	M. Lon	uz		
dared bofore me at Engineere	Controls Int'l	/F100	MAF	RISA E. ELLIOTT
110th The	41	1.	USETHNE	TARY PUBLICA THE
mmissioner of Oaths 144	AD LO	10	AF.AN	hance county
Notary Public: (sign)	4 9. GODIET	K	NOF	THE CLEAN THE
	lal scal to the right)		NOR	RTH CAROLINA
(Allix Office			my com	mission expires 8/31/201
This registration	on must be revolidate	for Regulatory Author	IN DI SIDA	
0410100 5	and the of building (are from the date	of acceptance.
RN: 0H19102.5				
D#: _ 1704	. 1		1	Northwest
			/	Territories
ton.			<i>;</i> ′	REGISTERED
tes: All fittings shall be registered in the name	oo of the transfer		/ U	NDER THE AUTHORITY O
Enclications and be appropried with the	WA Statutant Bankery	20	TI	HE BOILER AND PRESSUR
1113 STEE ONG CODY OF SUPPORTED ACCOMM	nistian		1	VESSEL ACT.
The declaration shall be made by the proposalbility for the quality of the end proc	arson having full author	ity and	/ ^	A.N. DH19102,51
Quality control programs shall be match	milled for validation			
a maximum interval of five (5) years.			1 81	GNED

\$163.00

18678730117

To:ACI Central

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE ED	WARD ISLA	AND ORIES	N	EWFOUNDLAN	D AND LABRAD	OR
MANUFACTURERS NAM	ME: Engineered	(1. 9	~ 1	1:	<i>i</i> ;	2 /	
MANUFACTURERS ADD		Carmo	by Ur	TON	79.77	mol	LLC	
PLANT LOCATIONS:	C	Derev.	-e -	lon,	120	7- 242	44	
CATEGORY O	F FITTINGS TO BE REGISTERED.	CIRCLE ONE	ATEGORY	ONLY		TITLE OF THE STA	NDARD OF CONSTR	RUCTION
A Pipe fittings, including B Flanges: all flanges C Valves: all line valves D Expansion joints, flexit	couplings, tees, elbows, Ys, plugs, u ble connections, and hose assembile	inlons, pipe caps				ASME		
G Certified capacity-rates	cluding pressure gauges, level gauge d pressure relief devices acceptable			otection on	,		,	
H Pressure retaining con	els, piping and fusible plugs nponents that do not fall into one of the	ha shova catano	riae					1
N Nuclear components:	Class 1 □ Class 2 □ Class 3 □, (Meeting AECB	or ASME rec	uirements	3)			ł
SHOW MANUFACTURER	RS NAME, TRADEMARK, OR LOGO	AS IT WILL AF	PEAR ON	THE PRO	DUCT	TYPE OF	CONSTRUCTION	
REG	08					FORGED II WELD CAST 'G' OTHE DESCRIBE OTHER:	ED WROUGHT	
LIST OF SUPPORTING	DOCUMENTATION AND IDENTIFIC	ATION OF THE	ACTUAL IT	FMS TO	BE BEG	STEPED.		
	flacked lis			LLMO TO	DE NEO	STERED:		ŀ
								.
							,	- 1
DECLARATION:		Acres (Constitution of Constitution of Constit						
1 Chaol ho	(see note 3) employed b	y ECI	- 22	<u>C</u> ar	nd being	the person ha	ving full autho	rity and
respensibility for the day	ality of the end product do solemn ts the product for which registrati	NV neciare the	t the Inform	antion oor	ntalnad I	m Abia famos in A		best of
temperature ratings, and	i identification markings are in ac	Compane with	the herein	named a	.4	a 1 femilian da	1 41 -4 41	
manulacione of these litt	tings is regulated by a Quality Coverified by 150 900/	nimi Program	which avia	nda ta a-		A	-41	whole
declaration conscientiou	isly believing it to be true, and kn	owing that it is	of the san	i sultable ne force a	tor that and effec	purpose and I	make this sole	mn
	Chal MI No	nin						
Signature of Declarer:	Employage Ochole T	11 /= 1 = 0		M	IARIS	SA E, ELL	IOTT	i
Declared before me at		1/5/00	U\$	ЕТН	NOT	ARY PUB	FAR TH	E
Tino uay o		16		91	F. E. N. 9	NCE CO	Miles	
Commissioner of Oaths or Notary Public: (sign)	Mansu E. Ellio	PH				H CAROI		
or Notary Public: (sign) _			1	Section 1989 Section 1989	-			10.71
	(Affix Official seal to the right)	ace for Regulato		incy Co	DALLIN	ssiv exp	1100 8/51	140
	This registration must be revalid	ated after ten	10 Vears	from the	date of		VUI	
PARAMETER SHOWS AND AND AND ADDRESS OF THE PARAMETER SHOWS AND ADDRESS OF THE PARAMETE		,		-3	0010 011	Boilers	and	
CRN: 0H19102.	 		Nuna	vut	P	ressure Ve		
FID#: 1704				,	•	rossuic vo	SSCIS AU	
				R	REGI	STERE)	
Notes:			CRN	OH	19/)2,5N		
All fittings shall be regit Each category shall be	stered in the name of the Manufacture supported with two Statutory Declar	rer.	CKN _	211				
forms and one copy of sur	pporting documentation.		Date	tel	0 1-	£106		_
responsibility for the quality	e made by the person having full autity of the end product.		Signed		Tiki	1		
4. Quality control program	ns shall be resubmitted for validation				Chief	Inspector		-
at a maximum interval of t	ive (5) years.				Griller	hiphecioi		
L			-	:L '		1-1-1		-
	4		l le	rritor	ial R	égistrati	on Fee	
				-				