



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

STATUTORY DECLARATION Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)

- ☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME Boiler Pressure Vessel Code Section VIII, Division 1, ASME B31.3

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

- ☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001

which has been verified by the following authority, Underwriters' Laboratory Inc.

The items covered by this declaration, for which I seek registration, are category "C" type fittings. In support of this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon

in the State of North Carolina

the 15th day of January AD 20 13


Commissioner for Oaths:

Patricia T. Hill

(Printed name)

Patricia T. Hill

(Signature)



[Signature]

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C

CRN:

OC7770.5 ADD 2

Registered by:

K. Hill

Dated:

Jan 15/13

NOTE: This registration expires on Aug 31/22

PV 09553 (06-04)

Scope: Addition of new Models with IDENTICAL press.
Boundary design as previously registered.
See 1st sheet of attachment.

KK 1/15/13

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC	
MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244	
PLANT LOCATIONS: same as above	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input checked="" type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B16</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>REGO. ECII.</p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p>	

DECLARATION:

I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Darwin Gentile

Declared before me at Elon, North Carolina

This 19th day of September AD 2012

Commissioner of Oaths or Notary Public: (sign) Patricia J. Hill

(Affix Official seal to the right)



<p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>OC7770.5 REV1</u></p> <p>FID#: <u>1704</u></p> <p>Notes:</p> <ol style="list-style-type: none"> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	<p>GOVERNMENT OF NEWFOUNDLAND AND LABRADOR</p> <p>Department of Government Services</p> <p>Registered <u>OC7770.50 REV.1</u></p> <p>Date <u>2012/10/15</u></p> <p>GOVERNMENT SERVICES CENTRE</p> <p>Engineering and Inspection Services</p> <p>Registered by <u>[Signature]</u></p> <p>UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p>
---	--

0C07770.52



STATUTORY DECLARATION
Registration of Fittings



I, Darwin Gentile,

Engineering Manager

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of Engineered Controls Int. LLC

(name of manufacturer)

located at 100 Rego Dr. Elon, NC 27244


(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☒ comply with the requirements of ASME/NB ASME B16 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- ☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, ISO90001/Underwriters Lab. Inc as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are category "C"

In support of this application, the following information, calculations and/or test data are attached:
see attached documents

DECLARED before me at Elon in the State of North Carolina
this 12th day of June
(print) Darwin Gentile
(sign) Patricia T. Hill (A Commissioner for Oaths)

Patricia T. Hill (Signature of Applicant)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: 0C07770.52

Date Registered: JUN 12 2014

(For the Administrator/Chief Inspector of Alberta)

Expiry Date: 2022-08-31



100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type C (Valves)

Model Number

HP9560(C,N) ser
HP9560(C,N) ser P
HP9561(C) ser
HP9561(C) ser P
HP9563(C) ser
HP9563(C) ser P

2554A ser

2505AC
2507AC
2511AC
2513AC

7160VL

CG375B
CG375SS
CG500B
CG500SS
CG750B
CG750SS

CMM25A
CMM250G

BK8406T
BK8408T
BK9412(S)T
BK9416T
BKA8412S

* T9464 ser
* T9450 ser
ES9454
ES9475A
BK9454

* PRV9430 ser
* SS9430 ser
B-9425N ser
B-9426N ser

ASIA	
SAFETY CODES ACT - PROVINCE OF ALBERTA	
REGISTRATION OF FITTINGS	
REGISTRATION NO.	0C 07770 . 52
DWG. NO. or CAT. NO.	scope
TYPE OF FITTINGS	valves
Date	JUN 12 2014
INITIALS	
MILLA GRYNCHUK, P.Eng. DESIGN SURVEY ENGINEER	

June 12, 2014

Attention: Tanya Francis
TECHNICAL STANDARDS & SAFETY AUTHORITY
3300 BLOOR STREET WEST
14 FLOOR CENTRE TOWER
TORONTO, ON M8X 2X4

The design submission, tracking number 2013-02749, originally received on April 15, 2013 was surveyed and accepted for registration as follows:

CRN : 0C07770.52

Accepted on: June 12, 2014

Reg Type: Addition to Acc. Fitting

Expiry Date: August 31, 2022

Drawing No. : SEE TSSA SCOPE

Fitting type: VALVES

Design registered in the name of : ENGINEERED CONTROLS INTERNATIONAL LLC

The registration is conditional on your compliance with the following notes:

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

CRN covers valves 1/2" thru 2", 300 psi & 600 psi @ 100 F/-20F

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,



GRYNCHUK, MILLA



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

November 29, 2012

DARWIN GENTILE
ENGINEERED CONTROLS INTERNATIONAL LLC
100 REGO DR
ETON NC 27244
US

Service Request Type.: BPV-National CSA
Service Request No.: 875766
Your Reference No.: NAT'L SERV. - VALVES
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear DARWIN GENTILE,

06770.53

Please find enclosed the original response from QC, SK, registered under the CRN No.:
CSA-0C7770.56R1.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel.: 416-734-3423
Fax: 416-231-6183
Email: tfrancis@tssa.org



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

STATUTORY DECLARATION

Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME/NB or ASME B16

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001 which has been verified by the following authority, Underwriters' Laboratory Inc.

The items covered by this declaration, for which I seek registration, are category "C" type fittings. In support of this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon in the State of North Carolina

the 5th day of September AD 20 12.


Commissioner for Oaths:

Patricia T. Hill

(Printed name)

Patricia T. Hill

(Signature)



(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C

CRN: CSA-OC 7770.56 R1

Registered by: Bikramjit S. Sandhu

Dated: OCTOBER 18, 2012

NOTE: This registration expires on AUG. 31, 2022



*Note: See the attachment for the scope of the registration



100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type C (Valves)

MAWP from 300 psi to
5600 psi depending on
Model & size
00/2 1/2

Model Number

HP9560(C,N) ser
HP9560(C,N) ser P
HP9561(C) ser
HP9561(C) ser P
HP9563(C) ser
HP9563(C) ser P

2554A ser

2505AC
2507AC
2511AC
2513AC

7160VL



CG375B
CG375SS
CG500B
CG500SS
CG750B
CG750SS

CMM25A
CMM250G

BK8406T
BK8408T
BK9412(S)T
BK9416T
BKA8412S

ES9454
ES9475A
BK9454

PRV9432 ser
SS9432 ser
B-9425N ser
B-9426N ser





TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

STATUTORY DECLARATION Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME/NB or ASME B16

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001 which has been verified by the following authority, Underwriters' Laboratory Inc.

The items covered by this declaration, for which I seek registration, are category "C" type fittings. In support of this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon in the State of North Carolina
the 5th day of September AD 20 12.

Commissioner for Oaths:

Patricia T. Hill

(Printed name)

Patricia T. Hill

(Signature)



(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C

CRN: CC 7770-54

Registered by: Rudolf

Dated: Nov. 2, 2012

NOTE: This registration expires on Aug 31, 2022



100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type C (Valves)

Model Number

HP9560(C,N) ser
HP9560(C,N) ser P
HP9561(C) ser
HP9561(C) ser P
HP9563(C) ser
HP9563(C) ser P

2554A ser

2505AC
2507AC
2511AC
2513AC

7160VL


CG375B
CG375SS
CG500B
CG500SS
CG750B
CG750SS

CMM25A
CMM250G

BK8406T
BK8408T
BK9412(S)T
BK9416T
BKA8412S

ES9454
ES9475A
BK9454

PRV9432 ser
SS9432 ser
B-9425N ser
B-9426N ser





TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

STATUTORY DECLARATION Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)

- ☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME Boiler Pressure Vessel Code Section VIII, Division 1, ASME B31.3

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service.

- ☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001
which has been verified by the following authority, Underwriters' Laboratory Inc.

The items covered by this declaration, for which I seek registration, are category "C" type fittings. In support of this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon

the 15th day of January AD 20 13


Commissioner for Oaths:

Patricia T. Hill

(Printed name)

Patricia T. Hill

(Signature)



FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C

CRN: CSA - OC 7770.56 ADD2

Registered by: B. SANDHU

Dated: MAY. 21. 2013

NOTE: This registration expires on

AUG. 31. 2022



Scope of Addition: New Models with Identical Press. Boundary Design as previously registered. See 1 Sheet of Attachment.



100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type C (Valves)

Model Number

HP9560(C,N) ser
HP9560(C,N) ser P
HP9561(C) ser
HP9561(C) ser P
HP9563(C) ser
HP9563(C) ser P

2554A ser

2505AC
2507AC
2511AC
2513AC

7160VL


CG375B
CG375SS
CG500B
CG500SS
CG750B
CG750SS

CMM25A
CMM250G

BK8406T
BK8408T
BK9412(S)T
BK9416T
BKA8412S

* T9464 ser
* T9450 ser
ES9454
ES9475A
BK9454

* PRV9430 ser
* SS9430 ser
B-9425N ser
B-9426N ser




UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC	
MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244	
PLANT LOCATIONS: same as above	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY <input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="checkbox"/> B Flanges: all flanges <input checked="" type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: See attached document list.	

DECLARATION:

I, Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Darwin Gentile

Declared before me at Elon, North Carolina

This 19th day of September AD 2012

Commissioner of Oaths / Notary Public: (sign) Patricia J. Hill

(Affix Official seal to the right)



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>OC7770.5 REV1</u> FID#: <u>1704</u> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	New Brunswick DEPT OF PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT REGISTRATION ONLY CRN: <u>OC7770.57 Rev1</u> EXAMINER: <u>Ken Cross</u> for CHIEF BOILER INSPECTOR DATE: <u>10/12/2012</u>
---	---

☐ BLRs ☐ PVs
☒ FITTINGS ☐ COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC

MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244

PLANT LOCATIONS: same as above

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☒ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
ASME B16

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

REGO ECIITYPE OF CONSTRUCTION
FORGED ☒ WELDED ☐ WROUGHT ☒
CAST ☐ OTHER ☐
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

See attached document list.


DECLARATION:

I, Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at Elon, North CarolinaThis 19th day of September AD 2012Commissioner of Oaths
or Notary Public: (sign) Patricia J. Hill

(Affix Official seal to the right)





This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC7770.5 REV1FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

C.R.N. OC7770.58 REV1Dwg. as describedSigned Yvonne Perry

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC	
MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244	
PLANT LOCATIONS: same as above	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input checked="" type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B16</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>REGO. ECII.</p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p>	

DECLARATION:

I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:


Declared before me at Elon North Carolina

This 19th day of September AD 2012

Commissioner of Oaths

or Notary Public: (sign) Patricia J. Hill

(Affix Official seal to the right)




<p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
<p>CRN: <u>OC7770.5 REV1</u></p> <p>FID#: <u>1704</u></p> <p>Notes:</p> <ol style="list-style-type: none"> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	<p>ACCEPTED</p> <p>PROVINCE OF PRINCE EDWARD ISLAND</p> <p>ENVIRONMENT, LABOUR & JUSTICE</p> <p>C.R.N. <u>OC7770.59 Rev1</u></p> <p>DATE: <u>Oct 12/12</u></p> <p>INSPECTION SERVICES SECTION</p> <p>BOILER/PRESSURE VESSEL BRANCH</p>

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURER'S NAME: Engineered Controls Intl. LLC	
MANUFACTURER'S ADDRESS: 100 Rego Drive, Elon, N.C. 27244	
PLANT LOCATIONS: same as above	
CATEGORY OF FITTINGS TO BE REGISTERED. SINGLE ONE CATEGORY ONLY <input type="checkbox"/> A Flange fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="checkbox"/> B Flanges: all flanges <input checked="" type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> I Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting ASME or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16
SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> DRAFT <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: See attached document list.	

DECLARATION:

I, Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the and product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:


Declared before me at

This

Commissioner of Oaths

or Notary Public: (sign)

(Affix Official seal to the right)



This space for Regulatory Authority use This registration must be revalidated after 10 years from the date of acceptance.	
CRN: <u>OC7770.5 REV1</u> FID#: <u>1704</u>	NUNAVUT Boilers and Pressure Vessels Act REGISTERED CRN <u>OC7770.5N REV1</u> Date <u>JAN 29 2013</u> Signed <u>[Signature]</u> Chief Inspector
Territorial Registration Fee	

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the and product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls Intl. LLC</u>	
MANUFACTURERS ADDRESS: <u>100 Rego Drive, Elon, N.C. 27244</u>	
PLANT LOCATIONS: <u>same as above</u>	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input checked="" type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p><u>ASME B16</u></p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p><u>REGO ECII</u></p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESIGN/BE OTHER: _____</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p>	

DECLARATION:
I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/JL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Darwin Gentile


Declared before me at Elon North Carolina

This 19th day of September AD 2012

Commissioner of Oaths

or Notary Public: (sign) Patricia J. Hill

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0C7770.5 REV1

FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories
REGISTERED

UNDER THE AUTHORITY OF
THE BOILER AND PRESSURE
VESSEL ACT

C.R.N. 0C7770.5 REV1

SIGNED [Signature]

DATE Oct 12/12

\$150.00

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC	
MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244	
PLANT LOCATIONS: same as above	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input checked="" type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> I Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B16</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>REGO. ECII.</p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p>	

DECLARATION:

I, Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Darwin Gentile


Declared before me at Elon, North Carolina

This 19th day of September AD 2012

Commissioner of Oaths

or Notary Public: (sign) Patricia J. Hill

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalldated after ten (10) years from the date of acceptance.

CRN: 0C7770.5 REV1

FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF YUKON
BY [Signature]
CRN 0C7770.5 REV1
DATE 10/12/12
BOILERS BRANCH