



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

STATUTORY DECLARATION Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)



do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME/NB or ASME B16

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;



or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001

which has been verified by the following authority, Underwriters' Laboratory Inc.

The items covered by this declaration, for which I seek registration, are category "G" type fittings. In support of this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon in the

the 23 day of July AD 20 12.


Commissioner for Oaths:

Patricia T. Hill

(Printed name)

Patricia T. Hill

(Signature)



Darwin Gentile

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category G.

CRN:

0677705R2

Registered by:

K. Kin

Dated:


Aug 31/12

NOTE: This registration expires on

Aug 31/2022

PV 09553 (06/04)

See one page of attachment
for scope. k.k. 08/31/12





100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type G (Certified pressure relief devices)

Model Number

B-19434B ser
C-19434B ser
UA3149A ser
PRV19430 ser
PRV29430 ser

THIS IS PART OF
CRN 067770.5R2
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls Intl. LLC</u>	
MANUFACTURERS ADDRESS: <u>100 Rego Drive, Elon, N.C. 27244</u>	
PLANT LOCATIONS: <u>same as above</u>	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input checked="" type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME/NB ASME B16</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>REGO. ECII.</p>	
<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: _____</p>	
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p>	

DECLARATION:

I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: _____

Declared before me at Elon, North Carolina

This 19th day of September AD 2012

Commissioner of Oaths
or Notary Public: (sign) Patricia T. Hill

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OG7770.5 REV2

FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

<p>22</p> <p>Newfoundland Labrador</p>	<p>GOVERNMENT OF NEWFOUNDLAND AND LABRADOR</p> <p>Department of Government Services</p>
	<p>Registered <u>OG7770.50 Rev. 2</u></p>
	<p>Date <u>2012/10/15</u></p>
	<p>GOVERNMENT SERVICES CENTRE Engineering and Inspection Services</p>
<p>Registered by <u>[Signature]</u></p>	
<p>UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p>	



STATUTORY DECLARATION
Registration of Fittings



I, Darwing Gentile,

Engineering Manager

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of Engineered Controls Int. LLC

(name of manufacturer)

located at 100 Rego Dr. Elon, NC 27244

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)


☒ comply with the requirements of ASME/NB ASME B16 * which specifies the dimensions,
(title of recognized North American Standard)

☐ materials of construction, pressure/temperature ratings and identification marking of the fittings, or
are not covered by the provisions of a recognized North American standard and are therefore manufactured to
comply with _____ as supported by the attached data which identifies the dimensions,
materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings
for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the
following authority, ISO90001/Underwriters Lab. Inc as being suitable for the manufacture of these fittings to the
stated standard. The fittings covered by this declaration, for which I seek registration, are category "G"

In support of this application, the following information, calculations and/or test data are attached:
see attached documents

DECLARED before me at Elon in the State of North Carolina
this 19th day of September 2012
(Month)
(print) Darwing Gentile
(sign) Patricia T Hill
(A Commissioner for Oaths)



For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category G

Registration Number: 0607770 52

Date Registered: JAN 31 2013

(For the Administrator/Chief Inspector of Alberta)

Expiry Date: 2022-08-31

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.

NB VERIFIED to Section VIII, Div. 1 - L



100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type G (Certified pressure relief devices)

Model Number

B-19434B ser ✓
C-19434B ser ✓
UA3149A ser ✓
PRV19430 ser ✓
PRV29430 ser ✓

06077777 52



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

November 29, 2012

DARWIN GENTILE
ENGINEERED CONTROLS INTERNATIONAL LLC
100 REGO DR
ETON NC 27244
US

Service Request Type.: BPV-National CSA
Service Request No.: 875780
Your Reference No.: NAT'L SERV. - PRESSURE RELIEF DEVICES
Registered to.: ENGINEERED CONTROLS INTERNATIONAL LLC

Dear DARWIN GENTILE,

Please find enclosed the original response from QC, SK, registered under the CRN No.:
CSA-0G7770.56R2.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel. : 416-734-3423
Fax : 416-231-6183
Email : tfrancis@tssa.org



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

STATUTORY DECLARATION

Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME/NB or ASME B16

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001 which has been verified by the following authority, Underwriters' Laboratory Inc.


The items covered by this declaration, for which I seek registration, are category "G" type fittings. In support of this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon in the State of North Carolina
the 5th day of September AD 20 12

Commissioner for Oaths:

Patricia T. Hill
(Printed name)
Patricia T. Hill
(Signature)



(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category G

CRN: CSA-067770.56R2


Registered by: Bikramjit S. Sandhu

Dated: 19 Oct 2012

NOTE: This registration expires on AUG - 31 - 2022

PV 095

*Note: See the attachment for the scope
of the registration





100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type G (Certified pressure relief devices)

Model Number



B-19434B ser

C-19434B ser

UA3149A ser

PRV19430 ser

PRV29430 ser





TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

STATUTORY DECLARATION Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME/NB or ASME B16

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001

which has been verified by the following authority, Underwriters' Laboratory Inc.

The items covered by this declaration, for which I seek registration, are category "G" type fittings. In support of this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon


in the State of North Carolina

the 5th day of September AD 20 12

Commissioner for Oaths:

Patricia T. Hill
(Printed name)

Patricia T. Hill
(Signature)



(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category G

CRN: 067770.54

Registered by: [Signature]

Dated: Nov. 1, 2012

NOTE: This registration expires on Aug 31, 2022



100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type G (Certified pressure relief devices)

Model Number


B-19434B ser

C-19434B ser

UA3149A ser

PRV19430 ser

PRV29430 ser





TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

STATUTORY DECLARATION Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME/NB or ASME B16

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001
which has been verified by the following authority, Underwriters' Laboratory Inc.


The items covered by this declaration, for which I seek registration, are category "G" type fittings. In support of
this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon in the State of North Carolina
the 5th day of September AD 20 12

Commissioner for Oaths:

Patricia T. Hill
(Printed name)
Patricia T. Hill
(Signature)



FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the
Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and
CSA Standard B51 and is accepted for registration in Category G

CRN:

CSA-067770.56R2

Registered by:

Bikramjit S. Sandhu

Dated:

19 Oct 2012

NOTE: This registration expires on

AVG - 31-2022

PV 095

*Note: See the attachment for the scope
of the registration







100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type G (Certified pressure relief devices)

Model Number

B-19434B ser
C-19434B ser
UA3149A ser
PRV19430 ser
PRV29430 ser



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC

MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244

PLANT LOCATIONS: same as above

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- ☐ B Flanges: all flanges
- ☐ C Valves: all line valves
- ☐ D Expansion joints, flexible connections, and hose assemblies: all types
- ☐ E Strainers, filters, separators, and steam traps
- ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- ☒ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- ☐ H Pressure retaining components that do not fall into one of the above categories
- ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME/NB
ASME B16

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

REGO ECII

TYPE OF CONSTRUCTION

FORGED ☒ WELDED ☐ WROUGHT ☒
CAST ☒ OTHER ☐
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

See attached document list.

DECLARATION:

I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: [Signature]

Declared before me at Elon North Carolina

This 19th day of September AD 2012

Commissioner of Oaths
or Notary Public: (sign) Patricia J. Hill

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance. New Brunswick

CRN: OG7770.5 REV2

FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BRUNSWICK
DEPT OF PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN: OG7770.57 Rev 2

EXAMINER: [Signature]
for
CHIEF BOILER INSPECTOR

DATE: 10/12/2012

☐ BLRs ☐ PVs

☐ FITTINGS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC

MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244

PLANT LOCATIONS: same as above

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- ☐ B Flanges: all flanges
- ☐ C Valves: all line valves
- ☐ D Expansion joints, flexible connections, and hose assemblies: all types
- ☐ E Strainers, filters, separators, and steam traps
- ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- ☒ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- ☐ H Pressure retaining components that do not fall into one of the above categories
- ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME/NB
ASME B16

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

REGO. ECII

TYPE OF CONSTRUCTION

FORGED ☒ WELDED ☐ WROUGHT ☒
CAST ☐ OTHER ☐
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

See attached document list.

DECLARATION:


I, Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if sworn to before a Notary Public.

Signature of Declarer:

Declared before me at

This 10th day of September AD 2012Commissioner of Oaths
or Notary Public: (sign)

(Affix Official seal to the right)





This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of issuance.

CRN: OG7770.5 REV2FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

C.R.N. OG7770.58 REV2Dwg. as describedSigned Yvonne Perry

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC

MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244

PLANT LOCATIONS: same as above

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☒ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☐ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME/NB
ASME B16

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

REGO ECII

TYPE OF CONSTRUCTION

FORGED ☒ WELDED ☐ WROUGHT ☒
 CAST ☐ OTHER ☐
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

See attached document list.

DECLARATION:

I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:


Declared before me at Elon North Carolina

This 19th day of September AD 2012

Commissioner of Oaths

or Notary Public: (sign) Patricia T. Hill

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0G7770.5 REV2

FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

ACCEPTED
 PROVINCE OF PRINCE EDWARD ISLAND
 ENVIRONMENT, LABOUR & JUSTICE

C.R.N. 0G7770.59 Rev2


DATE: Oct 12/12

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURER'S NAME: <u>Engineered Controls Intl. LLC</u>	
MANUFACTURER'S ADDRESS: <u>100 Rego Drive, Elon, N.C. 27244</u>	
PLANT LOCATIONS: <u>same as above</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY.	
<input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="checkbox"/> B Flanges: all flanges <input type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levelts, or pressure transmitters <input checked="" type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> I Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting ASME or ASME requirements)	TITLE OF THE STANDARD, SPECIFICATION ASME/NB ASME B16
SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DETAIL OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: See attached document list.	

DECLARATION:


I, Darwin Gentile (1944 Nov 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if sworn to before a court of law.

Signature of Declarer:

Declared before me at

This 19th day of September AD 2012Commissioner of Oaths
or Notary Public: (sign)

(Affix Official seal to the right)



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>OG7770.5 REV2</u> FID#: <u>1704</u> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	NUNAVUT Boilers and Pressure Vessels Act REGISTERED CRN: <u>OG7770.5N REV2</u> Date: <u>29/09/2013</u> Signed: <u>[Signature]</u> Chief Inspector Territorial Registration Fee
---	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Engineered Controls Intl. LLC</u>	
MANUFACTURERS ADDRESS: <u>100 Rego Drive, Elon, N.C. 27244</u>	
PLANT LOCATIONS: <u>same as above</u>	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input checked="" type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME/NB ASME B16</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>REGO. ECII.</p>	
<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>	
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p>	

DECLARATION:
 I, Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if sworn to before a notary public.


Signature of Declarer: [Signature]

Declared before me at Elon North Carolina

This 10th day of September A.D. 2012

Commissioner of Oaths Patricia T. Hill
 or Notary Public: (sign)

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OG7770.5 REV2

FID#: 1704

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories
 REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 CRN: OG7770.5 REV2
 SIGNED: [Signature]
 DATE: Oct 12/12

50.00

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC	
MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244	
PLANT LOCATIONS: same as above	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input checked="" type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME/NB ASME B16</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>REGO. ECII.</p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p>	

DECLARATION:

I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer:

Declared before me at

This 19th day of September AD 2012

Commissioner of Oaths
or Notary Public: (sign)

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OG7770.5 REV2

FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

