



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

STATUTORY DECLARATION

Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)

☒ I do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME/NB or ASME B16

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001 which has been verified by the following authority, Underwriters' Laboratory Inc.

The items covered by this declaration, for which I seek registration, are category "H" type fittings. In support of this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon in the State of North Carolina

the 23 day of July AD 2012.


Commissioner for Oaths:

Patricia T. Hill

(Printed name)

Patricia T. Hill

(Signature)



Darwin Gentile
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category H.

CRN: 047770.5 R1

Registered by: K. Kin

Dated: Aug 31/12

NOTE: This registration expires on Aug 31/12 2022

PV 09553 (06/04)

See one page of attachment
for scope. LK 08/31/12

| | |
|-------------------------|--|
| Not a notary | Boiler and Pressure Vessels Safety Program |
| REGISTERED | |
| CRN: <u>047770.5 R1</u> | |
| Signed: <u>K. Kin</u> | |
| Date: <u>Aug 31/12</u> | |



100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type H (All other)

Model Number

RGXXA(G) ser
RGXXC ser

M2523HP(R)
M2523HP320
M2523LC

1682M ser

1784 ser
1784XE(W) ser

1788 ser
1788XE ser

BR-1784 ser
BR-1784 ser P
BR-1784XE ser

BR-1788 ser
BR-1788AP ser
BR-1788XE ser

THIS IS PART OF
CRN 04770.5R7
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

| | |
|---|---|
| MANUFACTURERS NAME: <u>Engineered Controls Intl. LLC</u> | |
| MANUFACTURERS ADDRESS: <u>100 Rego Drive, Elon, N.C. 27244</u> | |
| PLANT LOCATIONS: <u>same as above</u> | |
| <p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> I Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p> | <p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B16</p> |
| <p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>REGO. ECII.</p> | <p>TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p> |
| <p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p> | |

DECLARATION:

I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: [Signature]

Declared before me at Elon, North Carolina

This 19th day of September AD 2012

Commissioner of Oaths
or Notary Public: (sign) Patricia J. Hill

(Affix Official seal to the right)



| | |
|--|---|
| <p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance</p> <p>CRN: <u>OH7770.5 REV1</u></p> <p>FID#: <u>1704</u></p> <p>Notes:</p> <ol style="list-style-type: none"> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. | <p>NEWFOUNDLAND AND LABRADOR</p> <p>Department of Government Services</p> <p>Registered <u>OH7770.50 REV.1</u></p> <p>Date <u>2012/10/15</u></p> <p>GOVERNMENT SERVICES CENTRE</p> <p>Engineering and Inspection Services</p> <p>Registered by: <u>[Signature]</u></p> <p>UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p> |
|--|---|



TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

STATUTORY DECLARATION

Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME/NB or ASME B16

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
_____ as supported by the attached data which identifies the dimensions, material of construction,
pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001
_____ which has been verified by the following authority, Underwriters' Laboratory Inc.

The items covered by this declaration, for which I seek registration, are category "H" type fittings. In support of
this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon

in the State of North Carolina

the 5th day of September AD 20 12


Commissioner for Oaths:

Patricia T. Hill

(Printed name)

Patricia T. Hill

(Signature)



(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the
Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and
CSA Standard B51 and is accepted for registration in Category H

CRN: 0147770.54

Registered by: Ryan D. [Signature]

Dated: Nov. 2, 2012

NOTE: This registration expires on Aug 31, 2012



100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type H (All other)

Model Number

RGXXA(G) ser
RGXXC ser

M2523HP(R)
M2523HP320
M2523LC



1682M ser

1784 ser
1784XE(W) ser

1788 ser
1788XE ser

BR-1784 ser
BR-1784 ser P
BR-1784XE ser

BR-1788 ser
BR-1788AP ser
BR-1788XE ser





TECHNICAL STANDARDS &
SAFETY AUTHORITY
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will
appear on the fitting, in the space below

STATUTORY DECLARATION

Registration of Fittings

I, Darwin Gentile, Engineering Manager

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Engineered Controls Int'l LLC

(Name of Manufacturer)

Located at 100 Rego Drive, Elon, NC 27244

(Plant Address)

336-446-7707

(Telephone No.)

336-449-6594

(Fax No.)



do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of
ASME/NB or ASME B16

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;



or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with
as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO90001
which has been verified by the following authority, Underwriters' Laboratory Inc.

The items covered by this declaration, for which I seek registration, are category "H" type fittings. In support of this application, the following information and/or test data are attached as follows:
see attached list

(drawings, calculations, test reports, etc.)

Declared before me at Elon

in the State of North Carolina

the 5th day of September AD 20 12


Commissioner for Oaths:

Patricia T. Hill

(Printed name)

Patricia T. Hill

(Signature)



(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category H

CRN:

CSA-OH7770,56R1

Registered by:

A. BANWATT

Dated:

NOV. 7. 2012

NOTE: This registration expires on

AUG. 31. 2022



CSA INTERNATIONAL

REGISTERED

C.R.N. CSA-OH7770,56R1

Signed:

A. Banwatt

Date:

NOV. 7. 2012

178 Rexdale Blvd., Toronto, ON M9W 1R3

*Note: See the attachment for the scope
of the registration



100 RegO Drive PO Box 247 Elon, NC 27244 USA Phone (336) 449-7707 Fax (336) 449-6594 www.regoproducts.com

Design File for Canadian National Design Registration (CRN)

Category Type H (All other)

Model Number

RGXXA(G) ser
RGXXC ser

M2523HP(R)
M2523HP320
M2523LC

1682M ser

1784 ser
1784XE(W) ser

1788 ser
1788XE ser

BR-1784 ser
BR-1784 ser P
BR-1784XE ser

BR-1788 ser
BR-1788AP ser
BR-1788XE ser


CANADIAN STANDARDS
ASSOCIATION

ATTACHMENT TO
CRN CSA-047770.56R1

SIGNED 

178 Rexdale Boulevard, Toronto, ON Canada M9W 1R3

THIS IS PART OF
CRN 047770.56R1
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

| | |
|---|--|
| MANUFACTURERS NAME: Engineered Controls Intl. LLC | |
| MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244 | |
| PLANT LOCATIONS: same as above | |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY <input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="checkbox"/> B Flanges: all flanges <input type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements) | TITLE OF THE STANDARD OF CONSTRUCTION ASME B16 |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT  | TYPE OF CONSTRUCTION FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: See attached document list. | |

DECLARATION:

I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Darwin Gentile


Declared before me at Elon, North Carolina

This 19th day of September AD 2012

Commissioner of Oaths
or Notary Public: (sign) Patricia T. Hill

(Affix Official seal to the right)



| | |
|--|--|
| This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. | |
| CRN: <u>OH7770.5 REV1</u> FID#: <u>1704</u> |  DEPT OF PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT REGISTRATION ONLY CRN: <u>OH777057 Rev 1</u> EXAMINER: <u>[Signature]</u> for CHIEF BOILER INSPECTOR |
| Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. | |

DATE: 10/12/2012

☐ BLRs ☐ PVs
☒ FITTINGS ☐ COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC

MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244

PLANT LOCATIONS: same as above

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs
☒ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting ASME or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B16

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

REGO ECII

TYPE OF CONSTRUCTION

FORGED ☒ WELDED ☐ WROUGHT ☒
 CAST ☒ OTHER ☐
 DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

See attached document list.


DECLARATION:

I, Darwin Gentile (see note 3) employed by ECII LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at Elon, North CarolinaThis 19th day of September AD 2012Commissioner of Oaths
or Notary Public: (sign) Patricia T. Hill

(Affix Official seal to the right)





This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OH7770.5 REV1FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

C.R.N. OH7770.58 REV1Dwg. as describedSigned Yvonne Perry

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

| | |
|--|--|
| MANUFACTURERS NAME: Engineered Controls Intl. LLC | |
| MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244 | |
| PLANT LOCATIONS: same as above | |
| <p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p> | <p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B16</p> |
| <p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>REGO ECII</p> | <p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p> |
| <p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p> | |

DECLARATION:
I, Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:


Declared before me at

This

Commissioner of Oaths

or Notary Public: (sign)

(Affix Official seal to the right)



| | |
|---|---|
| <p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> | |
| <p>CRN: <u>OH7770.5 REV1</u></p> <p>FID#: <u>1704</u></p> | <p>ACCEPTED</p> <p>PROVINCE OF PRINCE EDWARD ISLAND</p> <p>ENVIRONMENT, LABOUR & JUSTICE</p> <p>C.R.N. <u>OH7770.59 Rev1</u></p> <p>DATE: <u>Oct 18 / 12</u></p> <p>INSPECTION SERVICES SECTION</p> <p>BOILER/PRESSURE VESSEL BRANCH</p> |
| <p>Notes:</p> <p>1. All fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p> | |

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUTNOVA SCOTIA
YUKONPRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

| | |
|---|---|
| MANUFACTURERS NAME: Engineered Controls Intl. LLC | |
| MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244 | |
| PLANT LOCATIONS: same as above | |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY | TITLE OF THE STANDARD OF CONSTRUCTION |
| <input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="checkbox"/> B Flanges: all flanges <input type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> M Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting ASME or ASME requirements) | ASME B16 |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT | TYPE OF CONSTRUCTION |
| REGO. ECII. | FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> UNSPECIFIED OTHER: |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: See attached document list. | |


DECLARATION:

I, Darwin Gentile (name not a 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at Elon, North CarolinaThis 19th day of September AD 2012Commissioner of Oaths
or Notary Public: (sign) Patricia T. Hill

(Affix Official seal to the right)



| | |
|---|---|
| This space for Regulatory Authority This registration must be revalidated after ten (10) years from the date of acceptance. | NUNAVUT Boilers and Pressure Vessels Act |
| CRN: <u>OH7770.5 REV1</u> FID#: <u>1704</u> | REGISTERED CRN <u>OH7770.5N REV1</u> Date <u>JAN 23 2013</u> Signed <u>[Signature]</u> Chief Inspector |
| Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. | |
| Territorial Registration Fee | |

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

| | |
|--|---|
| MANUFACTURERS NAME: <u>Engineered Controls Intl. LLC</u> | |
| MANUFACTURERS ADDRESS: <u>100 Rego Drive, Elon, N.C. 27244</u> | |
| PLANT LOCATIONS: <u>same as above</u> | |
| <p>CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY</p> <p><input type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers.</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs</p> <p><input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> I Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AEBC or ASME requirements)</p> | <p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B16</p> |
| <p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p>REGO ECII</p> | |
| <p>TYPE OF CONSTRUCTION</p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p> | |
| <p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>See attached document list.</p> | |

DECLARATION:
Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the nature of a solemn oath.

Signature of Declarer:


Declared before me at Elon, North Carolina

This 19th day of September AD 2012

Commissioner of Oaths
or Notary Public: (sign)

Patricia T. Hill

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OH7770.5 REV1

FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories

REGISTERED

UNDER THE AUTHORITY OF
THE BOILER AND PRESSURE
VESSEL ACT

C.R.N. OH7770.5 Rev1

SIGNED Patricia T. Hill

DATE Oct 12/12

\$50.00

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Engineered Controls Intl. LLC
MANUFACTURERS ADDRESS: 100 Rego Drive, Elon, N.C. 27244
PLANT LOCATIONS: same as above

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- ☐ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
☐ B Flanges: all flanges
☐ C Valves: all line valves
☐ D Expansion joints, flexible connections, and hose assemblies: all types
☐ E Strainers, filters, separators, and steam traps
☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
☒ H Pressure retaining components that do not fall into one of the above categories
☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION

ASME B16

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

REGO. ECII.

TYPE OF CONSTRUCTION

FORGED ☒ WELDED ☐ WROUGHT ☒
CAST ☒ OTHER ☐
DESCRIBE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

See attached document list.

DECLARATION:

I Darwin Gentile (see note 3) employed by ECI LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9000/UL INC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: [Signature]

Declared before me at Elon, North Carolina

This 19th day of September AD 2012

Commissioner of Oaths
or Notary Public: (sign) Patricia T. Hill

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH7770.5 REV1

FID#: 1704

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

