

February 2021

RegO ® Field Topics

Regulator Date Codes

Field Topics are intended to provide useful information to the network of authorized LP-Gas and Anhydrous Ammonia distributors regarding the proper use of RegO® products. **Warning Bulletins** covering many of the hazards involved are available from RegO for more detailed information. These bulletins can be found in our **L-500**, **L-102** and **NH3-102** catalogs. Neither the Field Topic or the Warning Bulletins are intended to conflict with federal, state, or local ordinances and/or regulations, which should be observed at all times. This information also is not intended to be a substitute for or to supplement any training in the safe handling and use of propane and related equipment, as required by any applicable law. By providing this material, ECI assumes no responsibility for providing any such training. Only individuals properly trained in the safe handling and use of propane and related equipment should be permitted to do so, and by providing this information, ECI does not assume responsibility for providing such training.

For more information on LP Gas system requirements, refer to Liquefied Petroleum Gas Code (NFPA 58), National Fuel Gas Code (NFPA 54), National Propane Gas Association Safety Handbook, the RegO LP-Gas Serviceman's Manual L-545, RegO catalogs L-500/L-102/NH3-102, ANSI K61.1 Safety Requirements for Storage and Handling of Anhydrous Ammonia, as well as any applicable local codes and ordinances.

Regulator Date Codes

This field topic is designed to help aide in identifying RegO regulators, whether current or past models. It is important to identify the regulator date code to determine the life of the regulator. The environment and conditions of use will determine the safe service life of these products. Periodic inspection and maintenance are essential. The recommended service life of an ECII/RegO® regulator (except single stage) manufactured after 1995 is 25 years.

Over the years with continued improvement RegO has continued to create clearer visibility on product numbers and date codes. During our 2017 and 2018 regulator refresh program, RegO has established our laser engraved bonnet on the LV4403, LV3403 and LV404 series. The laser engraved bonnet provides clear visibility to all pertinent information including the date code.



Regulator Date Coding

Regulator manufactured after 1990 can be identify with a 3-part date code

First part in the month	date code is	Second part in date code is the week	Third part i the year	n date code is
1 – January 2 – February 3 – March 4 – April 5 – May 6 - June	7- July 8 – August 9 – September 10 – October 11 - November 12 - December	$A - 1^{st}$ week $B - 2^{nd}$ week $C - 3^{rd}$ week $D - 4^{th}$ week $E - 5^{th}$ week		17 - 2017 18 - 2018 19 - 2019 20 or 2020* 21 or 2021* Etcetera ed regulators will r as of June 2020
HAJTARO Date Of the Office of	Example 01A2021 1 st week of Janua			


Example 2 06E18 5th week of June 2018



Fax: +1 336.449.6594

Phone: +1 336.449.7707







Regulators with date codes prior to 1990 should be replaced and would be past their expected safe service life. They can be identified as their date code listed as:

From 1985 to 1990 – 2-Part Date Code

First part in date code is the month

1 - January7 - July2 - February8 - August3 - March9 - September4 - April10 - October5 - May11 - November6 - June12 - December

Second part in date code is the year


86 - 198689 - 198987 - 198790 - 199088 - 1988

EXAMPLE: 5-87 = May of 1987

From 1960 to 1985 – 2-Part Date Code

First part in date code is the month

A – January	G - July
B – February	H – August
C-March	I – September
D – April	J – October
E-May	K - November
F - June	L - December





Second part in date code is the year

R - 1960	A - 1969	J-1978
S - 1961	B-1970	K - 1979
T - 1962	C - 1971	L-1980
U - 1963	D-1972	M - 1981
V - 1964	E-1973	N - 1982
W - 1965	F-1974	O - 1983
X – 1966	G - 1975	P - 1984
Y - 1967	Н - 1976	Q - 1985
Z - 1968	I-1977	

Should you have any questions or concern, please contact me.

